Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



A RECORD OF THE FUNGI NAMED BY J. B. ELLIS

Issued by



Division of Mycology and Disease Survey


BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING

AGRICULTURAL RESEARCH ADMINISTRATION

UNITED STATES DEPARTMENT OF AGRICULTURE


Part II

Hadrotrichum -- Pyrenophora





All and a second



USDA National Agricultural Library NAL Building 10301 Baltimore Blvd Beltsville, MD 20705-2351

SPECIAL PUBLICATION

Issued by

THE DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

A RECORD OF THE FUNGI NAMED BY J. B. ELLIS

PART II

Edith K. Cash

Special Publication Number 2: Part II June 15, 1953.

- Hadrotrichum (as "Hadotrichum") heteromelis Ell. & Ev. Erythea 2: 26. Feb. 9, 1894. On Heteromeles arbutifolia, Calif.
- ---- (as "Hadotrichum") lupini Ell. & Ev. Bull. Torr. Club 27: 59.
 Feb. 1900. On Lupinus spp., Wyo., Calif., and Colo. See Ovularia?
 globifera Ell. & Ev.
- Haematomyces vinosus Cke. & Ell. Grev. 4: 179, illus. June 1876. On oak (Quercus), N. J.
 - -Haematomyxa vinosa (Cke. & Ell.) Sacc. Syll. Fung. 8: 646. 1889.
- Haematomyxa ascoboloides Ell. & Ev. Bull. Torr. Club 27: 60. Feb. 1900. On herbaceous stems, Md.
- HAINESIA Ell. & Sacc. Syll. Fung. 3: 698. Dec. 15, 1884. Jour. Myc. 1: 104. Aug. 1885. Type: H. rhoina (Sacc.) Ell. & Sacc.
- ---- asclepiadicola Ell. & Ev. (ined.). On Asclepias cornuti, Del. In Commons Coll. sec. D. L. Sumstine in litt.
- ---- borealis Ell. & Ev. Jour. Myc. 5: 156. Sept. 1889. On Galium boreale, Brit. Col. Proc. Acad. Phil. 1893, p. 166. 1893. N. Am. F. 2785.

- Hainesia pallida Ell. & Ev. ined. On Rhus copallina, N. J. Specimen in Myc. Coll.
- ---- rhoina (Sacc.) Ell. & Sacc. Syll. Fung. 3: 699. Dec. 15, 1884. On Rhus glabra, Italy and N. J. Jour. Myc. 1: 105. 1885. Cat. Pl. N. J. p. 590. 1889. N. Am. F. 2278.
 - Syn.: Gloeosporium? rhoinum Sacc. F. ital. fig. 1035.
 - = Hymenula rhoina (Ell. & Sacc.) Bub. & Kab. Hedw. 52: 362. 1912.
 - = Pezizella lythri (Desm.) Shear & B. O. Dodge Mycol. 13: 162. 1921
 - = Mollisia oenotherae (Cke. & Ell.) Seaver (Discohainesia oenotherae (Cke.) Ell.) Nannf.) sec. Seaver N. Am. Cup-F. Inopercul. p. 211. 1951.
- Haplaria chlorina Ell. & Ev. Bull. Torr. Club 10: 97. Sept. 1883. On Magnolia, N. J. Cat. Pl. N. J. p. 559. 1889.
- Haplographium griseum Ell. & Langl. Jour. Myc. 4: 124. Dec. 1888. On corn (Zea mays), La.
 - = Schizocephalum griseum (Ell. & Langl.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 666, 1896.
- Haplosporella acerina (Ell. & Barth.) Ell. & Ev. Jour. Myc. 10: 167.
 June 24, 1904.
 - Syn.: Sphaeropsis acerina Ell. & Barth, Bull. Torr, Club 25: 509.
 - = Haplosporella clintonii (Pk.) Petr. & Syd, Beih, Fedde Repert. Spec. Nov. 42: 27. 1926.
- ---- ailanthi Ell. & Ev. Jour. Myc. 5: 147. Sept. 1889. On Ailanthus glandulosus, N. Y.
- ---- alpina Ell. & Ev. Proc. Acad. Phil. 1894, p. 362. Dec. 11, 1894. On Sambucus melanocarpa, Colo. Jour. Myc. 8: 175. 1902. N. Am. F. 3165.
 - = Lasmeniella alpina (Ell. & Ev.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 313. 1926.
 - = Microhaplosporella sec. S. Camara Agron. Lusit, 11: 63. 1949.
- ---- araliae Ell. & Ev. Proc. Acad. Phil. 1894, p. 362. 1895. On Aralia spinosa, W. Va.
- capreolata (Schw.) Ell. & Ev. N. Am. Pyren. p. 604. May 1892.
 Combination not formally made, but species referred to Haplosporella.
 - Syn.: Dothidea capreolata Schw. Trans. Am. Phil. Soc. ser. 2, 4: 231. 1832.

- Hadlosporella celtidis Ell. & Ev. Proc. Acad. Phil. 1894, p. 362. Dec. 11, 1894. On Celtis, W. Va.
- ---- cercidis Ell. & Barth. Jour. Myc. 11: 108. May 1905. On Cercis canadensis, Kans.
- ---- diatrypoides Ell. & Barth. Jour. Myc. 11: 108. May 1905. On Ulmus pubescens, Kans.
 - = Haplosporella ulmea var. rhizophila (Shear) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 97. 1926.
 - = Microhaplosporella sec. S. Camara Agron. Lusit. 11: 63. 1949.
- on Ailanthus glandulosa, Kans. Kans. Acad. Sci. 16: 166. 1899.
 - . = Haplosporella ellîsîî Syd. Hedw. Beîbl. 6: (277). 1899.
 - = Haplosporella ailanthi Ell. & Ev. sec. Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 29. 1926.
- ---- euonymi Ell. & Ev. Jour. Myc. 5: 147. Sept. 1889. On Euonymus atropurpureus, Nebr.
 - = Microhaplosporella sec. S. Camara Agron. Lusit. 11: 63. 1949.
- ---- fuliginosa (Pers. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 744.

 May 1892. Combination not formally made, but species referred to Haplosporella.
 - Syn.: Sphaeria fuliginosa Pers. ex Fr. Syst. Myc. 2: 423. 1823.
- F. Col. 963. (H. gleditschiaecola (Cke.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 61. 1926)
 - Syn.: Sphaeropsis gleditschiaecola Cke. Grev. 7: 33. 1878.
- grandinea Ell. & Ev. Jour. Myc. 8: 63. June 1902. On Magnolia glauca, Ala.
 - Syn.: Sphaeropsis grandiflora Ell. & Ev. Jour. Myc. 8: 63. 1902.

 Sphaeropsis magnoliae Ell. & Dearn. (nom. nud.) Jour. Myc.

 10: 170. 1904. F. Col. 2087.
- hippocastani Ell. & Ev. (nom. nud.) N., Am. F. 2563. Feb. 21, 1891. On Aesculus hippocastanum, Ontario.
 - ≕ Diplodia sec. Archer Ann. Myc. 24: 55. 1926.

- Haplosporella jasmini Ell. & Ev. Jour. Myc. 8: 64. June 1902. On Jasminum fruticans, Ala.
- Juglandis Ell. & Barth. Trans. Kans. Acad. Sci. 16: 166. 1899. On Juglans nigra, Kans.
 - Syn.: Sphaeropsis juglandis Ell. & Barth. l. c. N. Am. F. 3549; F. Col. 1249.
 - = Physalospora glandicola (Schw.) N. E. Stevens Mycol. 25: 544. 1933.
- Langipes Ell. & Barth. Erythea 4: 81. May 9, 1896. On Morus alba, Kans. N. Am. F. 3454; F. Col. 962.
 - = Diplodia sec. Archer Ann. Myc. 24: 55. 1926.
 - = Haplosporella mori var. valsoidea (Cke. & Ell.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 70. 1926.
- Maclura aurantiaca, Kans. See Haplosporella maclurae (Cke.) Ell. & Ev.
- Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 67. 1926).
 - Syn.: Sphaeropsis maclurae Cke. Grev. 6: 134. 1878. N. Am. F. 2771. Haplosporella maclurae Ell. & Barth. Trans. Kans. Acad. Sci. 16: 166. 1899.
- mexicana Ell. & Ev. Bull. Torr. Club 22: 440. Oct. 31, 1895. On Magnolia mexicana, Mexico. Jour. Myc. 8: 64. 1902.
- Quercus undulata, Colo.
 - = Microhaplosporella sec. S. Camara Agron. Lusit. 11: 63. 1949.
- minor Ell. & Barth. Trans. Kans. Acad. Sci. 16: 166. 1899. On Maclura aurantiaca, Kans.
 - = Sclerothyrium minor (Ell. & Barth.) Hoehn. Hedw. 60: 145, 181. 1918.
 - = Coniothyrium minus (Ell. & Barth.) Petr. & Syd. Beih. Fedde Repert.

 Spec. Nov. 42: 380. 1927.
 - = Microhaplosporella sec. S. Camara Agron. Lusit. 11: 63. 1949.
- not formally made, but species referred to Haplosporella.
 - Syn.: Sphaeria mutila Fr. Syst. Myc. 2: 424. 1823.

- Haplosporella negundinis Ell. & Barth. Erythea 4: 81. May 9, 1896. On Negundo aceroides, Kans.
- ---- propullans var. velata Ell. & Barth. in Seym. Host Index p. 473.
 - = Haplosporella propullans var. velata (Ell. & Barth.) Petr. & Syd. 1926. See Haplosporella velata Ell. & Barth.
- ---- robiniae (Schw.) Ell. & Ev. N. Am. Pyren. p. 604. May 1892. Combination not formally made, but species referred to Haplosporella.
 - Syn.: Dothidea robiniae Schw. Trans. Am. Phil. Soc. ser. 2, 4: 231. 1832.
- ---- sambucina Ell. & Barth. Jour. Myc. 8: 175. Dec. 1902. On Sambucus canadensis, Kans. = H. sambuci (Pk.) Petr. sec. Petr. & Syd.
- ---- seriata Ell. & Ev. Proc. Acad. Phil. 1891, p. 78. Mar. 10, 1891. On Sambucus, Ontario. Jour. Myc. 8: 175. 1902. N. Am. F. 2564.
 - = Haplosporella sambuci (Pk.) Petr. sec. Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 85. 1926.
- ---- staphylina Ell. & Dearn. Trans. Canad. Inst. 6: 638, illus. 1899.
 On Staphylea trifoliata, Quebec.
- ---- subconfluens (Schw.) Ell. & Ev. N. Am. Pyren. p. 744. May 1892. Combination not formally made, but species referred to Haplosporella.
 - Syn.: Sphaeria subconfluens Schw. Trans. Am. Phil. Soc. ser. 2, 4: 197. 1832.
- ---- sumachi (Schw.) Ell. & Ev. (as H. s. (Cke. & Ell.) Ell. & Ev.) N.
 Am. Pyren. p. 744. May 1892.)
 - Syn.: Sphaeria sumachi Schw. Trans. Am. Phil. Soc. ser. 2, 4: 205. 1832.
 - Sphaeropsis sumachi Cke. & Ell. Grev. 5: 31, illus. 1876.
 Prel. Cat. Fl. N. J. p. 180. Cat. Pl. N. J. p. 582.
 1889. N. Am. F. 29; F. Col. 1053.
 - = Physalospora glandicola (Schw.) N. E. Stevens Mycol. 25: 544. 1933.
- ---- tingens Ell. & Langl. Jour. Myc. 6: 37. Mar. 1890. On Andropogon muricatus, La.

- Haplosporella valsoidea (Cke. & Ell.) Ell. & Ev. Jour. Myc. 5: 147. Sept 1889. N. Am. F. 2773.
 - Syn.: Sphaeropsis valsoideum Cke. & Ell. Grev. 5: 89. 1877. Prel. Cat. Fl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 582. 1889. Proc. Acad. Phil. 1893, p. 457. 1894.
 - = Macroplodia valsoidea (Cke. & Ell.) (as "valsodea Cke.") Kuntze Rev. Gen. Pl. 3, pt. 2, p. 492. 1898.
 - = Haplosporella mori var. valsoidea (Cke. & Ell.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 70. 1926.
- ---- velata Ell. & Barth. Erythea 4: 24. Feb. 1. 1896. On Celastrus scandens, Kans. N. Am. F. 3361.
 - = Diplodia sec. Archer Ann. Myc. 24: 55. 1926.
 - = Haplosporella propullans (Schw.) Petr. & Syd. var. velata (Ell. & Barth.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 43. 1926.
- ---- viburni dentati (Schw.) Ell. & Ev. N. Am. Pyren. p. 604. May 1892.
 Combination not formally made, but species referred to Haplosporella.
 - Syn.: Dothidea viburni-dentati Schw. Trans. Am. Phil. Soc. ser. 2, 4: 231. 1832.
- ---- wistariae Ell. & Barth. Jour. Myc. 8: 175. Dec. 1902. On Wistaria, Kans.
- Harknessia affinis Ell. & Ev. Jour. Myc. 4: 51. June 1888. On Liquidambar styraciflua, N. J.
 - = Mastigonetron affine (Ell. & Ev.) Petr. Sydowia 4: 403. 1950.
- ---- caudata Ell. & Ev. Jour. Myc. 1: 92. July 1885. On oak (Quercus),
 N. J. Pycnidial stage of Valsa farinosa Ell. Jour. Myc. 4: 51. 1888.
 Cat. Pl. N. J. p. 591. 1889. N. Am. Pyren. p. 532. 1892. N. Am. F. 1573.
 - = Mastigonetron caudatum (Ell. & Ev.) Hoehn. Sitzb. Akad. Wien 123, abt. 1, p. 134. 1914.
- N. J. Probably pycnidial stage of Physalospora querifolia Ell. & Ev. Jour. Myc. 1: 93. 1885. Cat. Pl. N. J. p. 591. 1889. N. Am. Pyren. p. 306. 1892. N. Am. F. 1666 (ass. with Physalospora quercifolia).
 - = Mastigosporella hyalina (Ell. & Ev.) Hoehn. Sitzb. Akad. Wien 123, abt. 1, p. 135. 1914.
- rhoina Ell. & Ev. Jour. Myc. 10: 168. June 24, 1904. On Rhus integrifolia, Calif.

- Haplosporella (?) tetracerae Ell. & Ev. Jour. Myc. 10: 167. June 24, 1904.
 On Tetracera volubilis, Nicaragua. See Petr. & Syd. Beih. Fedde
 Repert. Spec. Nov. 42: 289. 1927.
- on Cupressus thyoides, N. J. N. Am. F. 3068.
- Helicoma monilipes Ell. & L. N. Johnson Proc. Acad. Phil. 1894, p. 376.

 Dec. 11, 1894. On oak (Quercus), Mich.
 - = Helicosporium monilipes (Ell. & L. N. Johnson) Sacc. Syll. Fung. 11: 639. 1895.
- ---- velutinum Ell. Bull. Torr. Club 9: 134. Nov. 1882. On Magnolia, N. J.
 - = Helicosporium velutinum (Ell.) Sacc. Syll. Fung. 4: 561. 1886. Cat. Pl. N. J., p. 571. 1889.
- Helicoon thysanophorum Ell. & Harkn. in Seym. Host Index p. 48. 1929.
 - = Helicoon thysanophorum (Ell. & Harkn.) Morg. 1892. See Helico-sporium thysanophorum Ell. & Harkn.
- Helicosporium auratum Ell. Bull. Torr. Club 6: 106. Sept. 1876. On Acerrubrum, N. J. Prel. Cat. Fl. N. J. p. 187. 1881. Cat. Pl. N. J. p. 571. 1889. N. Am. F. 551.
 - = Helicoon auratum (Ell.) Morg. Jour. Cinc. Soc. Nat. Hist. 15: 50, illus. 1892.
- ---- diplosporum Ell. & Ev. Proc. Acad. Phil. 1891, p. 93. Mar. 10, 1891. On Smilax, La.
 - = Helicomyces diplosporus (Ell. & Ev.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 658. 1896.
 - = Xenosporella berkeleyi (Curt.) Linder Ann. Mo. Bot. Gard. 16: 318. 1929.
- ---- microscopicum Ell. Bull. Torr. Club 9: 98. Aug. 1882. On Alnus serrulata, N. Am. Cat. Pl. N. J. p. 571. 1889.
 - = Helicomyces microscopicus (Ell.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 659. 1896.
 - = Helicoma microscopicum (Ell.) Linder Ann. Mo. Bot. Gard. 16: 299. 1929.
- ---- pilosum Ell. & Ev. Bull. Torr. Club 24: 476. Oct. 30, 1897. On decaying wood, La.
 - = Helicosporium aureum (Cda.) Linder Ann. Mo. Bot. Gard. 16: 299. 1929.

- Helicosporium thysanophorum Ell. & Harkn. Bull. Torr. Club 8: 27. Mar. 1881. On pine (Pinus), N. J. Prel. Cat. Fl. N. J. p. 187. 1881. Cat. Pl. N. J. p. 571. 1889. N. Am. F. 552.
 - = Helicoon thysanophorum (Ell. & Harkn.) Morg. Jour. Cinc. Soc. Nat. Hist. 15: 49, illus. 1892.
 - = Helicodendron fuscum (Berk. & Curt.) Linder Ann. Mo. Bot. Gard. 16: 332, illus. 1929.
- Helminthosporium arctesporum Cke. & Ell. Grev. 6: 88, illus. Mar. 1878. On Vaccinium, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 566. 1889. N. Am. F. 46.
- brachypus Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 92. Jan. 1896. On wood, W. Va. N. Am. F. 3486.
- ---- brachytrichum Cke. & Ell. Grev. 6: 6. illus. Sept. 1877. On maple (Acer), N. J. Grev. 7: 40. 1878. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 566. 1889. N. Am. F. 364.
- palustris, Fla. N. Am. F. 1260.
 - = Brachysporium fumosum (Ell. & G. Martin) Sacc. Syll. Fung. 4: 428. 1886.
- Apr.-May 1888. On Eragrostis major, Del. N. Am. F. 2186.
 - Syn.: Septosporium hadrotrichoides Ell. & Ev. (nom. nud.) in Sumstine Mycol. 41: 21. 1949.
- mays, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 567. 1889. Rept. Del. Agr. Expt. Sta. 6: 33. 1894? N. Am. F. 45; F. Col. 298.
 - = Helminthosporium turcicum Pass. sec. Seym. Host Index p. 83. 1929. See Sprague Diseases of Cereals p. 393. 1950.
- Lefebvre & A. G. Johnson Mycol. 41: 204. 1949. See H. inconspicuum Cke. var. buchloes Ell. & Ev.
- inconspicuum Cke. & Ell. var. buchloes Ell. & Ev. (nom. nud.) N. Am. F. 45-b. Feb. 3, 1896. F. Col. 298-b.
 - = H. buchloes Lefebvre & A. G. Johnson Mycol. 41: 204, illus. 1949.

- Helminthosporium leptotrichum Cke. & Ell. Grev. 8: 13. Sept. 1879. On oak (Quercus) and Polyporus, N. J. Prel. Cat. Fl. N. J. p. 186. 1881.
 - = Brachysporium leptotrichum (Cke. & Ell.) Sacc. Syll. Fung. 4: 425. 1886.
- ---- lonicerum Ell. & Ev. ined. On Lonicera ciliosa, Wash. Specimen in N. Y. Bot. Gard.
- ---- persistens Cke. & Ell. Grev. 7: 40. 1878. Apparently an error for Helminthosporium persistens Cke. Grev. 6: 88. 1878.
- ---- pinicola Ell. & Ev. (nom. nud.) F. Col. 1535. 1901. On Pinus palustris, Ala.
- ---- socium Ell. & Ev. Jour. Myc. 8: 64. June 1902. On Datura stramonium,
- ---- spiculiferum Ell. & Ev. Jour. Myc. 2: 104. Sept. 1886. On Sabal palmetto, La.
- ---- spiculiforme Ell. & Ev. in Seym. Host Index p. 159. 1929. = Helminthosporium spiculiferum Ell. & Ev.
- ---- spiculosum Ell. ined. On Fraxinus sambucifolia, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- subcuticulare Ell. & Ev. Jour. Myc. 4: 114. Nov. 1888. On Negundo aceroides, Mont.
- ---- subolivaceum Ell. & Ev. Jour. Myc. 4: 44. Apr.-May 1888. On Acer rubrum, N. Y.
- ---- subopacum Cke. & Ell. Grev. 6: 88. Mar. 1878. On Kalmia, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 567. 1889.
- ---- tomato Ell. & Barth. Bull. Torr. Club 24: 473. Oct. 30, 1897. On tomato (Lycopersicon esculentum), Kans.
 - = Brachysporium tomato (Ell. & Barth.) Hiroe & Watanabe Trans. Tottori Soc. Agr. Sci. 5: 58. 1934.
 - ? = Curvularia sec. Padwick Manual Rice Diseases p. 169. 1950.
- Helotiella major Ell. & Ev. Proc. Acad. Phil. 1894, p. 351. Dec. 11, 1894. On rotten wood, Mich.
 - = Arachnopeziza major (Ell. & Ev.) Korf Lloydia 14: 164. 1951.

- Helotiella nuttallii Ell. & Ev. Proc. Acad. Phil. 1894, p. 351. Dec. 11, 1894. On rotten wood, W. Va. N. Am. F. 3233.
 - = Dasyscypha trabinelloides (Rehm) Mass, Jour, Bot. 34: 146. 1896.
 - = Helotiella trabinelloides var. nuttallii (Ell. & Ev.) Rehm Ann.
 Myc, 2: 36. 1904.
 - = Arachnopeziza trabinelloides (Rehm) Korf Lloydia 14: 169. 1951.
 - ---- papyricola Ell. & Ev. Proc. Acad. Phil. 1894, p. 351. Dec. 11, 1894. On old paper, Mich. and N. J.
- On cornstalks (Zea mays), Ohio.
- Helotium castaneum Sacc. & Ell. Michelia 2: 572. Dec. 1, 1882. On Quercus laurifolia, Fla Am. Nat. 17: 1284. 1883. N. Am. F. 994.
 - = Calycina castanea (Ell. & Sacc.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 448. 1898.
- Tephrosia virginiana, N. J. Description in Myc. Col. 1220. 1898. On Description of Myc. Col.
- var. nigripes Ell. & Ev.
- ---- fumosum Ell. & Ev. (nom und.) in Fairman Proc. Rochester Acad. Sci. 1: 53, Aug. 1890. On Leonurus cardiaca, N. Y. N. Am. F. 2632.
 - = Calycina fumosa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 448.
 - = Helotium cyathoideum (Bull. ex Fr.) Karst. sec. Seaver N. Am. Cup-F. Inopercul. p. 143. 1951.
- On Rubus strigosus, Newfoundland.
- ---- lacteum Ell. & Ev. Jour. Myc. 4: 56. June 1888. On dead wood, N. Y. Proc. Acad. Phil. 1893, p. 145. 1893.
 - = Dasyscypha lactea (Ell. & Ev.) Sacc. Syll. Fung. 8: 436, 1889.
 - = Helotiella lactea (Ell. & Ev.) Sacc. Syll. Fung. 11: 415, 1895.
 - = Belonioscypha lactea (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 177. 1951.
- palustris, Fla. N. Am. F. 1276.
 - = Calycina maculosa (Ell. & G. Martin) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 448. 1898.
 - = Erinellina maculosa (Ell. & G. Martin) Seaver N. Am. Cup-F. Inopercul. p. 293. 1951.

- Helotium montaniense Ell. & F. W. Anderson Bot. Gaz. 16: 45, illus. Feb. 1891. On decaying sticks and wood, Mont.
 - = Calycina montaniensis (Ell. & F. W. Anderson) Kuntze Rev. Gen. Pl. 3, pt. 2, 448. 1898.
 See Seaver N. Am. Cup-F. Inopercul. p. 150. 1951.
- ---- naviculasporum Ell. Bull. Torr. Club 5: 46. Nov. 1874. On old leaves in water, N. J. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 551. N. Am. F. 62; F. N.-Caesar. 53, ined.
 - = Calycina naviculaspora (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 449. 1898.
 - = Helotium caudatum (Karst.) Velenovsky sec. W. L. White Farlowia 1: 151. 1943.
- nyssogenum (Ell.) Sacc. Syll. 8: 207. 1889 (as H. nyssogenum Ell.). See Peziza nyssogena Ell.
- ---- parasiticum Ell. & Ev. Jour. Myc. 9: 165. Oct. 29, 1903. On Valsa, Ontario.
 - = Helotium episphaericum Pk. sec. Seaver N. Am. Cup~F. Inopercul. p. 139. 1951.
- ---- propinquum Sacc. & Ell. Michelia 2: 572. Dec. 1, 1882. On Cornus, Pa. N. Am. F. 995.
 - = Calycina propinqua (Sacc. & Ell.) (as "Ell. & Sacc.") Kuntze Rev. Gen. pl. 3, pt. 2, p. 448. 1898.
- ---- renisporum Ell. in Cke. Bull. Buffalo Soc. Nat. Sci. 2: 299. Mar. 1875. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 551. 1889. N. Am. F. 2049.
 - = Hymenoscypha renispora (Ell.) Phill. Brit. Discom. p. 143. 1887.
 - = Ciboria renispora (Ell.) Sacc. Syll. Fung. 8: 207. 1889.
 - = Rutstroemia renispora (Ell.) W. L. White Lloydia 4: 215. 1941.
- ---- rhizogenum Ell. & Ev. Jour. Myc. 4: 100. Oct. 1888. On Andropogon N. J. Cat. Pl. N. J. p. 550. 1889.
 - = Calycina rhizogena (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 449. 1898.
 - = Lachnum pygmaeum (Fr.) Bres. sec. W. L. White Am. Midl. Nat. 28: 521-522. 1942.
 - Lachnella pygmaea (Fr.) Phill. sec. Seaver N. Am. Cup-F. Inopercul. p. 257. 1951.

- Helotium salicellum var. nigripes Ell. & Ev. (ined.). Wash. Specimen in Herb. Wash. St. Coll. and in Myc. Coll., latter specimen labeled also as H. discolor Cke. & Ell.
- ---- simulatum (Ell.) Sacc. Syll. 8: 254. 1889 (as H. simulatum Ell.). See Peziza simulata Ell.
- ---- strumosum Ell. & Ev. Jour. Myc. 4: 56. June 1888. On Dichaena strumosa, N. J.
 - = Pseudohelotium strumosum (Ell. & Ev.) Sacc. Syll. Fung. 8: 300. 1889.
- ---- subvenosum Ell. ined. On Kalmia latifolia, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- sulphurellum (as "sulfurellum") Ell. & Ev. Bull. Torr. Club 10: 98. Sept. 1883. On Fraxinus americana, Pa. N. Am. F. 1275.
 - = Calycina sulfurella (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 449. 1898.
 - = Ciboria sulfurella (Ell. & Ev.) Rehm in Durand Bull. Torr. Club 29: 461. 1902.
 - = Rutstroemia longipes (Cke. & Pk.) W. L. White Lloydia 4: 203. 1941.
 - = Helotium luteovirescens (Rob.) Seaver N. Am. Cup-F. Inopercul. p. 131. 1951.
- ---- vaccinii Ell. ined. On Vaccinium, N. J. Specimen with descriptive notes in Myc. Coll.
- Helvella lacunosa Afz. var. fumosa Ell. & Ev. (nom. nud.) N. Am. F. 3039. Apr. 18, 1894. Calif.
- Hendersonia alternifoliae Ell. & Ev. Proc. Acad. Phil. 1893, p. 161. Apr. 11, 1893. On Cornus alternifolia, Ontario.
 - = Sporocadus alternifoliae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
- ---- angustifolia Ell. & Ev. Bull. Torr. Club 27: 62. Feb. 1900.
 - Syn.: Hendersonia diplodioides Ell. & Ev. Bull. Torr. Club 25: 510. 1898, nec Ell. & Ev. 1884.
 - = Hendersonulina angustifolia (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 57. 1902.
- ---- anomala Cke. & Ell. Grev. 7: 5. Sept. 1878. On Tephrosia virginiana, N. J. Prel. Cat. Fl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 584. 1889.
 - = Sporocadus anomalus (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.

- Hendersonia cacti Ell. & Holw. ined. On Opuntia missouriensis, Mont., F. W. Anderson 175. Specimen in Myc. Coll.
- ---- celtidis Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On Celtis occidentalis, Pa.
 - = Sporocadus celtidis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
- ---- collapsa Cke. & Ell. Grev. 5: 30, illus. Sept. 1876. On maple (Acer),
 N. J. Prel. Cat. Fl. N. J. p. 180, 1881. Cat. Pl. N. J. p. 585. 1889.
 N. Am. F. 30.
 - = Stagonospora collapsa (Cke. & Ell.) Sacc. Syll. Fung. 3: 448. 1884. F. Col. 781.
- ---- concentrica Ell. & Ev. Jour. Myc. 5: 149. Sept. 1889. On Rhododendron catawbiense, N. Car.
 - = Sporocadus concentricus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - = Phyllohendersonia concentrica (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 53. 1902.
- ---- corticalis Ell. & Ev. (nom. nud.) N. Am. F. <u>1377</u>. Mar. 25, 1885. On Vitis, N. J.
 - = Phoma sec. Sacc. Syll. Fung. 10: 318. 1892.
 - = Sporocadus corticalis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
- ---- cydoniae Cke. & Ell. Grev. 6: 85, illus. Mar. 1878. On Cydonia, N. J. Prel. Cat. Fl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 584. 1889. N. Am. F. 116.
 - = Sporocadus cydoniae (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - = Phyllohendersonia cydoniae (Cke. & Ell.) Tassi Bull. Lab. Bot. Siena 5: 54. 1902.
- ---- cylindrocarpa Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 6.
 Sept. 1884. On Brodiaea howellii, Wash.
 - = Stagonospora cylindrocarpa (Ell. & Ev.) Sacc. Syll. Fung. 3: 450. 1884.
- on Umbelliferae, Colo.

- Hendersonia davisii Ell. & Ev. Jour. Myc. 5: 149. Sept. 1889. On Carya alba, Wisc.
 - = Sporocadus davisii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - = Phyllohendersonia davisii (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 54. 1902.
- ---- delicatula Cke. & Ell. Grev. 6: 4, illus. Sept. 1877. On Nyssa, N. J. Prel. Cat. Fl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 585. 1889.
 - = Stagonospora delicatula (Cke. & Ell.) Sacc. Syll. Fung. 3: 448.
- ---- diplodioides Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 6. Sept. 1884. On Brodiaea howellii, Wash.
 - = Sporocadus diplodioides (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
- ---- diplodioides Ell. & Ev. Bull. Torr. Club 25: 510. Sept. 10, 1898.
 On Populus angustifolia, Colo. See Hendersonia angustifolia Ell. & Ev.
- p. 92. Sept. 1897. On Crataegus, Ontario.
 - = Phyllohendersonia discosioides (Ell. & Dearn.) Tassi Bull. Lab. Bot. Siena 5: 54. 1902.
 - epileuca Cke. & Ell. N. Gior. Bot. Ital. 10: 24. 1878. On Morus, (N. J.) Cat. Pl. N. J. p. 585. 1889.
 - = Sporocadus epileucus (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - ---- falcata Ell. & Ev. Proc. Acad. Phil. 1894, p. 365. Dec. 11, 1894. On fir (Abies), Newfoundland.
 - = Sporocadus falcatus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - raxini Ell. & Barth. Erythea 4: 26. Feb. 1, 1896. On Fraxinus viridis, Kans.
 - = Hendersonulina fraxini (Ell. & Barth.) Tassi Bull. Lab. Bot. Siena 5: 59. 1902.

- Hendersonia geographica Ell. & Ev. Jour. Myc. 7: 133. Mar. 10, 1892. On chestnut (Castanea), N. J.
 - = Sporocadus geographicus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - = Phyllohendersonia geographica (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 55. 1902.
- ---- heterophragmia Ell. & Ev. Jour. Myc. 5: 149. Sept. 1889. On Sarco-batus vermiculatus, Mont.
 - = Sporocadus heterophragmius (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
- ---- kalmicola Ell. & Barth. Bull. Torr. Club 27: 573. Nov. 1900. On Kalmia latifolia, N. J.
- cata, W. Va., L. W. Nutt. Fl. Fayette Co. 1480 (Ell. 460).
 Specimen in Myc. Coll.
- ---- lophiostoma Cke. & Ell. Grev. 6: 3. Sept. 1877. On elm (Ulmus), N. H. Prel. Cat. Fl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 585. 1889.
 - Stagonospora lophiostoma (Cke. & Ell.) Sacc. Syll. Fung. 3: 449. 1884.
- ---- lophiostomoides Ell. & Barth. Trans. Kans. Acad. Sci. 16: 167. 1899. On Maclura aurantiaca, Kans.
- nitida Ell. & Ev. Bull. Torr. Club 22: 436. Oct. 31, 1895. On Myrsine, Hawaiian Isls.
 - = Sporocadus nitidus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 532. 1898.
 - = Phyllohendersonia nitida (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 55. 1902.
- opuntiae Ell. & Ev. Jour. Myc. 8: 65. June 1902. On Opuntia ficus-indica, Ala.
- ostryigena Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 92. Sept. 1897. On Ostrya virginica, Ontario.
 - Hendersonulina ostryigena (Ell. & Dearn.) Tassi Bull. Lab. Bot. Siena 5: 59. 1902.

- Hendersonia platypus Ell. & Ev. Bull. Torr. Club 11: 73. July 1884. On Rubus villosus, R. canadensis, Ill.
 - = Sporocadus platypus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
 - = Hendersonia rubi (West.) Sacc. sec. Archer Ann. Myc. 24: 50. 1926.
- ---- pseudoacaciae Ell. & Barth. Erythea 4: 25. Feb. 1, 1896. On Robinia pseudacacia, Kans.
- ---- pustulata Ell. & Ev. Proc. Acad. Phil. 1893, p. 457. Mar. 13, 1894. on hickory (Carya), N. J.
 - = Sporocadus pustulatus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
 - = Hendersonulina pustulata (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 60. **1902**.
- rauii Ell. Bull. Torr. Club 9: 133. Nov. 1882. On Polytrichum formosum. Pa.
 - = Stagonospora rauii (Ell.) Sacc. Syll. Fung. 3: 456. 1884. Jour. Myc. 7: 276. 1893 (as S. rauii Ell.).
- ---- rostrata Sacc. & Ell. Michelia 2: 572. Dec. 1, 1882. On Pinus, N. J. Cat. Pl. N. J. 585. 1889. Proc. Acad. Phil. 1894, p. 365. 1894. N. Am. F. 952, 2562; F. Col. 278.
 - = Sporocadus rostratus (Sacc. & Ell.) (as "Ell. & Sacc.") Kuntze
 - Rev. Gen. Pl. 3, pt. 2, p. 533. 1898. = Micropera rostrata (Sacc. & Ell.) (as "Ell. & Sacc.") Hoehn. Sitzb. Akad. Wien abt. 1, 125: 37. 1916.
- ---- staphyleae Ell. & Ev. Jour. Myc. 1: 151. Dec. 1885; Proc. Acad. Phil. 1893, p. 162. Apr. 1893. On Staphylea trifolia, Del.
 - = Sporocadus staphyleae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
 - ? = Stilbospora staphyleae Schw. sec. Dearn. & House Circ. N. Y. State Mus. 24, p. 55. 1940.
- ---- stygia Ell. & Ev. Proc. Acad. Phil. 1894, p. 364. Dec. 11, 1894. On cottonwood (Populus), Kans.
 - = Sporocadus stygius (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
 - = Hendersonulina stygia (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 61. 1902.

- Hendersonia thyoides Cke. & Ell. Grev. 6: 85, illus. Mar. 1878. On Cupressus thyoides, N. J. Prel. Cat. Pl. N. J. p. 180. 1881. Cat. Pl. N. J. p. 585. 1889.
 - = Sporocadus thyoides (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
- ---- tini Ell. & Langl, Jour. Myc. 6: 37. May 1890. On Viburnum tinus,
 - = Sporocadus tini (Ell. & Langl.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
- ---- umbellulariae Ell. & Ev. Proc. Acad. Phil. 1895, p. 433. Nov. 5, 1895. On Umbellularia californica, Calif.
- ---- viburni Ell. Bull. Torr. Club 9: 133. Nov. 1882. On Viburnum lentago,
 - = Sporocadus viburni (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 533. 1898.
- on Quercus virens, Fla. See Stagonospora virens Ell. & G. Martin.
- ---- xanthoxyli Ell. & Ev. Proc. Acad. Phil. 1893, p. 139. 1893. On Xanthoxylon americanum, Ontario. Only a few words of description.
- ---- xerophylli Ell. Bull. Torr. Club 9: 74. June 1882. On Xerophyllum aspheloides, N. Am. Amer. Nat. 17: 317. 1883.
- Hendersonula aristidae (Schw.) Ell. in Tracy & Earle Bull. Miss. Agr. Expt. Sta. 34, p. 110. 1895. See Dothidella aristidae (Schw.) Ell. & Ev.
- Heptameria clavigera Cke. & Ell. in Seym. Host Index p. 299. 1929. =
 Heptameria clavigera (Cke. & Ell.) Cke. 1889. See Sphaeria clavigera
 Cke. & Ell.
- ---- comatella Cke. & Ell. in Seym. Host Index p. 601. 1929. = Heptameria comatella (Cke. & Ell.) Cke. 1889. See Sphaeria comatella Cke. & Ell.
- Herpotrichia barbicincta (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 158.
 May 1892.
 - Syn.: Byssosphaeria barbicincta Ell. & Ev. Jour. Myc. 4: 63. 1888. N. Am. F. 1958.
 - = Trichosphaeria? barbicincta (Ell. & Ev.) Sacc. Syll. Fung 9: 603. 1891.

- Herpotrichia diffusa (Schw.) Ell. & Ev. N. Am. F. 2594. Feb. 21, 1891. N. Am. Pyren. p. 158. 1892. Bull. Towa Lab. Nat. Hist. 2: 400. 1893. F. Col. 1035.
 - Syn.: Sphaeria diffusa Schw. Trans. Am. Phil. Soc. ser. 2, 4: 210. 1832.
 : Amphisphaeria subiculosa Ell. & Ev. Jour. Myc. 2: 103. 1886.
 N. Am. F. 2130.
- ---- diffusa (Schw.) Ell. & Ev. var. rhodomphala (Berk.) Ell. & Ev. Proc. Acad. Phil. 1895, p. 21. 1895 (as H. diffusa var. rhodomphala B. & C.).
 - Syn.: Sphaeria rhodomphala Berk. Lond. Jour. Bot. 4: 313. 1845.

 The N. Am. F. specimens cited under H. diffusa are referred in the 1895 article to the variety.
- ---- incisa Ell. & Ev. Proc. Acad. Phil. 1893, p. 130. Apr. 11, 1893. On Acer spicatum, Ontario.
 - = Herpotrichia albidostoma (Pk.) Sacc. sec. Seym. Host Index p. 483.
- ---- lanuginosa (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 159. May 1892.
 - Syn.: Sphaeria lanuginosa Berk. & Curt. Grev. 4: 108. 1876.
- ---- luteobasis (Ell.) Ell. & Ev. N. Am. F. 1959. Mar. 23, 1888. See Lasiosphaeria luteobasis (Ell.) Ell. & Ev.
- ---- nicaraguensis Ell. & Ev. in C. L. Smith Bull. Iowa Univ. Lab. Nat. Hist. 2: 400. Nov. 1893. On dead wood, Nicaragua.
- ---- parietalis (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 157. May 1892.
 - Syn.: Sphaeria parietalis Berk. & Curt. Grev. 4: 107. 1876.
- Syn.: Sphaeria pezizula Berk. & Curt. Grev. 4: 106. 1876.
- ---- purpurea Ell. & Ev. Proc. Acad. Phil. 1895, p. 415. Nov. 5, 1895. On Deyeuxia suksdorfii, Wash.
- Heterosporium allii Ell. & G. Martin Jour. Myc. 1: 100. Aug. 1885. On Allium vineale, N. J. Cat. Pl. N. J. p. 568. 1889.
- Eriodictyon californicum, Calif. See also Heterosporium eucalypti Ell. & Ev. var. maculicola Ell. & Ev.

- Heterosporium caulicola (as "caulicolum") Ell. & Ev. Proc. Acad. Phil. 1894, p. 381 Dec. 11, 1894. On Rumex occidentalis, Colo.
- ---- cladosporioides Ell. & Ev. Proc. Acad. Phil. 1894, p. 382. Dec. 11, 1894. On paper, Mich.
- ---- cleomis Ell. & Ev. (nom. nud.) in Kelsey Jour. Myc. 5: 82. 1889.
 On Cleoma integrifolia, Mont. Possibly = H. hybridum Ell. & Ev.
- ---- eucalypti Ell. & Ev. Proc. Acad. Phil. 1894, p. 381. Dec. 11, 1894.
 On Eucalyptus, Calif.
- ---- eucalypti Ell. & Ev. var. maculicola (as "maculicolum") Ell. & Ev. (nom. nud.) N. Am. F. 3491. 1896. On Eriodictyon californicum, Calif. See also Heterosporium californicum Ell. & Ev.
- ---- fungicola (as "fungicolum") Ell. & Ev. Jour. Myc. 5: 70. June 1889.
 On Polyporus picipes, Nebr.
- ---- hybridum Ell. & Ev. Jour. Myc. 5: 70. June 1889. On Cleome integrifolia, Mont. N. Am. F. 2188.
- ---- sphaeriaeforme Ell. & Ev. Proc. Acad. Phil. 1894, p. 381. Dec. 11, 1894. On Eriogonum, Colo.
- ---- trillii Ell. & Ev. Proc. Acad. Phil. 1894, p. 382. Dec. 11, 1894. On Trillium ovatum, Idaho.
- ---- tuberculans Ell. & Ev. Erythea 1: 203. Oct. 2, 1893. On herbaceous stems, Colo. N. Am. F. 3295.
- Heydenia americana Sacc. & Ell. Michelia 2: 581. Dec. 1, 1882. On Rosa?, Utah. N. Am. F. 971.
- Hexagonia vittata Ell. & Macbride Bull. Iowa Univ. Lab. Nat. Hist. 4: 68. Dec. 1896. On trunks and branches, Nicaragua.
 - = Coriolopsis vittata (Ell. & Macbride) Murr. N. Am. F. 9: 76. 1908.
- Hirneola meruloides Ell. & Ev. ined. On bark, La. Specimen in Myc. Coll.
- Holwaya tiliacea Ell. & Ev. Am. Nat. 31: 427. May 1897. On Tilia, Canada.
 - = Holwaya leptosperma (Pk.) Durand (H. gigantea (Pk.) Durand) Bull. Torr. Club 28: 353. 1901.
- Homostegia coscinodisca Ell. & Ev. Proc. Acad. Phil. 1895, p. 427. Nov. 5, 1895. On birch (Betula), Newfoundland.
- ---- diplocarpa Ell. & Ev. Bull. Torr. Club 24: 135. Mar. 30, 1897. On Distichlis maritima, Kans. See Phyllosticta diplocarpa Ell. & Ev.

- Homostegia kelseyi Ell. & Ev. Proc. Acad. Phil. 1890, p. 248. Sept. 30, 1890. On Ribes rotundifolia?, Mont. N. Am. Pyren. p. 608, illus. 1892.
 - = Phragmodothella kelseyi (Ell. & Ev.) Th. & Syd. Ann. Myc. 13: 343.
 - ? = Phragmodothella ribesiae (Pers.) Petr. Ann. Myc. 17: 62. 1919.
- ----? obscura Ell. & Ev. Bull. Torr. Club 25: 506. Sept. 10, 1898. On alder (Alnus). Newfoundland.
- ---- (as "Homstigia") rhoinum Ell. & Ev. Erythea 5: 5. Jan. 31, 1897. On Rhus integrifolia, Calif.
 - = Telimena rhoina (Ell. & Ev.) Th. & Syd. Ann. Myc. 13: 600. 1915.
- Hormodendrum divaricatum Ell. & Langl. Jour. Myc. 6: 35. May 1890. On rotten wood, La.
 - = Schizocephalum divaricatum (Ell. & Langl.) Pound & Clements Bull. Minn. Geol. & Nat. Hist. Surv. 9: 666. 1896.
- Hydnum crystallophorum Ell. & Ev. ined. Ia., Ianglois 1744, 1745. Specimens in Myc. Coll.
- ---- farinaceum Pers. ex Fr. var. luxurians Ell. & Ev. (nom. nud.) N. Am. F. 711-b. Apr. 13, 1882. On rotten cedar (? Chamaecyparis), N. J. Variety attributed to Cooke in F. Col. 1017, but reference has not been found.
- herbicola Ell. (nom. nud.) in Cke. Grev. 20: 2. Sept. 1891. On Phyto-lacca. No locality cited.
- ---- pallidum Cke. & Ell. Grev. 9: 103. Mar. 1881. On Quercus, N. J. Prel. Cat. Pl. N. J. p. 173. 1881. Cat. Pl. N. J. p. 488. 1889. N. Am. F. 931.
- ---- tenerrimum Ell. & Ev. ined. On Quercus sp., La., Langlois 1746. Specimen in Myc. Coll.
- washingtonianum Ell. & Ev. Proc. Acad. Phil. 1894, p. 323. Dec. 11, 1894. Wash.
- Hygrophorus auratocephalus (Ell.) Ell. N. Am. F. 1911. Mar. 23, 1888. Cat. Pl. N. J. p. 477. 1889.
 - Syn.: Agaricus auratocephalus Ell. Bull. Torr. Club 6: 75. 1876.
 - = Clitocybe auratocephala (Ell.) Sacc. Syll. Fung. 5: 190. 1887.
 - = Camarophyllus auratocephalus (Ell.) Murr. N. Am. Fl. 9: 387. 1916.
 - = Tricholoma auratocephalum (Ell.) Sing. Lilloa 22: 224. 1951.

- Hygrophorus squamulosus Ell. & Ev. Proc. Acad. Phil. 1893, p. 440 Feb. 27, 1894. N. J. Cat. Pl. N. J. p. 477. 1889. N. Am. F. 1912.
 - = Camarophyllus squamulosus (Ell. & Ev.) Murr. N. Am. Fl. 9: 398. 1916
 - = Hygrophorus miniatus Fr. var. firmus A. H. Smith & Hesler Lloydia 5: 27.
- Hymenochaete agglutinans Ell. Bull. Torr. Club 5: 46. Nov. 1874. On Andromeda and Vaccinium, N. J. Prel. Cat. Fl. N. J. p. 174. 1881. Cat. Pl. N. J. p. 491. 1889. N. Am. F. 939. F. Col. 807. F. Caes. 12 (ined.).
- ---- asperata Ell. & Ev. Bull. Torr. Club 27: 50. Feb. 1900. On pine (Pinus), La.
 - = Hymenochaete epichlora (Berk. & Curt.) Cke. sec. Burt Ann. Mo. Bot. Gard. 5: 351. 1918.
- biformis Ell. & Ev. (ined.) On Acer and Magnolia, N. J. Specimens in Myc. Coll.
- cinerea Ell. (ined.). On Nyssa, N. J., associated with Torula bigemina Che. & Ell. Specimen in Myc. Coll.
- ---- fimbriata Ell. & Ev. Jour. Myc. 1: 149. Dec. 1885. On Pinus murrayana, Mont.
 - = Lloydella striata (Schrad.) Bres. Ann. Myc. 18: 70. 1920.
 - = Stereum abietinum Pers. ex Fr. sec. Burt Ann. Mo. Bot. Gard. 7: 186. 1920.
- p. 30. 1887. On Quercus, La. Specimen in Myc. Coll. La., Langl.
- rugispora Ell. & Ev. Proc. Acad. Phil. 1890, p. 219. Sept. 30, 1890.
 On Abies douglasii, Brît. Columbia.
 - = Stereum rugisporum (Ell. & Ev.) Burt Ann. Mo. Bot. Gard. 7: 188.
- Hymenochaete simulans Ell. & Ev. (nom. nud.) N. Am. F. 2904. Oct. 21, 1893. On Cupressus thyoides, N. J.
 - = Lloydiella chailletii (Pers. ex Fr.) Bres. sec. Hoehn. & Litsch. Sitzb. Akad. Wien 116: 775. 1907.
- Hymenula aciculosa Ell. & Harkn. Bull. Calif. Acad. Sci. 1: 29. Feb. 29. 1894. On Pinus ponderosa, Calif.
 - ▼ Volutella aciculosa (Ell. & Harkn.) Sacc. Syll. Fung. 4: 687. 1886.

- Hymenula cerealis Ell. & Ev. Proc. Acad. Phil. 1894, p. 386. Jan. 8, 1895. On wheat (Triticum aestivum), W. Va.
- ---- fumosa Cke. & Ell. Grev. 6: 87. Mar. 1878. On Pinus, N. J. l. c. 6: 91. 1878. Prel. Cat. Fl. N. J. p. 176. 1881. Cat. Pl. N. J. p. 575. 1889. N. Am. F. 362.
 - = Hymenella fumosa (Cke. & Ell.) Kuntze Rev. Gen. Pl. 1: 56. 1891.
- Hypholoma olivaesporum (Ell. & Ev.) Sacc. Syll. Fung. 9: 139. 1891. (as H. olivaesporum Ell. & Ev.). See Agaricus olivaesporus Ell. & Ev.
- Hypocopra iowana (Ell. & Holw.) Sacc. Syll. Fung. 9: 490. 1891. (as H. iowana Ell. & Holw.). See Sordaria iowana Ell. & Holw.
- ---- kansensis Ell. & Ev. Jour. Myc. 8: 15. May 1902. On cow dung, Kans.
- Hypocrea aurantio-cervina Ell. & Ev. Bull. Torr. Club 24: 458. Oct. 30, 1897. On bark, La.
 - Doubtful species sec. Seaver Mycol. 2: 65. 1910.
- ---- bicolor Ell. & Ev. Jour. Myc. 4: 58. June 1888. On Ulmus fulva, Kans. N. Am. Pyren. p. 87. 1892. Bull. Iowa Univ. Lab. Nat. Hist. 2: 397. 1893. Bull. Torr. Club 24: 458. 1897.
 - = Chromocreopsis bicolor (Ell. & Ev.) Seaver Mycol. 2: 64. 1910.
- ---- ceramica Ell. & Ev. N. Am. Pyren. p. 85. May 1892. On Juniperus, Conn.
 - = Chromocrea ceramica (Ell. & Ev.) Seaver Mycol. 2: 59. 1910.
- chionea Ell. & Ev. N. Am. Pyren. p. 79. May 1892. On decaying wood, London, Ontario.
- On Vaccinium corymbosum, N. J. Jour. Myc. 2: 66. 1886. Cat. Pl. N. J. p. 511. 1889. N. Am. Pyren. p. 87, illus. 1892.
 - = Hypomyces citrinellus (Ell.) Seaver Mycol. 2, 79. 1910.
- ---- consimilis Ell. in Cke. Grev. 12: 79. Mar. 1884. On Azalea (N. J.). Prel. Cat. N. J. p. 196, 1881. Jour. Myc. 2: 65. 1886; 3: 114. 1887. Cat. Pl. N. J. p. 511. 1889. N. Am. Pyren. p. 83, 86, illus. 1892. N. Am. F. 158.
 - = Hypocreopsis consimilis (Ell. & Ev.) Seaver Mycol. 2: 83. 1910.

- Hypocrea corticiicola Ell. & Ev. Jour. Myc. 1: 140. Nov. 1885. On Magnolia glauca, N. J. Original spelling of specific name "corticioides" changed to "corticiicola" in index. Jour. Myc. 2: 65. 1886; 3: 114. 1887. N. Am. Pyren. p. 83, illus. 1892.
- Jour. Myc. 2: 64. 1886. N. Am. Pyren. p. 88. 1892. Bull. Iowa Univ. Lab. Nat. Hist. 4: 69. 1896.
 - = Chromocreopsis cubispora (Ell. & Holw.) Seaver Mycol. 2: 63. 1910.
- on dead limb,
 N. H. Jour. Myc. 2: 66. 1886. N. Am. Pyren. p. 87. 1892.
 - = Hypocreopsis lichenoides (Tode) Seaver Mycol. 2: 82. 1910.
- geoglossi Ell. (nom. nud.) Prel. Cat. Fl. N. J. p. 196. 1881. See Hypomyces geoglossi Ell. & Ev.
- hirsuta Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 397. Nov. 1893. On bark, Nicaragua.
 - = Chromocreopsis hirsuta (Ell. & Ev.) Seaver Mycol. 2: 64. 1910.
- ---- hypoxylon (Pk.) Ell. & Ev. Jour. Myc. 2: 67. 1886. N. Am. F. 2373.
 - Syn.: Epichloë hypoxylon Pk. Rept. N. Y. St. Mus. 27, p. 108. 1875.
 - N. Am.F. specimen is Balansia henningsiana (Moell.) Diehl sec. Diehl Monogr. U. S. Dept. Agr. no. 4, p. 49. 1950.
- melaleuca Ell. & Ev. Proc. Acad. Phil. 1890, p. 245. Sept. 30, 1890. On oak (Quercus), N. J. N. Am. Pyren. p. 83. 1892.
 - = Hypocrea olivacea Cke. & Ell. sec. Seaver Mycol. 2: 53. 1910.
- N. J. Jour. Myc. 2: 62. 1886. Cat. Pl. N. J. p. 511. 1889. N. Am. Pyren. p. 80. 1892.
- Olivacea Cke. & Ell. Grev. 6: 92, illus. Mar. 1878. On pine (Pinus), N. J. Prel. Cat. Fl. N. J. p. 196. 1881. Jour. Myc. 2: 62. 1886. Cat. Pl. N. J. p. 511. 1889. N. Am. Pyren. p. 81, 83. 1892.
- pallida Ell. & Ev. Jour. Myc. 2: 65. June 1886. On Polyporus caesius, N. J. Proc. Acad. Phil. 1890, p. 245. 1890. N. Am. Pyren. p. 72, 82. 1892.

- Hypocrea papyracea Ell. & Holw, Jour. Myc. 2: 66. June 1886. On old log, Iowa. N. Am. Pyren. p. 86. 1892.
 - = Hypomyces papyraceus (Ell. & Holw.) Seaver Mycol. 2: 80. 1910.
- ---- subcarnea Ell. & Ev. Jour. Myc. 3: 114. Oct. 1887. On Lonicera,
 N. J. N. Am. Pyren. p. 82. 1892. Proc. Acad. Phil. 1893, p. 442.
 1894.
 - = Hypocreopsis subcarnea (Ell. & Ev.) Seaver N. Am. Fl. 3: 46. 1910.
- ---- tenerrima Ell. & Ev. Proc. Acad. Phil. 1893, p. 442. Feb. 27, 1894. On moss, W. Va. N. Am. F. 3009.
- ---- tremellicola Ell. & Ev. N. Am. Pyren. p. 85. May 1892. On Tremella albida, Ohio.
 - = Hypocreopsis tremellicola (Ell. & Ev.) Seaver Mycol. 2: 83. 1910.
- ---- virginiensis Ell. & Ev. Proc. Acad. Phil. 1893, p. 442. Feb. 27, 1894. On Rhododendron maximum, W. Va.
 - = Discomycete sec. Seaver N. Am. Fl. 3: 35. 1910.
- Hypocrella hypoxylon Ell. & Ev. in Dearn. & House Circ. N. Y. St. Mus. 24, p. 31. 1940. Apparently error for Hypocrella hypoxylon (Pk.) Sacc. (Hypocrea hypoxylon (Pk.) Ell. & Ev.).
- Hypoderma abietinum Ell. & Ev. Bull. Torr. Club 24: 463. Oct. 30, 1897. On Abies, Colo.
- on Cassandra calyculata, Mich.
 - = Hypodermopsis cassandrae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 487. 1898.
- equiseti Ell. & Ev. Bull. Torr. Club 27: 53. Feb. 1900. On Equisetum hyemale, Kans. F. Col. 1335.
- on Arctostaphylos nevadensis, Wash. N. Am. F. 3130.
 - = Hypodermopsis tunicata (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 487. 1898.
- Hypomyces alboluteus Ell. & Ev. (nom. nud.) în Cockerell, Jour. Inst. Jamaica 1: 262. Apr. 1893. On Peziza, Jamaica.
 - = Glaziella aurantiaca Berk. & Curt. sec. Ellis l. c. 1: 285. 1893.

- Hypomyces geoglossi Ell. & Ev. Jour. Myc. 2: 73. July 1886. On Geoglossum (glabrum?), N. J. Jour. Myc. 3: 114. 1887. Cat. Pl. N. J. p. 511. 1889. N. Am. Pyren. p. 72. 1892.
 - Syn.: Hypocrea geoglossi Ell. (nom. nud.) Prel. Cat. Fl. N. J. p. 196.
 - = Peckiella geoglossi (Ell. & Ev.) Sacc. Syll. Fung. 9: 944. 1891.
 - = Eleutheromyces geoglossi (Ell. & Ev.) Seaver Mycol. 1: 48. 1909.
 - = Micropyxis geoglossi (Ell. & Ev.) Seeler Farlowia 1: 126. 1943.
- Hypospila brunellae Ell. & Ev. Proc. Acad. Phil. 1894, p. 338. Dec. 11, 1894. On Brunella vulgaris, Wash. See Linospora brunellae Ell. & Ev.
- On Cordia collococca, Isl. St. Croix, West Indies.
 - = Diatractium cordianum (Ell. & Kelsey) Syd. Ann. Myc. 33: 86. 1935.
- Hypoxylon albocinctum Ell. & Ev. Proc. Acad. Phil. 1890, p. 229. Sept. 30, 1890. On Crataegus, Ohio. N. Am. Pyren. p. 647. 1892.
- La. Specimen in Myc. Coll. (Langl. 2167), in Herb. Kew and N. Y. Bot. Gard.
 - = Hypoxylon sclerophaeum Berk. & Curt. sec. J. H. Miller 1. c. and Shear, Lloydia 8: 249. 1946.
- ---- ? atrofuscum (Berk. & Curt.) Ell. & Ev. Jour. Myc. 4: 111. 1888.
 - Syn.: Fuckelia atrofusca Berk. & Curt. Grev. 12: 51. 1883.
 - See Shear, Lloydia 8: 258. 1946.
- atrorufum Ell. & Ev. N. Am. Pyren. p. 742. 1892. On oak? (Quercus)
 Mich. Host is Fagus sec. C. L. Shear, Lloydia 8: 260. 1946.
- Hypoxylon atroviride Ell. & Ev. Proc. Acad. Phil. 1894, p. 346. Dec. 11, 1894. On Betula or Quercus, W. Va.
 - = Camarops tubulina (Alb. & Schw.) Shear Mycol. 30: 568. 1938; Lloydia 8: 260. 1946.
- virens, La. N. Am. Pyren, p. 634. 1892.
- ---- californicum Ell. & Ev. Proc. Acad. Phil. 1895, p. 426. Nov. 5, 1895. On Adenostylum fasciculatum, Calif.

- Hypoxylon cinereum Ell. & Ev. N. Am. Pyren. p. 647. May 1892. On rotten wood, La.
- ---- commutatum Nits. subsp. holwayanum Sacc. & Ell. Michelia 2: 570. Dec. 1, 1882. On Carpinus, Iowa. N. Am. Pyren. p. 630. 1892.
- ---- cylindrophorum Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 407. Nov. 1893. On wood, Nicaragua.
- ---- discoideum Ell. & Ev. Proc. Acad. Phil. 1893, p. 450. Feb. 27, 1894. On Rhus toxicodendron, N. J.
- ---- fibuliforme Ell. & Ev. Bull. Iowa Univ. Lab. Nat. Hist. 4: 71.

 Dec. 1896. On dead wood, Nicaragua.
- ---- griseum (Schw.) Ell. & Ev. N. Am. Pyren. p. 743. May 1892.
 - Syn.: Sphaeria grisea Schw. Trans. Am. Phil. Soc. ser. 2, 4: 196. 1832.
- ---- holwayii Ell. Am. Nat. 17: 193. Feb. 1883. On Populus, Iowa N. Am. F. 1182.
- ---- insidens (Schw. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 653. May 1892. Bull. Iowa Univ. Lab. Nat. Hist. 2: 409. 1893.
 - Syn.: Sphaeria insidens Schw. ex Fr. Syst. Myc. 2: 422. 1823.
- Dec. 1896. On dead wood, Nicaragua.
- ---- morgani Ell. & Ev. N. Am. Pyren. p. 648. May 1892. On rotten wood, Ohio.
- ---- multiforme Fr. var. effusum Cke. & Ell. (as H. multiforme var. effusum Fr.) Grev. 5: 33. Sept. 1876.
 - Syn.: Sphaeria multiformis Fr. f. effusa Fr. Syst. Myc. 2: 334. 1823.
- ---- nicaraguense Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 407. Nov. 1893. On wood, Nicaragua.
- ---- nuttallii Ell. & Ev. Proc. Acad. Phil. 1894, p. 346. Dec. 11, 1894. On Magnolia fraseri, W. Va.
- ---- occidentale Ell. & Ev. Proc. Acad. Phil. 1894, p. 345. Dec. 11, 1894. On dead limbs and trunks, Calif. N. Am. F. 3127.
- ---- ohiense Ell. & Ev. N. Am. Pyren. p. 648. May 1892. On rotten wood, Ohio.

- Hypoxylon pallidum Ell. & Ev. Jour. Myc. 4: 68. July 1888. On Quercus, La. N. Am. Pyren. p. 640. 1892.
- ---- papillatum Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 408. Nov. 1893. On decaying wood, U. S. and Nicaragua.
- ---- parasiticum Ell. & Ev. ined. On Hypoxylon fuscopurpureum (Schw.)
 Berk., La., Langlois 2147. Specimen in Myc. Coll.
- ---- piceum Ell. Am. Nat. 17: 194. Feb. 1883. On rotten wood, Iowa. Jour. Myc. 4: 88. 1888. N. Am. Pyren. p. 649. 1892.
 - = Hypoxylon rubiginosum Pers. ex Fr. sec. J. H. Miller, Bothalia 4: 258. 1942.
- ---- platystomum Ell. & Ev. N. Am. Pyren. p. 649. May 1892. On Melia,
 - = Hypoxylon stygium (Lév.) Sacc. sec. J. H. Miller, Bothalia 4: 253.
- ---- pseudostipitatum Ell. & Macbr. (ined.) Mexico, coll. C. L. Smith. Specimen in Myc. Coll.
- ---- quadratum (Schw.) Ell. & Ev. N. Am. Pyren. p. 631. May 1892.
 - Syn.: Sphaeria quadrata Schw. Trans. Am. Phil. Soc. ser. 2, 4: 194.
- subchlorinum Ell. & Calkins Jour. Myc. 4: 86. Sept. 1888. On bark of dead tree, Fla. N. Am. F. 2115. N. Am. Pyren. p. 646. 1892.
 - = Hypoxylon rubiginosum Pers. ex Fr. sec. J. H. Miller Bothalia 4: 258. 1942.
- ---- subluteum Ell. & Ev. N. Am. Pyren. p. 648. May 1892. On rotten wood, La.
 - = Hypoxylon rubiginosum Pers. ex Fr. sec. J. H. Miller Bothalia 4: 258. 1942.
- vernicosum Ell. & Ev. Am. Nat. 31: 426. May 1897. On dead wood, Ohio. Bull. Iowa Univ. Lab. Nat. Hist. 4: 72. 1896.
- vinoso-purpureum Ell. & Ev. (nom. nud.) in J. H. Miller Bothalia 4: 256. 1942. On wood, La. Specimens in Myc. Coll., coll. Langlois 2151, 2157.
 - = Hypoxylon glomeratum Cke. sec. J. H. Miller 1. c.

- Hypoxylon viridulosum Ell. (ined.). On Acer, N. J. Specimen in Myc. Coll. Description in Myc. Coll. as H. viridulum Ell. on Acer, N. J. probably refers to this specimen.
- HYPSOTHECA Ell. & Ev. Jour. Myc. 1: 128. Oct. 1885. Type: H. subcorticalis (Cke. & Ell.) Ell. & Ev.
- ---- calicioides (Fr.) Ell. & Ev. Jour. Myc. 1: 129. Oct. 1885. N. Am. Pyren. p. 199. 1892.
 - Syn.: Sphaeronema calicioides Fr. Syst. Myc. 3: 340, 342. 1832.
 - = Caliciopsis calicioides (Ell. & Ev.) Rav. F. Carol. cent. 1, no. 83. 1852.
 - = Caliciopsis calicioides (Fr.) Fitz. Mycol. 12: 220. 1920.
- ---- calîcioides (Fr.) Ell. & Ev. var. caespitosa Ell. (nom. nud.) in Fitz. Mycol. 12: 220. 1920.
 - = Caliciopsis calicioides (Fr.) Fitz. 1. c.
- Subcorticalis (Cke. & Ell.) Ell. & Ev. Jour. Myc. 1: 129. Oct. 1885. Cat. Pl. N. J. p. 517. 1889. N. Am. Pyren. p. 199, illus. 1892. N. Am. F. 2123.
 - Syn.: Sphaeronema subcorticale (as "subcorticalis") Cke. & Ell. Grev. 6: 83. Mar. 1878. Prel. Cat. Fl. N. J. p. 179. 1881.
 - = Caliciopsis subcorticalis (Cke. & Ell.) Fitz. Mycol. 12: 223. 1920.
- ---- thujina Ell. & Ev. Jour. Myc. 1: 129. Oct. 1885. On Cupressus thyoides, N. J. Cat. Pl. N. J. p. 517. 1889. N. Am. Pyren. p. 199. 1892.
 - = Caliciopsis thujina (Ell. & Ev.) Fitz. Mycol. 12: 264. 1920.
- Hysterium arundinaceum Schrad. ex Fr. var. gramineum (Duby) Cke. & Ell. Grev. 7: 41. Dec. 1878.
 - Syn.: Lophodermium arundinaceum var. gramineum Duby Mem. Hysterinées p. 47. 1861.
- On white cedar (Chamaecyparis thyoides), Kans.
- tris, Ala. Compressum Ell. & Ev. Jour. Myc. 8: 69. June 1902. On Pinus palus-

- Hysterium nova-caesariense Ell. Bull. Torr. Bot. Club 6: 133. Feb. 1877.
 On Pinus inops, N. J. Prel. Cat. Fl. N. J. p. 195. 1881. Cat. Pl. N. J. p. 541. 1889. N. Am. Pyren. p. 702. 1892. N. Am. F. 152.
 - = Mytilidion nova-caesariense (Ell.) Rehm Ascom. no. 313. 1876; Ber. Naturw. Ver. Augsburg 26: 79. 1881. F. Col. 10.
 - = Hysterographium nova-caesariense (Ell.) Roum. F. exsicc. gall. no. 4854. 1889.
- ---- sphaeriaceum Ell. Am. Nat. 17: 193. Feb. 1883. On decaying wood, Iowa. N. Am. Pyren. p. 694. 1892.
- ---- stictoideum Cke. & Ell. Grev. 7: 7. Sept. 1878. On oak (Quercus), N. J. N. Am. Pyren. p. 700. 1892. N. Am. F. 571.
 - = Gloniopsis stictoides (Lk.) Sacc. Syll. Fung. 2: 774. 1883.
 - = Stictis hysterina Fr. sec. Ell. N. Am. F. 1281. 1884.
- ---- subrugosum Cke. & Ell. Grev. 5: 54, illus. Dec. 1876. On oak (Quercus), N. J. Prel. Cat. F. N. J. p. 195. 1881. Cat. Pl. N. J. p. 540. 1889. N. Am. F. 459.
 - = Hysterographium subrugosum (Cke. & Ell.) Sacc. Syll. Fung. 2: 780. 1883. N. Am. Pyren. p. 702. 1892.
- Hysterographium cinerascens (Schw.) Ell. & Ev. N. Am. Pyren. p. 703. May 1892.
 - Syn.: Hysterium cinerascens Schw. Trans. Am. Phil. Soc. ser. 2, 4: p. 244. 1832.
- ---- cookeanum (Gerard) Ell. & Ev. N. Am. Pyren. p. 707. May 1892.
 - Syn.: Hysterium cookeanum Gerard Bull. Torr. Club 5: 77. 1876.
- ---- elatinum (as "elatina") (Ach.) Ell. & Ev. N. Am. Pyren. p. 707. May 1892.
 - Syn.: Lichen elatinus Ach. Lichen. Suec. Prodr. p. 22. 1798.
- ---- elatinum (Ach.) Ell. & Ev. var. crispum (Pers. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 707. May 1892.
 - Syn.: Hysterium elatinum var. crispum Fr. Syst. Myc. 2: 584. 1822.
- ---- gloniopsis (Gerard) Ell. & Ev. N. Am. Pyren. p. 708. May 1892.
 - Syn.: Hysterium gloniopsis Gerard Bull. Torr. Club 6: 78. 1876.

- Hysterographium graminis Ell. & Ev. Bull. Torr. Club 27: 53. Feb. 1900.

 On Panicum virgatum and Andropogon provincialis, Kans.
 - = Graphylium graminis (Ell. & Ev.) Rehm Ann. Myc. 13: 3. 1915.
- ---- hians Ell. & Ev. (nom. nud.) Jour. Myc. 8: 19. May 31, 1902.
 - = Hysterographium nucicola (Schw.) Ell. & Ev. 1. c.
- ---- incisum Ell. & Ev. Bull. Torr. Club 24: 462. Oct. 30, 1897. On Rhus aromatica, Colo.
- ---- insidens (Schw.) Ell. & Ev. Bull. Torr. Club 24: 462. 1897.
 - Syn.: Hysterium insidens Schw. Trans. Am. Phil. Soc. ser. 2, 4: 244. 1832.
- ---- kansense Ell. & Ev. Erythea 2: 22. Feb. 9, 1894. On Quercus macrocarpa, Kans. N. Am. F. 3037; F. Col. 243.
- ---- lineolatum (Cke.) Ell. & Ev. F. Col. 12. Oct. 3, 1893.
 - Syn.: Hysterium lineolatum Cke. Grev. 11: 107. 1883.
- ---- lonicerae (Phil. & Harkn.) Ell. & Ev. N. Am. Pyren. p. 709. May 1892.
 - Syn.: Hysterium lonicerae Phil. & Harkn. Grev. 13: 23. 1884.
- ---- mori (Schw.) Rehm var. gerardii (Cke. & Pk.) Ell. & Ev. F. Col. 1028. Dec. 22, 1896.
 - Syn.: Hysterium gerardii Cke. & Pk. Bull. Buffalo Soc. Nat. Sci. 3: 33. 1875.
- ---- nucicola (Schw.) Ell. & Ev. Jour. Myc. 8: 19. May 1902.
 - Syn.: Hysterium nucicola Schw. Trans. Am. Phil. Soc. ser. 2, 4: 244. 1832.
 - : Hysterographium hians Ell. & Ev. (nom. nud.) Jour. Myc. 8: 19. 1902.
- ---- praelongum (Schw.) Ell. & Ev. N. Am. Pyren. p. 708. May 1892.
 - Syn.: Hysterium praelongum Schw. Trans. Am. Phil. Soc. ser. 2, 4: 244. 1832.
- ---- smilacis (Schw. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 709. May 1892. F. Col. 1243.
 - Syn.: Hysterium smilacis Schw. ex Fr. Syst. Myc. 2: 586. 1823.

- HYSTEROMYXA Sacc. & Ell. Michelia 2: 574. Dec. 1, 1882. Type: H. effugiens Sacc. & Ell.
 - Doubtful genus sec. Petrak Sydowia 5: 196. 1951.
- ---- corticola Ell. & Ev. Proc. Acad. Phil. 1894, p. 370. Dec. 11, 1894. On cottonwood (Populus), Kans. N. Am. F. 3277.
- ---- effugiens Sacc. & Ell. Michelia 2: 574. Dec. 1, 1882. On Cupressus thyoides, N. J. Cat. Pl. N. J. p. 587. 1889. Proc. Acad. Phil. 1894, p. 370. 1894. N. Am. F. 1221.
- Illosporium acaroides Sacc. & Ell. (nom. nud.) Cat. Pl. N. J. p. 574. 1889. = Illosporium acaroides Sacc. Michelia 2: 580. Dec. 1, 1882.
- ---- album Ell. & Ev. Proc. Acad. Phil. 1894, p. 385. Jan. 8, 1895. On cypress (? Taxodium), La.
- ---- caespitosum Ell. & Ev. Proc. Acad. Phil. 1894, p. 385. Jan. 8, 1895. On rotten wood, W. Va.
- ---- conicola (as "conicolum") Ell. & Ev. in Shear Bull. Torr. Club 29: 452. July 1902. On Pinus virginiana, D. C.
- ---- conorum Ell. & L. W. Nutt. ined. On Pinus virginiana, W. Va., Fl. Fayette Co., Ellis no. 906. Specimen in Myc. Coll. Probably identical with the preceding species.
- ---- helicoideum Sacc. & Ell. Michelia 2: 579. Dec. 1, 1882. On Gramineae, N. J. Cat. Pl. N. J. p. 574. 1889.
- ---- minimum Ell. & Ev. Proc. Acad. Phil. 1893, p. 465. Mar. 13, 1894. On rotten wood, North America.
- ---- panduratum Ell. & Ev. (nom. nud.) in Sumstine Mycol. 41: 23. 1949.
 On Boletinus porosus, Del. Specimen in Commons collection.
- ---- pezizula Sacc. & Ell. Michelia 2: 579. Dec. 1, 1882. On Magnolia?, N. J. Cat. Pl. N. J. p. 574. 1889.
- Inocybe cicatricata (as "cicatricatus") Ell. & Ev. Jour. Myc. 5: 25.
 Mar. 1889. N. J.
 - Syn.: Agaricus (Inocybe) cicatricatus Ell. (nom. nud.) N. Am. F. 1091. 1888. Cat. Pl. N. J. p. 473. 1889.

- Inocybe echinocarpa (as "echinocarpus") Ell. & Ev. Jour. Myc. 5: 26.
 Mar. 1889. N. J.
 - Syn.: Agaricus (Inocybe) echinocarpus Ell. & Ev. (nom. nud.) N. Am. F. 1904. 1888. Cat. Pl. N. J. p. 473. 1889.
 - = Inocybe gaillardi Gill. sec. Farl. Bibl. Index N. Am. F. p. 123. 1905.
 - = Inocybe calospora Quel. var. subfulva (Pk.) Heim Gen. Inocybe p. 381. 1931.
- ---- murino-lilacina (as "murino-lilacinus") Ell. & Ev. Jour. Myc. 5: 25. Mar. 1889. N. J.
 - Syn.: Agaricus (Inocybe) murino-lilacinus Ell. & Ev. (nom. nud.) N. Am. F. 1905. 1888. Cat. Pl. N. J. p. 473. 1889.
- ---- pallidipes Ell. & Ev. Jour. Myc. 5: 24. Mar. 1889. N. J. N. Am. F. 2102; F. Col. 1007.
 - Syn.: Agaricus (Inocybe) pallidipes Ell. & Ev. (nom. nud.) Cat. Pl. N. J. p. 474. 1889.
 - = Inocybe eutheles var. pallidipes (Ell. & Ev.) Heim Gen. Inocybe p. 217, illus. 1931.
- ---- subdecurrens Ells. & Ev. Jour. Myc. 5: 26, 27. Mar. 1889. N. J.
 - Syn.: Agaricus (Inocybe) subdecurrens Ell. & Ev. N. Am. F. 1906.
 1888. Cat. Pl. N. J. p. 474. 1889.
- ---- tomentosa Ell. & Ev. Jour. Myc. 5: 26. Mar. 1889. N. J. N. Am. F. 2101; F. Col. 1008.
 - Syn.: Agaricus (Inocybe) tomentosus Ell. & Ev. (nom. nud.) Cat. Pl. N. J. p. 474. 1889.
 - = Inocybe subdecurrens Ell. sec. Farl. Bibl. Index N. Am. F. p. 160. 1905.
- Irpex scutellatus Ell. (ined.). On red cedar (Juniperus virginiana), N. J. Specimen in Myc. Coll.
- Isaria capitata Ell. & Ev. Bull. Torr. Club 25: 512. Sept. 10, 1898.
 On Platanus occidentalis, Mo.
- ---- effusa Ell. & Langl. (ined.). On Melia, La., Langl. Fl. Ludov. 81. Specimen in Myc. Coll.
- ---- straminipes Ell. & Ev. Jour. Myc. 4: 117. Nov. 1888. On decaying twigs, La.

- Isaria virginiensis Ell. & Ev. Proc. Acad. Phil. 1893, p. 465. Mar. 13, 1894. On Hypoxylon rubiginosum Fr.. W. Va.
- ---- xylarioides Ell. & Kell. Bull. Torr. Club 11: 115. Oct. 1884. On dead wood, Kans. and Pa.
- Isariopsis carnea Ell. & G. Martin (nom. nud.) Jour. Myc. 3: 7. Jan. 1887. On Osmanthus, Fla.
- ---- clavata Ell. & G. Martin Am. Nat. 18: 188. Feb. 1884. On Persea palustris, Fla. N. Am. F. 1234.
 - = Arthrobotryum clavatum (Ell. & G. Martin) Hoehn. Sitzb. Akad. Wien 125: 120. 1916.
- ---- grayiana Ell. Bull. Torr. Club 9: 98. Aug. 1882. On Rubus villo-sus, Pa. Bull. Torr. Club 24: 475. 1897. N. Am. F. 818.
 - = Phaeoisariopsis grayana (Ell.) Ferr. Ann. Myc. 7: 280. 1909.
- ---- mexicana Ell. & Ev. Bull. Torr. Club 24: 475. Oct. 30, 1897. On dead stems, Mexico.
- ---- penicillata Ell. & Ev. Bull. Torr. Club 22: 438. Oct. 31, 1895. On Meliola on Gordonia lasianthus, Fla.
 - = Arthrobotryum sec. Hoehn. Sitzh. Akad. Wien 125: 120. 1916.
- ---- subulata Ell. & Ev. Jour. Myc. 2: 104. Sept. 1886. On Zea mays, La. N. Am. F. 2194.
- Kalmusia parallela (Fr.) Ell. & Ev. N. Am. Pyren. p. 148. May 1892. N. Am. F. 99 (issued as Lasiosphaeria luteobasis).
 - Syn.: Sphaeria parallela Fr. Syst. Myc. 2: 373. 1823.
- Karschia impressa Ell. & Ev. Bull. Torr. Club 24: 470. Oct. 30, 1897.
 On Symphoricarpus, Colo. F. Col. 1227.
 - = Dothideaceae sec. Ellys Butler Myc. 32: 820. 1940.
- ---- sphaerioides Ell. & Ev. Proc. Acad. Phil. 1893, p. 453. Feb. 27, 1894. On oak (Quercus), N. J.
 - = Karschia lignyota (Fr.) Sacc. sec. Ellys Butler Mycol. 32: 818. 1940.
- Karstenia sublilacina Ell. & Ev. Bull. Iowa Univ. Lab. Nat. Hist. 4: 69. Dec. 1896. On bark, Nicaragua.
 - = Thelotrema sublilacinum (Ell. & Ev.) Vain. Proc. Am. Acad. 58: 137. 1923.

- KELLERMANIA Ell. & Ev. Jour. Myc. 1: 153. Dec. 1885. Type: K. yuccae-gena Ell. & Ev.
- ---- alpina Ell. & Ev. Bull. Torr. Club 27: 57. Feb. 1900. On Aquilegia coerulea, Colo.
 - = Heteropatella alpina (Ell. & Ev.) W. B. Cke. Mycol. 31: 48. 1939.
- ---- mutica Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887.
 - = Septoria megaspora Speg. sec. Ell. & Ev. Bull. Torr. Club 27: 574.
- ---- polygoni Ell. & Ev. Jour. Myc. 2: 111. Oct. 1886. On Polygonum polymorphum, Calif.
- ---- sisyrinchii Ell. & Ev. Jour. Myc. 2: 111. Oct. 1886. On Sisyrinchium bellum, Calif.
 - = Brencklea sisyrinchii (Ell. & Ev.) Petr. Ann. Myc. 21: 326. 1923.
- ---- yuccaegena Ell. & Ev. Jour. Myc. 1: 154. Dec. 1885. On Yucca angustifolia, Kans. Jour. Myc. 2: 111. 1886. N. Am. Pyren. p. 392. 1892. N. Am. F. 1976; F. Col. 149, 783.
- Kneiffia trachytrichia Ell. & Ev. (ined.) Wash. Specimen in Herb. Wash. St. Coll.
- Kretschmaria pusilla Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 410. Nov. 1893. On fallen trunks, Nicaragua.
- ---- spinifera Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 4: 71. Dec. 1896. On wood, Mexico.
- Labrella infuscans Ell. & Barth. Erythea 4: 27. Feb. 1, 1896. On pine (Pinus), Kans.
- Lachnea asperrima Ell. & Ev. (nom. nud.) in Seaver N. Am. Cup.-F.
 Opercul. p. 104. 1928. On rotten wood, Nicaragua.
 - = Melastiza asperrima (Ell. & Ev.) Seaver 1. c.
 - = Melastiziella asperrima (Ell. & Ev.) Svrcek Sborn. Narodn. Mus. Praze 4-B, no. 6, p. 61. 1948.
- ---- cervicolor Ell. & Ev. Proc. Acad. Phil. 1893, p. 145. Apr. 11, 1893. On rotten wood, Canada.
- ---- hemisphaerica (Wigg. ex Fr.) Gill. var. subcalva (Ell.) Sacc. Syll. Fung. 8: 167. 1889 (as L. hemispherica var. subcalva Ell.). See Peziza hemisphaerica var. subcalva Ell.

- Lachnea virginiensis Ell. & Ev. (ined.). On ashes of burned log, W. Va. Two specimens in Myc. Coll.
- Lachnella albolabra Ell. & Ev. Bull. Torr. Club 24: 467. Oct. 30, 1897.
 On Ribes prostratum, Colo. See Seaver, N. Am. Cup.-F. Opercul.
 p. 104. 1928.
- ---- albopileata Cke. var. subaurata Ell. in Phill. Grev. 19: 107. June 1891. On Clethra alnifolia, N. J.
 - = Dasyscypha albopileata (Cke.) Sacc. var. subaurata (Ell.) Sacc. Syll. Fung. 10: 22. 1892 (as var. subaurata Ell.). See Seaver N. Am. Cup.-F. Inopercul. p. 274. 1951.
- ---- borealis (Ell. & Holw.) Sacc. Syll. Fung. 8: 457. 1889 (as L. bore-alis Ell. & Holw.). See Peziza borealis Ell. & Holw.
- ---- callochaetes (Ell.) Sacc. Syll. Fung. 8: 462. 1889 (as L. callo-chaetes Ell. & Ev.). See Peziza callochaetes Ell. & Ev.
- ---- campanula (Ell.) Sacc. Syll. Fung. 8: 396. 1889 (as L. campanula Ell.). See Peziza campanula Ell.
- cenangioides (Ell.) Sacc. Syll. Fung. 8: 396. 1889 (as L. cenangioides Ell.). See Peziza cenangioides Ell.
- crinella (Ell. & Ev.) Sacc. Syll. Fung. 8: 450. 1889 (as L. crinella Ell.). See Peziza crinella Ell. & Ev.
- ---- crossata (Ell.) Sacc. Syll. Fung. 8: 413. 1889 (as L. crossata Ell.). See Peziza crossata Ell.
- frondicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 388. 1889 (as L. frondicola Ell. & Ev.). See Peziza frondicola Ell. & Ev.
- hystricula (Ell. & Ev.) Sacc. Syll. Fung. 8: 445. 1889 (as L. hystricula Ell.). See Peziza hystricula Ell.
- latebrosa (Ell.) Sacc. Syll. Fung. 8: 434. 1889 (as L. latebrosa Ell.). See Peziza latebrosa Ell.
- meleagris (Ell.) Sacc. Syll. Fung. 8: 397. 1889 (as L. meleagris Ell.). See Peziza meleagris Ell.
- rhizophila Ell. & Ev. Proc. Acad. Phil. 1894, p. 348. Dec. 11, 1894. On Rubus diversiloba, Wash.
 - = Lachnella corticalis (Pers. ex Fr.) Fr. sec. Seaver N. Am. Cup-F. Inopercul. p. 249. 1951.

- Lachnella soleniiformis (Ell. & Ev.) Sacc. Syll. Fung. 8: 435. 1889 (as L. soleniiformis Ell.). See Peziza cazenoviae Ell. & Ev.
- ---- symphoricarpi Ell. & Ev. Bull. Torr. Club 24: 467. Oct. 30, 1897. On Symphoricarpus, Colo.
- ---- venturioides (Ell. & Ev.) Sacc. Syll. Fung. 8: 419. 1889 (as L. venturioides Ell.). See Peziza venturioides Ell. & Ev.
- ---- virginica Ell. & Ev. Proc. Acad. Phil. 1894, p. 349. Dec. 11, 1894. On Magnolia fraseri, W. Va.
 - = Lachnella cerina Karst. sec. Seaver N. Am. Cup-F. Inopercul. p. 271. 1951.
- Lachnellula microspora Ell. & Ev. Proc. Acad. Phil. 1893, p. 451. Feb. 27, 1894. On spruce (Picea), Newfoundland.
- Laestadia apocyni Ell. & Ev. Proc. Acad. Phil. 1890, p. 230. Sept. 30, 1890. On Apocynum, Ontario, Canada. N. Am. Pyren. p. 260. 1892. N. Am. F. 2540.
- ---- ari Ell. & Ev. Jour. Myc. 8: 67. June 1902. On Arum arifolium, Ala.
- ---- castanicola Ell. & Ev. N. Am. Pyren. p. 259. May 1892. On chestnut (Castanea), N. J.
- ---- coptis (Schw.) Ell. & Ev. N. Am. Pyren. p. 261. May 1892.
 - Syn.: Sphaeria coptis Schw. Trans. Am. Phil. Soc. ser. 2, 4: 244. 1832.
- ---- depressa (Pk.) Ell. & Ev. N. Am. Pyren. p. 260. May 1892.
 - Syn.: Sphaerella depressa Pk. Rept. N. Y. St. Mus. 33, p. 34. 1880.
- ---- gregaria (Cke.) Ell. & Ev. N. Am. Pyren. p. 257. May 1892.
 - Syn.: Stigmatea gregaria Cke. Jour. Linn. Soc. Lond. 17: 144. 1878.
- ---- magnoliae (Schw.) Ell. in Hoehn. Ann. Myc. 16: 54. 1918.
 - = L. magnoliae (Schw.) Sacc. Syll. Fung. 2: XXXI. 1883.
- ---- orientalis Ell. & Ev. Proc. Acad. Phil. 1890, p. 230. Sept. 30, 1890. On Castanea japonica, La. N. Am. Pyren. p. 257. 1892.
- ---- polystigma Ell. & Ev. in Hoehn. Ann. Myc. 16: 49. 1918.
 - = L. polystigma (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. Addit. 1-4, p. 61. 1886. See Sphaerella polystigma Ell. & Ev.

- Laestadia prenanthis Ell. & Ev. Jour. Myc. 8: 66. June 1902. On Prenanthes crepidinea, Ala.
- rubescens Ell. & Ev. N. Am. Pyren. p. 259. May 1892. On chestnut (Castanea), N. J.
- rubicola Ell. & Ev. Bull. Torr. Club 24: 129, March 30, 1897. On Rubus strigosus, Ontario.
- on Scrophularia, Ontario.
- Lamproderma robustum (as "robusta") Ell. & Ev. Bull. Washburn Coll. Lab.
 Nat. Hist. 1:5. Sept. 1884. On Aplopappus bloomeri, Wash.
 - = Lamproderma sauteri Rost. var. robustum (Ell. & Ev.) Graff Mycol. 20: 106. 1928.
- LANGLOISIA Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887. Type: L. tremelloides Ell. & Ev.
- ---- tremelloides Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887.
 - = Cerebella paspali Cke. & Mass. sec. Ell. & Ev. N. Am. F. 2289.
 1889 (specific name given as "tremellosa").
- LANGLOISULA Ell. & Ev. Jour. Myc. 5: 68, illus. June 1889. Type: L. spinosa Ell. & Ev.
- ---- spinosa Ell. & Ev. Jour. Myc. 5: 68, illus. June 1889. On Andropogon muricatus, Ia.
 - = Nomen confusum (? Vararia investiens (Schw.) Karst.) sec. Rogers and Jacks. Farlowia 1: 292. 1943.
- Lasiobelonium subflavidum Ell. & Ev. Bull. Torr. Club 24: 136. Mar. 30, 1897. On Salix, Wash.
 - Suggests Perrotia flammea sec. Seaver N. Am. Cup-F. Inopercul. p. 280. 1951.
- Lasiobetrys lonicerae subcircinata Ell. & Ev. (ined.). On Symphoricarpus,

 Idaho. Specimen in Myc. Coll. See L. lonicerae f. symphoricarpi Ell.

 & Ev.
- lonicerae Kunze f. symphoricarpi Ell. & Ev. (nom. nud.) N. Am. F. 3518. Feb. 1, 1898.
 - Syn .: Lasiobotrys lonicerae subcircinata Ell. & Ev. (ined.).
 - : Lasiobotrys subcircinata Ell. & Ev. (ined.).
 - = Lasiobotrys symphoricarpi Syd. Ann. Myc. 16: 244. 1918.
 - = Rhizogene symphoricarpi (Syd.) Syd. Ann. Myc. 18: 181. 1920.

- Lasiobotrys subcircinata Ell. & Ev. ined. On Symphoricarpus, Colo. Specimen in Myc. Coll. type of L. symphoricarpi Syd. See Lasiobotrys lonicerae f. symphoricarpi Ell. & Ev.
- LASIODIPLODIA Ell. & Ev. in Clendenin Bot. Gaz. 21: 92. Feb. 18, 1896.
 Type: L. tubericola Ell. & Ev.
- ---- tubericola Ell. & Ev. in Clendenin Bot. Gaz. 21: 92, illus. Feb. 18, 1896. On sweet potato (Ipomoea batatas) from Java, coll. La. Jour. Myc. 8: 65. 1902.
 - = Diplodia tubericola (Ell. & Ev.) Taub. Am. Jour. Bot. 2: 328. 1915.
 - = Botrydiplodia tubericola (Ell. & Ev.) Petr. Ann. Myc. 21: 332. 1923.
- Lasionectria lasioderma Ell. Cat. Pl. N. J. p. 513. 1889. = L. lasioderma (Ell.) Cke. Grev. 12: 112. 1884. See Nectria lasioderma Ell.
- ---- poliosa (Ell. & Ev.) Ell. & Ev. Jour. Myc. 3: 1. Jan. 1887.
 - Syn.: Nectria poliosa Ell. & Ev. Jour. Myc. 2: 39. 1886. N. Am. Pyren. p. 109. 1892.
 - = Cucurbitaria poliosa (Ell. & Ev. Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - ? = Nectria dispersa Cke. & Ell. sec. Seaver Mycol. 1: 57. 1909.
- Lasiosphaeria coulteri (Pk.) Ell. & Ev. N. Am. Pyren. p. 147. May 1892. F. col. 1127, 1737.
 - Syn.: Sphaeria coulteri Pk. U. S. Geol. Surv. Rept. 6, p. 792. 1873.
- ---- dichroospora Ell. & Ev. Erythea 1: 197. Oct. 2, 1893. On clay loam, Wash.
 - = Eosphaeria uliginosa (Fr.) Hoehn. Ann. Myc. 15: 363. 1917.
- ---- hystrix Ell. & Ev. Proc. Acad. Phil. 1894, p. 326. Dec. 11, 1893. On Salix, Ohio.
- ---- luteobasis (Ell.) Ell. & Ev. N. Am. Pyren. p. 147. May 1892.
 - Syn.: Sphaeria luteobasis Ell. Bull. Torr. Club 6: 134. 1887. Prel. Cat. Fl. N. J. p. 200. 1881. N. Am. F. 99 (This specimen = Kalmusia parallella (Fr.) Ell. & Ev. sec. Ell. & Ev. N. Am. Pyren. p. 148. 1892.)
 - : Herpotrichia luteobasis (Ell.) Ell. & Ev. N. Am. F. 1959. 1888.
 - = Byssosphaeria luteobasis (Ell.) Cke. Grev. 15: 122. 1887. (B. luteobasis (Ell. Jour. Myc. 4: 64. 1888). Cat. Pl. N. J. p. 515. 1889.
 - = Eutypa luteobasis (Ell.) Sacc. Syll. Fung. 1: 171. 1882.

- Lasiosphaeria newfieldiana Ell. & Ev. N. Am. Pyren. p. 150. May 1892. On rotten wood, N. J.
 - ? = Lasiosordaria ambigua (Sacc.) Chenantais Bull. Soc. Myc. Fr. 35: 79. 1919.
- ---- setosa (Schw.) Ell. & Ev. Proc. Acad. Phil. 1895, p. 21. Feb. 25, 1895.
 - Syn.: Sphaeria setosa Schw. Trans. Am. Phil. Soc. ser. 2, 4: 212. 1832.
- ---- striata Ell. & Ev. Proc. Acad. Phil. 1893, p. 443. Feb. 27, 1894. On willow (Salix), Ontario.
 - = Godronia striata (Ell. & Ev.) Seaver Mycol. 4: 123. 1912.
 - = Godronia fuliginosa (Pers. ex Fr.) Seaver Mycol. 37: 344. 1945.
- ---- strigosa (Alb. & Schw. ex Fr.) Ell. & Ev. in Seymour Host Index p. 358. 1929. = L. strigosa (Alb. & Schw. ex Fr.) Sacc. Syll. Fung. 2: 201. 1883.
- ---- stuppea Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 4.
 Sept. 1884. On Tsuga pattoniana, Wash. N. Am. Pyren. p. 150, illus.
 1892.
- ---- sublanosa (Cke.) Ell. & Ev. N. Am. Pyren. p. 146. May 1892.
 - Syn.: Sphaeria sublanosa Cke. Grev. 7: 41. 1878.
- ---- subvelutina Ell. & Ev. Jour. Myc. 3: 117. Oct. 1887. On Magnolia, N. J. N. Am. Pyren. p. 155. 1892.
 - = Acanthostigma decastylum (Cke.) Sacc. (A. perpusillum De N.) sec. Berl. Icon. Pyren. p. 104. 1892, and Ell. & Ev. N. Am. Pyren. p. 155. 1892.
- ---- trichopus Ell. & Ev. Proc. Acad. Phil. 1893, p. 129. Apr. 11, 1893. On rotten wood, Ontario.
- Lentinus castaneus Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 3, no. 4, p. 194. Feb. 1896. On decaying stalks, Nicaragua.
- ---- pholiotoides Ell. & F. W. Anderson Bot. Gaz. 16: 45. Feb. 1891. On Populus tremuloides, Mont.
- Lepiota noctiphila (Ell.) Sacc. Syll. Fung. 5: 50. 1887 (as L. nictophila Ell.). See Agaricus noctiphilus Ell.

- Leptosphaeria anomala Ell. & Ev. Jour. Myc. 3: 117. Oct. 1887. Or herbaceous stems, Utah. N. Am. Pyren. p. 355. 1892.
 - = Didymosphaeria anomala (Ell. & Ev.) Sacc. Syll. Fung. 9: 730. 1891.
 - = Microthelia anomala (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 498. 1898.
- ---- astericola Ell. & Ev. Jour. Myc. 8: 17. May 1902. On Aster multiflora, Kans. F. Col. 1537.
- ---- aulica (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria aulica Cke. & Ell. Grev. 6: 95, illus. 1878. Prel. Cat. Pl. N. J. p. 201. 1881.
 - = Metasphaeria aulica (Cke. & Ell.) Sacc. Syll. Fung. 2: 168. 1883. N. Am. Pyren. p. 385. 1892.
 - = Endophlaea (Metasphaeria) aulica (Cke. & Ell.) Cke. Grev. 17: 89. 1889 (E. aulica Cke. & Ell. in Seym. Host Index p. 650. 1929).
- ---- borealis Ell. & Ev. N. Am. Pyren. p. 353. May 1892. On Salix, Mont.
- ---- boucera (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria bucera Cke. & Ell. Grev. 8: 15. Sept. 1879. N. Am. F. 887.
 - = Metasphaeria bucera (Cke. & Ell.) Sacc. Syll. Fung. 2: 161. 1883. N. Am. Pyren. p. 382. 1892.
- ---- brunellae Ell. & Ev. Proc. Acad. Phil. 1890, p. 237. Sept. 30, 1890. On Brunella vulgaris, Ontario. N. Am. Pyren. p. 358. 1892.
- ---- cassiaecola Ell. & Ev. Jour. Myc. 2: 41. Apr. 1886. On Cassia, Texas. N. Am. Pyren. p. 363. 1892.
- ---- clavicarpa Ell. & Ev. Jour. Myc. 1: 43. Mar. 1885. On Phragmites communis, Iowa.
 - = Heptameria clavicarpa (Ell. & Ev.) Cke. Grev. 18: 32. 1889.
 - = Rhopographus clavisporus (Cke. & Pk.) Sacc. sec. Ell. & Ev. N. Am. Pyren. p. 619, illus. 1892.
 - = Calospora clavispora (Cke. & Pk.) Theiss. & Syd. sec. Wehm. Gen. Melanconis, p. 118. 1941.
- ---- comatella (Cke. & Ell.) Sacc. var. lespedezae Ell. & Ev. N. Am. Pyren. p. 364. May 1892. No data given.
- ---- concentrica Ell. & Ev. N. Am. Pyren. p. 354. May 1892. On apple (Malus sylvestris), Mo., La.

- Leptosphaeria concinna Ell. & Ev. Proc. Acad. Phil. 1895, p. 423. Nov. 5, 1895. On Castilleia miniata, Colo.
- ---- consimilis Ell. & Ev. Jour. Myc. 2: 41. Apr. 1886. On willow (Salix), S. Dak. N. Am. Pyren. p. 367. 1892.
 - = Melanomma sec. Berl. Icon. Fung. Pyren. 1: 88. 1892.
- ---- defodiens (Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria defodiens Ell. Bull. Torr. Club 8: 90. Aug. 1881. N. Am. F. 889.
 - = Metasphaeria defodiens (Ell.) Sacc. Syll. Fung. 2: 181. 1883. N. Am. Pyren. p. 389. 1892.
 - = Metasphaeria trichostoma (Pass.) Sacc. sec. Berl. Icon. Pyren. 1: 142. 1894.
- ---- discors Sacc. & Ell. Michelia 2: 567. Dec. 1, 1882. Jour. Myc. 1: 43. 1885. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 373. 1892. N. Am. F. 1341.
 - = Metasphaeria discors (Ell. & Ev.) Sacc. Syll. Fung. 2: 173. 1883.
- ---- dissiliens (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria dissiliens Cke. & Ell. Grev. 5: 51, illus. Dec. 1876. Prel. Cat. Fl. N. J. p. 201. 1881.
 - = Metasphaeria dissiliens (Cke. & Ell.) Sacc. Syll. Fung. 2: 163. 1883. N. Am. Pyren. p. 386. 1892.
- ---- doliolum (Pers. ex Fr.) Ell. & Ev. in Seym. Host Index p. 672. 1929.
 - = L. doliolum (Pers. ex Fr.) Ces. & De N. Comm. Soc. Critt. Ital. 1, pt. 4, p. 234. 1863.
- ---- filamentosa Ell. & Ev. Jour. Myc. 4: 76. Aug. 1888. On Yucca filamentosa, N. J. N. Am. Pyren. p. 372. 1892.
- ---- fimbriata Ell. & Ev. N. Am. Pyren. p. 357. May 1892. On herbaceous stems, Utah.
- ---- folliculata Ell. & Ev. Proc. Acad. Phil. 1890, p. 237. Sept. 30, 1890. On Carex folliculata, (Ontario). N. Am. Pyren. p. 374. 1892.
- ---- fraserae Ell. & Ev. Bull. Torr. Club 27: 52. Feb. 1900. On Frasera speciosa, Colo.
- ---- fraxini Ell. & Ev. Jour. Myc. 3: 44. Apr. 1887. On Fraxinus americana, Mo. N. Am. Pyren. p. 353. 1892.

- Leptosphaeria harknessiana Ell. & Ev. Jour. Myc. 1: 91. July 1885. On Frasera?, Utah. N. Am. Pyren. p. 360, illus. 1892.
 - = Heptameria harknessiana (Ell. & Ev.) Cke. Grev. 18: 30. 1889.
- ---- helianthi Ell. & Ev. (nom. nud.) in Brenckle, Mycol. 9: 284. Sept. 24, 1917. On Helianthus giganteus, N. Dak.
- ---- hysterioides Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 4. Sept. 1884. On Xerophyllum tenax, Wash. N. Am. Pyren. p. 371. 1892. N. Am. F. 1658.
 - = Heptameria hysterioides (Ell. & Ev.) Cke. Grev. 18: 32. 1889.
 - = Massarina hysterioides (Ell. & Ev.) Berl. Icon. Pyren. 1: 119, illus. 1894.
- ---- lasioderma Ell. & Ev. Proc. Acad. Phil. 1893, p. 135. Apr. 11, 1893. On Artemisia tridentata, Nev.
- ---- latebrosa Ell. in Cat. Pl. N. J. p. 524. 1889. = L. latebrosa (Ell.) Sacc. Syll. Fung. 2: 86. 1883. See Sphaeria latebrosa Ell.
- ---- leiostega (Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria leiostega Ell. Bull. Torr. Club 8: 91. Aug. 1881. Prel. Cat. Fl. N. J. p. 202. 1881. N. Am. F. 888.
 - = Metasphaeria leiostega (Ell.) Sacc. Syll. Fung. 2: 164. 1883. N. Am. Pyren. p. 383, 385. 1892. Bull. Iowa Univ. Lab. Nat. Hist. 3, no. 3, p. 43. 1895.
 - = Endophlaea (Metasphaeria) leiostega (Ell.) Cke. Grev. 17: 89. 1889.
 - = Metasphaeria corticola (Fckl.) Sacc. sec. Berl. Icon. Pyren. 1: 129. 1894.
- ---- lethalis Ell. & Ev. Proc. Acad. Phil. 1895, p. 423. Nov. 5, 1895. On Pentstemon confertus, Idaho.
- ---- lilii Ell. & Dearn. Canad. Rec. Sci. 5: 266. Jan. 1893. On Lilium superbum, Ontario. Proc. Acad. Phil. 1893, p. 136. 1893. N. Am. Phyllost. p. 73. 1900.
- ---- maclurae Ell. & Ev. Proc. Acad. Phil. 1899, p. 236. Sept. 30, 1890. On Maclura aurantiaca, Mo. N. Am. Pyren. p. 368. 1892.
 - = Metasphaeria maclurae (Ell. & Ev.) Sacc. Syll. Fung. 9: 838. 1891.
- ---- maranta Ell. (ined.). On Trifolium pratense, N. J. Specimen with descriptive notes in Myc. Coll.

- Leptosphaeria marina Ell. & Ev. Jour. Myc. 1: 43. Mar. 1885. On Spartina, N. J. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 372. 1892.
 - = Heptameria marina (Ell. & Ev.) Cke. Grev. 18: 32. 1889.
 - = Metasphaeria marina (Ell. & Ev.) Berl. Icon. Pyren. 1: 88, 1891; 140. 1894.
- ---- mesoedema (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 365. May 1892.
 - Syn.: Sphaeria mesoedema Berk. & Curt. in Curt. Bot. N. Car. p. 149. 1867.
- ---- microspora Ell. & Ev. Bull. Torr. Club 24: 461. Oct. 30, 1897. On Lespedeza capitata, Ontario. N. Am. F. 3524.
- ---- monticola Ell. & Ev. Bull. Torr. Club 24: 461. Oct. 30, 1897. On Trifolium kingii, Colo.
- ---- muricata Ell. & Ev. Proc. Acad. Phil. 1893, p. 447. Feb. 27, 1894.
 On Andropogon muricatus, La.
- ---- occidentalis Ell. & Ev. Erythea 2: 20. Feb. 9, 1894. On Panicum crus-galli, Kans. N. Am. F. 2925; F. Col. 119.
- ---- olivacea Ell. Bull. Torr. Club 10: 53. On dead herbaceous stems, Utah.
 - = Raphidospora olivaceus (Ell.) Cke. Grev. 18: 16. 1889.
 - = Ophiobolus olivaceus (Ell.) Berl. & Vogl. Sacc. Syll. Addit. 1-4, p. 186. N. Am. Pyren. p. 395, illus. 1892.
- ---- papyricola Ell. & Ev. Proc. Acad. Phil. 1894, p. 337. Dec. 11, 1894. On old pasteboard, N. J.
- ---- phaseolorum Ell. & Ev. Am. Nat. 31: 341. Apr. 1897. On Phaseolus vulgaris, N. J.
- ---- physalidis Ell. & Ev. Bull. Torr. Club 11: 42. Apr. 1884. On Physalis pubescens, Ky. N. Am. Pyren. p. 359. 1892.
- ---- puteana Ell. & Kell. in Ell. & Ev. N. Am. Pyren. p. 368. May 1892. on oak (Quercus), Kans.
- ---- rhoina Ell. & Ev. Bull. Torr. Club 24: 131. Mar. 30, 1897. On Rhus glabra, Kans.
- ---- roseotinctum Ell. & Ev. (nom. nud.) in N. Am. Pyren. p. 237. 1892.
 Apparently error for Lophiostoma roseotinctum Ell. & Ev.
- ---- rubrotincta Ell. & Ev. Jour. Myc. 1: 150. Dec. 1885. On Staphylea trifolia (Pa.). N. Am. Pyren. p. 367. 1892.

- Leptosphaeria sabalicola (Ell. & G. Martin) Sacc. Syll. Fung. 2; lvii. 1883 (as L. sabalicola Ell. & G. Martin). See Sphaeria sabalicola Ell. & G. Martin.
- ---- sambucina Ell. & Ev. Proc. Acad. Phil. 1894, p. 336. Dec. 11. 1894. On Sambucus melanocarpa, Colo.
- ---- solani Ell. & Ev. Proc. Acad. Phil. 1893, p. 136. Apr. 11, 1893. On Solanum dulcamara, Ontario.
 - = Leptosphaeria solanicola Sacc. Syll. Fung. 24: 991. 1928.
- ---- spartinae Ell. & Ev. Jour. Myc. 1: 43. Mar. 1885. On Spartina, N. J. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 375. 1892.
 - = Heptameria spartinae (Ell. & Ev.) Cke. Grev. 18: 32. 1889.
- ---- sporoboli Ell. & Gall. Jour. Myc. 5: 66. June 1889. On Sporobolus depauperatus, Mont. N. Am. Pyren. p. 376. 1892.
- ---- squamata (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria squamata Cke. & Ell. Grev. 7: 10. Sept. 1878. Prel. Cat. Fl. N. J. p. 202. 1881. Jour. Myc. 1: 152. 1885. N. Am. F. 891.
 - = Metasphaeria squamata (Cke. & Ell.) Sacc. Syll. Fung. 2: 167. 1883. N. Am. Pyren. p. 384. 1892.
 - = Endophlaea squamata (Cke. & Ell.) Cke. Grev. 17: 89. 1889.
- ---- steironematis Ell. & Ev. Proc. Acad. Phil. 1890, p. 237. Sept. 30, 1890. On Steironema ciliatum, Ontario. N. Am. Pyren. p. 359. 1892. N. Am. F. 2615.
- ---- stereicola Ell. Am. Nat. 17: 317. Mar. 1883. On Stereum bicolor, Iowa.
 - = Heptameria stereicola (Ell.) Cke. sec. Seym. Host Index p. 13.
 - = Melanomma porothelia (Berk. & Curt.) Sacc. sec. Ell. & Ev. N. Am. Pyren. p. 184. 1892.
- ---- sticta Ell. & Ev. Jour. Myc. 1: 43. Mar. 1885. On Spartina, N.J. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 375. 1892.
 - = Heptameria sticta (Ell. & Ev.) Cke. Grev. 18: 32. 1889.
 - = Leptosphaeria albopunctata West. sec. Ell. & Ev. N. Am. F. 2616. 1891.

- Leptosphaeria subconica Ell. in Berl. Icon. Pyren. 1: 68. 1892. Ell. N. Am. F. 697, (issued as Sphaeria (Leptosphaeria) subconica Cke. & Pk.).
 - = Leptosphaeria ellisiana Berl. 1. c.
- ---- subcutanea (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 525. 1889.
 - Syn.: Sphaeria subcutanea Cke. & Ell. Grev. 7: 41. Dec. 1878. On pear (Pyrus communis), N. J. Prel. Cat. Pl. N. J. p. 202. 1881.
 - = Metasphaeria subcutanea (Cke. & Ell.) Sacc. Syll. Fung. 2: 167. 1883. N. Am. Pyren. p. 381. 1892.
 - = Conisphaeria subcutanea (Cke. & Ell.) Cke. Grev. 16: 87. 1888.
 - = Endophlaea subcutanea (Cke. & Ell.) Cke. Grev. 17: 89. 1889.
- ---- sublanosa (Cke.) Ell. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 146. 1892.
 - Syn.: Sphaeria sublanosa Cke. Grev. 7: 41. 1878.
- ---- tecomae Ell. & Ev. (ined.). On Tecoma radicans, W. Va., L. W. Nutt. Fl. Fayette Co. 500.
- ---- tenera Ell. Bull. Torr. Club 8: 124. Nov. 1881. On herbaceous stems, Utah. Proc. Acad. Phil. 1895, p. 423. 1895. N. Am. Pyren. p. 363. 1892.
 - = Heptameria tenera (Ell.) Cke. Grev. 18: 31. 1889.
- ---- tini Ell. & Ev. Jour. Myc. 4: 64. July 1888. On Viburnum tinus, La. N. Am. Pyren. p. 351. 1892.
- ---- tofeldiae Ell. & Ev. (ined.). On Tofeldia, Wash. Specimen in Herb. Wash. State Coll.
- ---- tritici (Garov.) Pass. var.papyricola (as "papicola") Ell. & Ev. (nom. nud.) in Pollack & Kauffman Rept. Mich. Acad. Sci. 7: 66. 1905. Specimens in Myc. Coll.
- ---- utahensis Ell. & Ev. N. Am. Pyren. p. 361. May 1892. On Umbelliferae? Utah.
- ---- xerophylli Ell. Am. Nat. 17: 316. Mar. 1883. On Xerophyllum asphodeloides, N. J. Cat. Pl. N. J. p. 525. 1889. N. Am. Pyren. p. 373. 1892. N. Am. F. 1340.
 - = Metasphaeria xerophylli (Ell.) Sacc. Syll. Fung. 2: 1xi. 1883.
 - = Sphaerulina xerophylli (Ell.) Cke. Grev. 18: 79. 1890.

- Leptostroma petiolorum Cke. & Ell. Grev. 7: 37. Dec. 1878. On Ailanthus, N. J. Prel. Cat. Fl. N. J. p. 178. 1881. Cat. Pl. N. J. p. 588. 1889. N. Am. F. 413, 730.
 - = Leptothyrium petiolorum (Cke. & Ell.) Sacc. Syll. Fung. 3: 629. 1884.
- Leptostromella elastica Ell. & Ev. Proc. Acad. Phil. 1891, p. 79. Mar. 10, 1891. On Ficus elastica, Tenn.
- Leptothyrium castanicola (as "castanicolum") Ell. & Ev. Jour. Myc. 4: 103. Oct. 1888. On Castanea vesca, N. J. N. Am. F. 3168; F. Col. 782.
- ---- coprophilum Ell. (ined.). On cow dung, La. Specimen in Myc. Coll. Langl. 48.
- ---- foraminulatum Sacc. & Ell. Michelia 2: 375. Mar. 5, 1881. On Ilex opaca, N. J. Cat. Pl. N. J. p. 587. 1889. N. Am. F. 3464; F. Col. 1063. (as L. foraminulatum Sacc.).
- ---- periclymeni (Desm.) Sacc. var. americanum Ell. & Ev. Jour. Myc. 6: 116. Jan. 6, 1891. On Lonicera, Ontario.
- ---- petiolorum (Cke. & Ell.) Sacc. var. foliicola (as "foliicolum") Ell. & Ev. (nom. nud.) N. Am. F. 3379. Feb. 3, 1891. F. Col. 976. As unnamed var. in Millspaugh & L. W. Nutt. Publ. Field Mus. Bot. Ser. 1: 121. 1896. On Magnolia fraseri, W. Va.
- ---- petiolorum (Cke. & Ell.) Sacc. f. magnoliae Ell. & Ev. (ined.).
 On Magnolia fraseri, W. Va. Specimen in Myc. Coll., Fl. Fayette Co.
 L. W. Nutt. Fl. Fayette Co. 1802. Probably identical with L.
 petiolorum var. foliicola.
- Letendraea luteola Ell. & Ev. Proc. Acad. Phil. 1895, p. 415. Nov. 5, 1895. On decayed wood, Ohio.
- Libertella platani Ell. & Ev. (nom. nud.) F. Col. 1265. May 1898. On Platanus, No. and W. Va.
- ---- robiniae Ell. & Ev. (ined.). On Robinia pseudacacia, W. Va. L. W. Nutt. Fl. Fayette Co. 1470. Specimen in Myc. Coll. Listed as Libertella sp. in Millspaugh & L. W. Nutt. Publ. Field Mus. Bot. 1: 125. 1896.
- Linospora brunellae Ell. & Ev. Proc. Acad. Phil. 1894, p. 337. Dec. 11, 1894. On Brunella vulgaris, Wash. N. Am. F. 3120, 3328; F. Col. 939.
 - Syn.: Hypospila brunellae Ell. & Ev. Proc. Acad. Phil. 1894, p. 338. 1894.
 - = Ceuthocarpon brunellae (Ell. & Ev.) Berl. Icon. Pyren. 2: 149. 1899.
 - = Phoma brunellae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3: 502. 1898.

- Linospora ferruginea Ell. & G. Martin Am. Nat. 18: 69. Jan. 1884. On Andromeda ferruginea, Fla. N. Am. Pyren. p. 411. 1892. N. Am. F. 1300.
 - = Ceuthocarpon ferrugineum (Ell. & G. Martin) Berl. Icon. Pyren. 2: 147, 153. 1899.
- ---- palmetto Ell. & Ev. Jour. Myc. 3: 45. Apr. 1887. On Sabal palmetto, La. N. Am. Pyren. p. 412, illus. 1892.
- Lopadostoma ontariense (Ell. & Ev.) Petr. Ann. Myc. 19: 223. 1921 and Fl. Bohem. & Mor. 55 (as L. ontariense Ell. & Ev.). See Anthostoma ontariense Ell. & Ev.
- Lophidium confertum Ell. & Ev. Proc. Acad. Phil. 1894, p. 334. Dec. 11, 1894. On Fraxinus Viridis, Kans. Bull. Torr. Club 25: 513. 1898.
- ---- incisum Ell. & Ev. in M. E. Jones Proc. Calif. Acad. Sci. ser. 2, 5: 732. 1895. On Symphoricarpus oreophilus, Utah.
- ---- minus (Ell.) Sacc. Syll. Fung. 2: lxix. 1883 (as L. minus Ell.). See Lophiostoma minus Ell.
- ---- nitidum Ell. & Ev. Proc. Acad. Phil. 1894, p. 333. Dec. 11, 1894.
 On grapevine (Vitis), W. Va.
- ---- pachystomum Ell. & Ev. Proc. Acad. Phil. 1894, p. 333. Dec. 11, 1894. On Populus monilifera, Kans.
- ---- purpurascens Ell. & Ev. Proc. Acad. Phil. 1894, p. 333. Dec. 11, 1894. On old paper, Mich.
 - = Lophidium chartarum Sacc. & Syd. Syll. Fung. 14: 707. 1899.
- ---- rude Ell. & Ev. Bull. Torr. Club 24: 129. Mar. 30, 1897. On cottonwood (Populus), Kans.
- ---- trifidum Ell. & Ev. Bull. Torr. Club 24: 129. Mar. 30, 1897. On Salix, Wash.
- Lophionema crenatum (Pers. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 237. May 1892.
 - Syn.: Sphaeria crenata Pers. ex Fr. Syst. Myc. 2: 469. 1823. (S. cristata Schw. Syn. Car. p. 41. 1822.)
- ---- implexum (Ell. & Ev.) Sacc. Syll. Fung. 9: 1094. 1891 (as Lophion-ema implexum Ell. & Ev.). See Lophiostoma implexum Ell. & Ev.
- Lophiosphaera aspera (Ell. & Ev.) Sacc. Syll. Fung. 11: 383. 1895 (as L. aspera Ell. & Ev.). See Lophiostoma aspera Ell. & Ev.

- Lophiosphaera fluviatilis Ell. & Ev. Proc. Acad. Phil. 1893, p. 133. Apr. 11, 1893. On Salix?, Mont.
- ---- gloniospora Ell. & Ev. Proc. Acad. Phil. 1893, p. 132. Apr. 11, 1893. On willow (Salix), Mont.
- ---- hysterioides Ell. & Ev. Proc. Acad. Phil. 1893, p. 132. Apr. 11, 1893. On Carya, La.
 - = Schizostoma hysterioides (Ell. & Ev.) Sacc. Syll. Fung. 11: 382. 1895.
- ---- rhodospora Ell. & Ev. Bull. Torr. Club 24: 278. June 29, 1897. On bark, Ohio.
- ---- zeicola Ell. & Ev. Bull. Torr. Club 24: 279. June 29, 1897. On Zea mays, Kans.
- Lophiostoma (Lophiotrema) aequivocum Ell. & Ev. Jour. Myc. 3: 118. Oct. 1887. On decorticated wood, Brit. Col. N. Am. Pyren. p. 229. 1892.
 - = Lophiotrema aequivocum (Ell. & Ev.) Berl. Icon. Pyren. 1: 8. 1890.
- ---- (Lophiosphaera) asperum Ell. & Ev. Proc. Acad. Phil. 1894, p. 332.

 Dec. 11, 1894. On Ulmus americana, Kans.
 - = Lophiosphaera aspera (Ell. & Ev.) Sacc. Syll. Fung. 11: 383. 1895. (as L. aspera Ell. & Ev.).
- ---- clavisporum Ell. & Ev. Proc. Acad. Phil. 1895, p. 419. Nov. 5, 1895. On Elymus canadensis, Kans. Bull. Torr. Club 25: 504. 1898.
 - = Navicella clavispora (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- conchoides Ell. & Ev. (nom. nud.) in Berl. Icon. Pyren. 1: 4. 1890, and N. Am. Pyren. p. 230. 1892.
 - = Lophiosphaera pulveraceum Sacc. sec. Berl. 1. c.
- ---- dakotense Ell. & Ev. Proc. Acad. Phil. 1895, p. 420. Nov. 5, 1895. On Populus monilifera, Dakota.
 - = Navicella dakotensis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- erosum Ell. & Ev. Jour. Myc. 3: 44. Apr. 1887. On Salix, N. J. N. Am. Pyren. p. 223. 1892. N. Am. F. 2757.
 - = Navicella erosa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.

- Lophiostoma erosum Ell. & Ev. Jour. Myc. 3: 44. Apr. 1887. On Salix, N. J. N. Am. Pyren. p. 223. 1892. N. Am. F. 2757.
 - = Navicella erosa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- excipuliforme Fr. var. abietis Ell. & Ev. Jour. Myc. 4: 64. July 1888. On Abies, N. Y. N. Am. Pyren. p. 222. 1892.
- ---- fenestrale (as "fenestralis") Cke. & Ell. Grev. 6: 12. Sept. 1877.
 On Morus, N. J. Cat. Pl. N. J. p. 520. 1889.
 - = Lophidium fenestrale (Cke. & Ell.) Sacc. Syll. Fung. 2: 715. 1883. N. Am. Pyren. p. 236. 1892.
- ---- floridanum Ell. & Ev. Jour. Myc. 2: 40. Apr. 1886. On Diatrype stigma, Fla. Proc. Acad. Phil. 1890, p. 242. 1890. N. Am. Pyren. p. 231. 1892.
 - = Navicella floridana (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- heterostomum Ell. & Ev. Jour. Myc. 2: 99. Sept. 1886. On oak (Quercus), La. N. Am. Pyren.p. 231. 1892.
 - = Lophiosphaera heterostomum (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. Addit. p. 425. 1886.
- ---- hysterioides Ell. & Langl. Jour. Myc. 4: 76. Aug. 1888. On oak (Quercus), La. N. Am. Pyren. p. 229, 230. 1892.
 - = Lophiotrema hysterioides (Ell. & Langl.) Berl. Icon. Pyren. 1: 4, illus. 1890.
- ---- imperfectum (as "imperfecta") Ell. & Fairm. Proc. Rochester Acad. Sci. 4: 187. Sept. 2, 1905. On Asclepias?, N. Y.
- ---- (Lophionema) implexum Ell. & Ev. Jour. Myc. 4: 75. Aug. 1888. On Sorghum halepense and Andropogon, La.
 - = Lophionema implexum (Ell. & Ev.) Sacc. Syll. Fung. 9: 1094. 1891 (as L. implexum Ell. & Ev.).
 - = Ophiobolus sec. Berl. Icon. Pyren. 1: 19, 1890. N. Am. Pyren. p. 1892.
- ---- langloisii Ell. & Ev. Jour. Myc. 3: 44. Apr. 1887. On Salix nigra, La. N. Am. Pyren. p. 226. 1892.
 - = Melanomma langloisii (Ell.) Berl. Icon. Pyren. 1: 36, illus. 1891.
 - = Navicella langloisii (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.

- Lophiostoma (Lophiosphaera) meridionale Ell. & Ev. Jour. Myc. 4: 76. Apr. 1888. On rotten wood, La. N. Am. Pyren. p. 232. 1892.
 - = Lophiosphaera lignicola Sacc. sec. Berl. Icon. Pyren. 1: 3. 1890.
- ---- microstomum (as "microstoma") Cke. & Ell. Grev. 4: 179, illus.
 June 1876. On Maple (Acer), N. J. See Lophiostoma scelestum Cke.
 & Ell.
- ---- minimum Ell. & Ev. Jour. Myc. 4: 75, 83. Aug. 1888. On decaying wood, La. N. Am. Pyren. p. 237. 1892.
 - = Melanomma minimum (Ell. & Ev.) Berl. Icon. Pyren. 1: 34, illus. 1891.
 - = Navicella martinsvillensis Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- minus Ell. Am. Nat. 17: 316. Mar. 1883. On Nyssa multiflora, N.J. Cat. Pl. N. J. p. 520. 1889. N. Am. F. 1660.
 - = Lophidium minus (Ell.) Sacc. Syll. Fung. 2: lxix. 1883 (as Loph-idium minus Ell.). N. Am. Pyren. p. 235. 1892.
- ---- montaniense Ell. & Ev. Jour. Myc. 4: 64. July 1888. On Clematis ligustifolia, Mont. Jour. Myc. 4: 97. 1888.
 - = Ceriospora montaniensis (Ell. & Ev.) Berl. Icon. Fung. Pyren. 1: 29, illus. 1891 (C. montaniense (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 391. 1892. N. Am. F. 3119, 3224; F. Col. 520.)
 - = Keissleria montaniensis (Ell. & Ev.) Hoehn. Ann. Myc. 16: 94.
- ---- oenotherae Ell. & Ev. (nom. nud.) N. Am. F. 3424. Dec. 16, 1896.
 On Oenothera biennis, N. J. See Lophiotrema oenotherae Ell. & Ev.
- ---- ovinum Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 403. Nov. 1893. On decaying tree, Nicaragua.
 - = Schizostoma ovinum (Ell. & Ev.) Sacc. Syll. Fung. 11: 382. 1895.
- ---- pallidum Ell. Bull. Torr. Club 10: 52. May 1883. On service-tree (Amelanchier), Utah. See Zignoella pallida (Ell.) Ell. & Ev.
- ---- parasiticum (Pk.) Ell. & Ev. N. Am. Pyren. p. 228. May 1892.
 - Syn.: Lophiotrema parasiticum Pk. Rept. N. Y. St. Mus. 40: 71. 1888.
- ---- pruni Ell. & Ev. Jour. Myc. 4: 64. July 1888. On Prunus serotina, N. Y. N. Am. Pyren. p. 225, illus. 1892.
 - = Navicella pruni (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.

- Lophiostoma pustulatum Ell. & Ev. Bull. Torr. Club 25: 503. Sept. 10, 1898. On grape vine (Vitis), Kans. Bull. Torr. Club 27: 63. 1900.
 - = Aglaospora viticola (Ell.) Farl. Bibl. Index N. Am. F. p. 168. 1905.
- ---- (Lophiosphaeria) radicans Ell. & Ev. Jour. Myc. 3: 44. Apr. 1887. On Rhus radicans, N. J. N. Am. F. 1795.
 - = Lophiotrema vagabundum Sacc. var. radicans (Ell.) Berl. Icon. Pyren. 1: 5, illus. 1890.
 - = Lophiotrema radicans (Ell. & Ev.) Sacc. Syll. Fung. 9: 1077. 1891.
 - = Lophiostoma vagabundum (Sacc.) Ell. & Ev. sec. Ell. & Ev. N. Am. Pyren. p. 229. 1892.
- ---- rhopalosporum Ell. & Ev. Bull. Torr. Club 25: 504. Sept. 1898. On grapevine (Vitis), Kans.
- ---- roseotinctum Ell. & Ev. Jour. Myc. 1: 148. Dec. 1885. On Staphylea trifolia. N. Am. Pyren. p. 237. 1892.
 - = roseotincta (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- scelestum Cke. & Ell. Grev. 6: 12. Sept. 1877. Jour. Myc. 3: 44. 1887. Prel. Cat. Fl. N. J. p. 200. 1891. Cat. Pl. N. J. p. 519. 1889. N. Am. Pyren. p. 223. 1892. N. Am. F. 96; F. N.-Caesar. 92 (ined.).
 - Syn.: Lophiostoma microstoma Cke. & Ell. Grev. 4: 179, illus. June 1876.
 - = Navicella microstoma Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- speciosum Ell. & Ev. Proc. Acad. Phil. 1894: 332. Dec. 11, 1894. On Fraxinus viridis, Kans.
 - = Navicella speciosa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- stenostomum Ell. & Ev. Bull. Torr. Club 10: 89. Aug. 1883. On grape (Vitis), N. J. N. Am. Pyren. p. 226. 1892. N. Am. F. 1345.
 - = Navicella stenostoma (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- subcollapsum (as "subcollapsa") Ell. & Ev. Jour. Myc. 2: 100. Sept. 1886. On Nyssa multiflora, N. J. See Trematosphaeria subcollapsa (Ell. & Ev.) Ell. & Ev.

- Lophiostoma thujae Ell. & Ev. N. Am. Pyren. p. 226. May 1892. On Thuja occidentalis, N. Y. and Ontario.
 - = Navicella thujae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
- ---- tinctoriae Ell. & Rau (ined.). On wood, Pa. Specimen in Myc. Coll.
- ---- tingens Ell. Bull. Torr. Club 8: 90. Aug. 1881. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 200. 1881. Cat. Pl. N. J. p. 520. 1889. N. Am. F. 693.
 - = Lophidium tingens (Ell.) Sacc. Syll. Fung. 2: 710. 1883. N. Am. Pyren. p. 235, illus. 1892.
- ---- tingens (Schw.) Ell. Proc. Acad. Phil. 1895, p. 26. Mar. 19, 1895.
 - Syn.: Sphaeria tingens Schw. Trans. Am. Phil. Soc. ser. 2, 4: 215. 1832.
 - Not L. tingens Ell. 1881, sec. Ell. & Ev. N. Am. Pyren. p. 749. 1892.
- ---- triseptatum Pk. var. pluriseptatum Ell. & Ev. N. Am. Pyren. p. 225.
 May 1892. On maple (Acer), N. Y.
- ---- vagabundum Sacc. var. asteris Ell. & Ev. N. Am. Pyren. p. 229. May 1892. On Aster, La.
- ---- vagabundum Sacc. f. oenotherae Ell. & Ev. (nom. nud.) N. Am. F. 3317. Feb. 3, 1896. See Lophiotrema oenotherae Ell. & Ev.
- ---- vagabundum Sacc. var. stenocarpum Ell. & Ev. N. Am. Pyren. p. 229.
 May 1892. On oak (Quercus), N. J.
- ---- vermisporum (as "vermispora") Ell. Bull. Torr. Club 9: 19. Feb. 1882. On Oenothera biennis, N. J. Cat. Pl. N. J. p. 520. 1889. N. Am. F. 885.
 - = Lophionema vermisporum (Ell.) Sacc. Syll. Fung. 2: 717. 1883. N. Am. Pyren. p. 237, illus. 1892.
 - = Lophiosphaera vermispora (Ell.) Cke. Grev. 17: 26. 1888.
- Lophiotrema fraxini Ell. & Ev. Bull. Torr. Club 24: 128. Mar. 30, 1897. On Fraxinus viridis, Kans.
- ---- hysterioides Ell. & Langl. in Seym. Host Index p. 195. 1929. = L. hysterioides (Ell. & Langl.) Berl. Icon. Pyren. 1: 4. 1890. See Lophiostoma hysterioides Ell. & Langl.
- ---- incisum Ell. & Ev. Bull. Torr. Club 24: 460. Oct. 30, 1897. On Ribes prostratum?, Colo.

- Lophiotrema oenotherae Ell. & Ev. Bull. Torr. Club 24: 128. Mar. 30, 1897. On Oenothera biennis, N. J. Jour. Myc. 8: 15. 1902.
 - Syn.: Lophicstoma vagabundum Sacc. f. oenotherae Ell. & Ev. (nom. nud.) N. Am. F. 3317. Feb. 3, 1896. F. Col. 821.
 - Lophiostoma oenotherae Ell. & Ev. (nom. nud.) N. Am. F. 3424.

 Dec. 10, 1896.
 - = Lophiotrema vagabundum Sacc. var. oenotherae (Ell. & Ev.) Rehm Ann. Myc. 9: 97. Feb. 1911.
- Lophodermium (Cenangium) Cassandrae (Pk.) Ell. & Ev. Proc. Acad. Phil. 1894, p. 347. Dec. 11, 1894.
 - Syn.: Cenangium cassandrae Pk. Rept. N.Y. St. Mus. 31: 48. 1879.
- ---- heteromelis (Phill. & Harkn.) Ell. & Ev. N. Am. Pyren. p. 718. May 1892.
 - Syn.: Hypoderma heteromelis Phill. & Harkn. Grev. 13: 23. 1888.
- ---- lineare (Pk.) Ell. & Ev. N. Am. Pyren. p. 721. May 1892.
 - Syn.: Rhytisma lineare Pk. Bull. Buffalo Soc. Nat. Sci. 1: 71. 1873.
- ---- maculare (Fr.) De Not. var. albolabrum Ell. & Ev. N. Am. Pyren. p. 714. May 1892. On "quaking ash", Utah.
- ---- orbiculare Ell. & Ev. in Reliq. Farlow. 49, Seym. Host. Index p. 549. 1929. = L. orbiculare (Ehrenb.) Sacc. Syll. Fung. 2: 799. 1883.
- ---- rhododendri (Schw.) Ell. & Ev. N. Am. Pyren. p. 717. May 1892.

 = L. rhododendri (Schw.) Pk. Bull. Buffalo Soc. Nat. Sci. 4: 224.
 1883. = L. schweinitzii M. Wilson & Robertson, Trans. Roy. Soc.
 Edinburgh 61: 527. 1947, not L. rhododendri Ces. in Sacc. Syll.
 Fung. 2: 793. 1883.
- Lycoperdon alpigenum Ell. & Ev. Proc. Acad. Phil. 1895, p. 414. Nov. 5, 1895. Colo.
- ---- jamaicense Ell. & Ev. Jour. Inst. Jamaica 1: 220. Jan. 1893. On palm, Jamaica.
- ---- lepidophorum Ell. & Ev. Jour. Myc. 1: 88. July 1885. S. Dak. Jour. Myc. 5: 24. 1889.
 - = Bovista lepidophora (Ell. & Ev.) De T. Sacc. Syll. Fung. 7: 1033. 1888.
 - = Hypoblema lepidophora (Ell. & Ev.) Lloyd Myc. Notes 13, p. 140, illus. 1903.
 - = Calvatia lepidophora (Ell. & Ev.) Llcyd Mycol. Writ. 2, Index p. 14, footnote 13. 1908.

- Lycoperdon occidentale Ell. & Ev. (ined.). Colo. and Kans. Specimens in Myc. Coll.
- ---- tabacinum Ell. in Cragin Bull. Washburn Coll. Lab. Nat. Hist. 1: 37.
 Jan. 1885. Kans.
- ---- turneri Ell. & Ev. Jour. Myc. 1: 87. July 1885. Labrador.

 See Coker & Couch Gasteromycetes p. 77. 1928.
- Lysurus texensis Ell. (nom. nud.) in Gerard Bull. Torr. Club 7: 30. 1880. Texas. Specimen in Myc. Coll. with descriptive notes and sketches.
 - = Lysurus gardneri Berk. sec. Cunn. Gasterom. Austr. & N. Zeal. p. 105.
- Macrophoma celtidis Ell. & Ev. (nom. nud.) N. Am. F. 3357. Feb. 3, 1896. On Celtis occidentalis, Kans.
 - = Botryodiplodia celtidis (Ell. & Ev.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 134. 1926.
- ---- helianthi Ell. & Ev. (ined.). On Helianthus annuus, no locality stated. Specimen in Myc. Coll.
- ---- negundinis Ell. & Ev. Erythea 2: 23. Feb. 9, 1894. On Negundo aceroides, Colo.
- ---- nervicola Ell. & Ev. Bull. Torr. Club 24: 286. June 29, 1897. On Quercus alba, Wisc.
- ---- parca Ell. & Ev. (nom. nud.) N. Am. F. 2159. Mar. 6, 1889. On Abies grandis, Colo.
- ---- rhoina Ell. & Ev. Proc. Acad. Phil. 1894, p. 331. Dec. 11, 1894. On Rhus, Mich. Pycnidial stage of Teichospora rhypodes Ell. & Ev.
- ---- subconica Ell. & Ev. Jour. Myc. 5: 147. Sept. 1889. On Solanum nigrum and Alocasia esculenta, La. Jour. Myc. 8: 63. 1902.
- ---- ulmicola Ell. & Ev. Jour. Myc. 9: 164. Oct. 29, 1903. On elm (Ulmus), Ill.
 - = Botryosphaeria hypodermia (Sacc.) Petr. Beih. Fedde Repert. Spec. Nov. 42. 155. 1926.
- ---- xanthoxyli Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On Xanthoxylon, La.

- Macroplodia cinerea Cke. & Ell. Grev. 6: 2. Sept. 1877. On apple (Malus sylvestris), N. J.
 - = Sphaeropsis cinerea (Cke. & Ell.) Sacc. Syll. Fung. 3: 293. 1884.
 - = Cytoplea cinerea (Cke. & Ell.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 444. 1927.
- Macrosporium abruptum Cke. & Ell. Grev. 6: 6, illus. Sept. 1877. On Yucca filamentosa and Phytolacca, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 127.
 - = Stemphylium sec. J. A. Elliott Am. Jour. Bot. 4: 471. 1917.
- ---- atrichum Cke. & Ell. Grev. 7: 39. Dec. 1878. On Lactuca, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889.
 - = Stemphylium sec. J. A. Elliott Am. Jour. Bot. 4: 471. 1917.
- ---- avicennae Ell. & Ev. (ined.). On Abutilon avicennae, Del. Specimen in Commons Coll. sec. D. R. Sumstine Mycol. 41: 20. 1949.
- ---- baccatum Ell. & Kell. Jour. Myc. 5: 144. Sept. 1889. On Aesculus arguta, Kans.
 - = Stemphylium sec. J. A. Elliott, Am. Jour. Bot. 4: 471. 1917.
- ---- caespitosum Ell. & Ev. (ined.). On Polymnia uvedalia, W. Va. Specimen in Myc. Coll., L. W. Nutt. Fl. Fayette Co. 1736. Listed as Macrosporium sp. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 95. 1896.
- ---- carotae Ell. & Ev. (nom. nud.) N. Am. F. 3289. Mar. 25, 1895. See Macrosporium carotae Ell. & Langl.
- ---- carotae Ell. & Langl. Jour. Myc. 6: 36. May 1890. On Daucus carota, La. N. Am. F. 3289 (as M. carotae Ell. & Ev.).
 - = Alternaria brassicae (Berk.) var. dauci (Kuehn) Bolle Meded. Phytopath. Lab. Willie Commelin Scholt. 7, p. 42. 1924.
 - = Alternaria dauci (Kuehn) Groves & Skolko Canad. Jour. Res. Sect. C, 22: 222. 1944.
 - = Alternaria porri (Ell.) Cif. f. sp. dauci (Kuehn) Neerg. Dan. Alternaria p. 252. 1945.
- ---- catalpae Ell. & G. Martin Am. Nat. 16: 1003. Dec. 1882. On Catalpa bignonioides, Pa. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 1264.
 - = Alternaria sec. J. B. Parker Ohio. Nat. 9: 510. 1909.

- Macrosporium caudatum Cke. & Ell. Grev. 6: 87. Mar. 1878. On Phytolacca and Lactuca, N. J. Cat. Pl. N. J. p. 570. 1889. Proc. Acad. Phil. 1894, p. 383. 1894. N. Am. F. 816, 816-b; F. Col. 397, 390.
 - Specimens on Phytolacca = Alternaria tenuis Auct.; those on Lactuca = A. tenuissima (Fr.) Wiltshire sec. Neergaard Dan. Alternaria p. 87, 154. 1945.
- ---- cercosporioides Ell. & Ev. (nom. nud.) F. Col. 1740. Feb. 1903.
 On Dahlia variabilis, Ala.
- ---- citri Ell. & Ev. (ined.). On Citrus, Calif. coll. N. B. Pierce. Specimen in Myc. Coll. Probably Alternaria citri Ell. & Pierce.
- ---- cucumerinum Ell. & Ev. Proc. Acad. Phil. 1895, p. 440. Dec. 10, 1895. On Cucumis melo, N. Mex. N. Am. F. 3396.
 - = Alternaria brassicae var. nigrescens Pegl. sec. Farl. Bibl. Index N. Am. F. p. 181. 1905.
 - = Alternaria cucumerina (Ell. & Ev.) J. A. Elliott Am. Jour. Bot. 4: 472. 1917.
 - = Cladosporium cucumerinum Ell. & Arth. sec. De Vries Contr. Cladosporium p. 62. 1952.
- ---- cydoniae Ell. & Ev. (nom. nud.) in Sumstine Mycologia 41: 20. 1949. On quince (Cydonia), N. J. In Commons Coll. and in Myc. Coll.
- ---- diospyri Ell. & Ev. (ined.). On Diospyros virginiana, W. Va., L. W. Nutt. Fl. Fayette Co. 1825 (Ell. 710). Specimen in Myc. Coll. Listed as Macrosporium sp. in Millspaugh & L. W. Nutt. Publ. Field Mus. Bot. Ser. 1: 95. 1896.
- ---- epiphyllum Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887. On Colocasia esculenta, La.
- ---- esculentum Ell. & Ev. Proc. Acad. Phil. 1893, p. 464. Mar. 13, 1894. On Solanum esculentum, N. J.
- ----- fasciculatum Cke. & Ell. Grev. 6: 6, illus. Sept. 1877. On holly (Ilex?), N. J. Grev. 6: 88. 1878. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889. Proc. Acad. Phil. 1893, p. 464. 1894. N. Am. F. 52; F. Col. 399.
 - = Alternaria fasciculata (Cke. & Ell.) L. R. Jones & Grout Bull. Torr. Club 24: 257, illus. 1897. F. Col. 1368.
 - ? = Alternaria tenuis Auct. sec. Neergaard, Dan. Alternaria p. 87. 1945.

- Macrosporium fici Ell. & Kelsey Am. Nat. 31: 430. May 1897. On Ficus elastica, Ohio.
- ---- florigenum Ell. & Dearn. Canad. Rec. Sci. 5: 271. Jan. 1893. On china aster (Callistephus), Ontario. N. Am. F. 3079.
- ---- fraxinophilum Ell. & Kell. (ined.). On Fraxinus, Kans., W. A. Kellerman 637. Specimen in Myc. Coll. with illustrative sketch.
- ---- fumosum Ell. & G. Martin (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887. La.
- ---- herculeum Ell. & G. Martin Am. Nat. 16: 1003. Dec. 1882. On Nasturtium armoracia, N. J. N. Am. F. 1263.
 - = Alternaria herculea (Ell. & Mart.) J. A. Elliott Am. Jour. Bot. 4: 472. 1917.
 - = Alternaria brassicae (Berk.) Bolle Meded. Phytopath. Lab. Willie Commelin Scholt. 7, p. 27. 1924.
- ---- hybridum Ell. & Ev. Proc. Acad. Phil. 1894, p. 382. Dec. 11, 1894.
 On Sambucus glauca, Wash.
- ---- inquinans Cke. & Ell. Grev. 7: 39. Dec. 1878. On Lactuca, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 369.
- ---- iridicola (as "iridicolum") Ell. & Ev. Proc. Acad. Phil. 1894, p. 382. Dec. 11, 1894. On Iris missouriensis, Idaho.
 - = Alternaria iridicola (Ell. & Ev.) J. A. Elliott Am. Jour. Bot. 4: 450. 1917.
- ---- iridis Cke. & Ell. Grev. 6: 87. Mar. 1878. On Iris, N. J. Cat. Pl. N. J. p. 570. 1889. Proc. Acad. Phil. 1894, p. 383. 1894. N. Am. F. 51.
- ---- leptotrichum Cke. & Ell. Grev. 6: 87. Mar. 1878. On pine (Pinus), N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889.
- ---- longipes Ell. & Ev. Jour. Myc. 7: 134. Mar. 10, 1892. On Nicotiana tabacum, N. Car.
 - = Alternaria longipes (Ell. & Ev.) Mason Kew Mycol. Pap. no. 2, p. 19. 1928. (A. longipes (Ell. & Ev.) Tisdale & Wadkins Phytopath. 21: 652. 1931).
- ---- martindalei Ell. & G. Martin Am. Nat. 18: 189. Feb. 1884. On Magnolia glauca, N. J. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 1262.

- Macrosporium maydis Cke. & Ell. Grev. 6: 87. Mar. 1878. On Zea mays, N. J. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 3098.
 - = Alternaria fasciculata (Cke. & Ell.) L. R. Jones & Grout sec. Farl. Bibl. Index N. Am. F. p. 182. 1905.
- ---- microstictum Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 31. 1887. La.
- ---- negundinicola (as "negundinicolum") Ell. & Barth. Erythea 5: 50. Apr. 30, 1897. On Negundo aceroides, Kans.
- ---- nelumbii Ell. & Ev. Proc. Acad. Phil. 1893, p. 464. Mar. 13, 1894. On Nelumbium luteum, Kans.
- ---- nigrellum Cke. & Ell. Grev. 6: 87. Mar. 1878. On bark, N. J. Proc. Acad. Phil. 1893, p. 463. 1894.
- ---- olivaceum Ell. & Ev. Proc. Acad. Phil. 1894, p. 383. Dec. 11, 1894. On Sphaeropsis asiminae Ell. & Ev. on Asimina triloba, W. Va.
- ---- ornatissimum Ell. & Barth. Jour. Myc. 8: 178. Dec. 1902. On Sorghum vulgare, Kans.
- ---- panici Ell. & Barth. Erythea 4: 28, Feb. 1, 1896. On Panicum virgatum, Kans.
- ---- pelargonii Ell. & Ev. Proc. Acad. Phil. 1894, p. 383. Dec. 11, 1894. On Pelargonium, Calif.
 - = Stemphylium sec. J. A. Elliott Am. Jour. Bot. 4: 471. 1917.
- ---- podophylli Ell. & Ev. Proc. Acad. Phil. 1891, p. 92. Mar. 10, 1891. On Aecidium podophylli Schw. on Podophyllum, Miss.
- ---- porri Ell. Grev. 8: 12. Sept. 1879. On Allium porrum, N. J. Prel. Cat. Fl. N. J. p. 186. 1881. Cat. Pl. N. J. p. 570. 1889. N. Am. F. 370; F. Col. 1279.
 - = Alternaria porri (Ell.) Cif. Jour. Dept. Agr. Porto Rico 14: 30. 1930 (A. porri (Ell.) Sawada 1933, A. porri (Ell.) Neergaard 1938).
 - = Alternaria dauci (Kuehn) Groves & Skolko f. sp. porri (Ell.) Neergaard Add. Dan. Alternaria. 1945.
- ---- puccinioides Ell. & F. W. Anderson Bot. Gaz. 16: 47, illus. Feb. 1891. On Bigelovia?, Mont. N. Am. F. 2876; F. Col. 1172.
 - = Stemphylium sec. J. A. Elliott Am. Jour. Bot. 4: 471. 1917.

- Macrosporium rubi Ell. in Sacc. Syll. Fung. 10: 673. 1892. On Rubus hispidus, N. J. N. Am. F. 544.
- ---- solani Ell. & G. Martin Am. Nat. 16: 1003. Dec. 1882. On Solanum tuberosum, N. J. Cat. Pl. N. J. p. 570. 1889. Proc. Acad. Phil. 1895, p. 440. 1895. N. Am. F. 1265, 1265-b (as M. solani Cke.), 2485; F. Col. 398, 891.
 - = Alternaria solani (Ell. & G. Martin) L. R. Jones & Grout Rept. Vt. Expt. Sta. 9 (1895): 86, illus. Aug. 1896.
 - = Alternaria porri (Ell.) Cif. f. sp. solani (Ell. & G. Martin) Neergaard Dan. Alternaria p. 234, 260, 560. Apr. 1945.
 - = Alternaria dauci (Kuehn) Groves & Skolko f. sp. solani (Ell. & G. Martin) Neergaard Add. Dan. Alternaria. Dec. 1945.
- ---- sparsum Ell. & Ev. (ined.). On Datura stramonium, W. Va., L. W. Nutt. F. Fayette Co. 1061. Specimen in Myc. Coll. Listed as Macrosporium sp. in Millspaugh & L. W. Nutt. Publ. Field Mus. Bot. Ser. 1: 96. 1896.
- ---- sphaerioides Ell. & Ev. (ined.). On Carya, La., 2486. Specimen in Myc. Coll.
- ---- tabacinum Ell. & Ev. Jour. Myc. 7: 134. Mar. 10, 1892. On Nicotiana tabacum, N. Car. Proc. Acad. Phil. 1894, p. 383. 1894.
 - = Alternaria tabacina (Ell. & Ev.) Hori 1904 sec. Sawada Desc. Cat. Fungi of Formosa Pt. 4, p. 103. 1923 (A. tabacina (Ell. & Ev.) Gulyas Kiserlet Közlem. 33, no. 2, p. 300, 302, illus. 1930).
 - = Pleospora nicotianae Averna Bol. Agr. Sao Paulo ser. 23, no. 7-8, p. 207. 1922.
- ---- tomato Cke. var. cucurbitae Ell. & Ev. (nom. nud.) in Webber Ann. Rept. Nebr. Bd. Agr. 1889 (Rept. Bot.), p. 225. 1890. On gourd (Cucurbita), Nebr.
- ---- toruloides Ell. & Ev. Proc. Acad. Phil. 1895, p. 439. Dec. 10, 1895. On Urtica lyallii, Wash.
 - = Stemphylium sec. J. A. Elliott Am. Jour. Bot. 4: 471. 1917.
- ---- truncatum Ell. & Kell. (ined.). On Euphorbia marginata, Kans., Kell. & Swingle 1076. Specimen in Myc. Coll.
- ---- uredinis Ell. & Barth. Erythea 4: 28. Feb. 1, 1896. On Puccinia graminis on oats (Avena sativa), Kans.
- ---- velutinum Ell. & Ev. (ined.). Wash. Specimen in Herb. Wash. State Coll.

- Macrosporium vernoniae Ell. & Barth. (ined.). On Vernonia baldwinii, no locality given. Specimen in Myc. Coll., Barth. 1471.
- Marasmius concinnus Ell. & Ev. Proc. Acad. Phil. 1893, p. 441. Feb. 27, 1894. On Euonymus atropurpureus, Del.
 - = Chamaeceras concinnus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 455. 1898.
- ---- cucullatus Ell. Bull. Torr. Club 6: 76. Feb. 1876. On Viburnum corymbosum, N. J. Prel. Cat. Fl. N. J. p. 170. 1881. Cat. Pl. N. J. p. 480. 1889. N. Am. F. 702.
 - = Chamaeceras cucullatus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 456. 1898.
- ---- peronatus (Bolt. ex Fr.) Fr. var. subnudus Ell. (nom. nud.) N. Am. F. 909. Apr. 26, 1883. N. J.
 - = Marasmius subnudus (Ell.) Pk. Rept. N. Y. St. Mus. 51: 287. 1899.
- ---- praeacutus Ell. Bull. Torr. Club 6: 76. Feb. 1876. On Cedar (Cupressus thyoides), N. J. Prel. Cat. Fl. N. J. p. 170. 1881. Cat. Pl. N. J. p. 480. 1889. N. Am. F. 402.
 - = Chamaeceras praeacutus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 456. 1898.
- ---- pyrinus Ell. Bull. Torr. Club 8: 64. June 1881. On pear (Pyrus communis), N. J. Cat. Pl. N. J. p. 481. 1889. N. Am. F. 401.
 - = Chamaeceras pirinus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 456. 1898.
- Marssonia apicalis Ell. & Ev. Proc. Acad. Phil. 1891, p. 84. Mar. 10, 1891. On Salix lucida, Wisc.
 - = Marssonina apicalis (Ell. & Ev.) Magn. Hedw. 45: 89. 1906.
- ---- baptisiae Ell. & Ev. Bull. Torr. Club 24: 291. June 29, 1897. On Baptisia leucantha, Iowa.
 - = Marssonina baptisiae (Ell. & Ev.) Magn. Hedw. 45: 91. 1906.
 - = Stagonospora baptisiae (Ell. & Ev.) J. J. Davis Trans. Wisc. Acad. 24: 295. 1929.
- ---- brunnea Ell. & Ev. F. Col. <u>1267</u>. May 1898. = M. brunnea (Ell. & Ev.) Sacc. Syll. Fung. 10: 478. <u>1892</u>. See Gloeosporium brunneum Ell. & Ev.
- ---- californica Ell. & Ev. Am. Nat. 31: 429. May 1897. On Juglans californica, Calif.
 - = Marssonina californica (Ell. & Ev.) Magn. Hedw. 45: 90. 1906.

- Marssonia fraserae Ell. & Ev. Proc. Acad. Phil. 1894, p. 373. Dec. 11, 1894. On Frasera thyrsiflora, Idaho. N. Am. Phyllost. p. 47. 1900.
 - = Marssonina fraserae (Ell. & Ev.) Magn. Hedw. 45: 91. 1906.
- ---- fraxini Ell. & J. J. Davis Trans. Wisc. Acad. Sci. 14: 97. Sept. 1903. On Fraxinus sambucifolia, Wisc. See Marssonina fraxini (Ell. & J. J. Davis) Ell. & J. J. Davis.
- ---- martini Sacc. & Ell. Michelia 2: 574. 1882. On Quercus obtusiloba, Pa. Cat. Pl. N. J p. 592. 1889. N. Am. F. 1632; F. Col. 684.
 - = Gloeosporium martini (Sacc. & Ell.) Ell. & Ev. Jour. Myc. 1: 116. 1885.
- ---- microspora Ell. & Gall. (ined.). On Populus, Illinois. Specimen in Myc. Coll.
- ---- nigricans Ell. & Ev. Proc. Acad. Phil. 1891, p. 84. Mar. 10, 1891. On Salix, Ontario. N. Am. F. 2674; F. Col. 981.
 - = Marssonina nigricans (Ell. & Ev.) Magn. Hedw. 45: 89. 1906.
- ---- perforans Ell. & Ev. in Selby Bull. Ohio Agr. Expt. Sta. 73, p. 225, illus. 1896. On Lactuca sativa, Ohio.
 - = Didymaria perforans (Ell. & Ev.) Dandeno Rept. Mich. Acad. Sci. 8: 47. 1906.
 - = Marssonina panattoniana (Berl.) Magn. sec. Brandes Jour. Agr. Res. 13: 271. 1918.
- ---- rhabdospora Ell. & Ev. Proc. Acad. Phil. 1893, p. 168. Apr. 11, 1893. On Populus grandidentata, N. J. N. Am. F. 2866.
 - = Marssonina rhabdospora (Ell. & Ev.) Magn. Hedw. 45: 89. 1906.
 - = Cylindrosporium populinum (Pk.) Vassiljevsky sec. Vassiljevsky & Karakulin F. Imperf. Paras. II. Melanconiales, p. 575. 1950.
- ---- rhamni Ell. & Ev. Proc. Acad. Phil. 1895, p. 436. Dec. 10, 1895. On Rhamnus purshiana, Wash. N. Am. F. 3386.
 - = Marssonina rhamni (Ell. & Ev.) Magn. Hedw. 45: 90. 1906.
- ---- ribicola Ell. & Ev. Erythea 1: 201. Oct. 2, 1893. On Ribes aureum, Colo.
 - = Marssonina ribicola (Ell. & Ev.) Magn. Hedw. 45: 90. 1906.

- Marssonia rubiginosa Ell. & Ev. Proc. Acad. Phil. 1895, p. 436. Dec. 10, 1895. On Salix?, Idaho.
 - = Marssonina rubiginosa (Ell. & Ev.) Magn. Hedw. 45: 89. 1906.
- ---- veratri Ell. & Ev. Proc. Acad. Phil. 1894, p. 373. Dec. 11, 1894. On Veratrum californicum, Wash.
 - = Marssonina veratri (Ell. & Ev.) Magn. Hedw. 45: 91. 1906.
 - = Gloeosporium veratri (Allesch.) Hoehn. Ber. deutsch. bot. Ges. 35: 356. 1917.
- ---- wyethiae Ell. & Ev. Proc. Acad. Phil. 1894, p. 373. Dec. 11, 1894. On Wyethia glabra, Calif. N. Am. F. 3184; F. Col. 589.
 - = Marssonina wyethiae (Ell. & Ev.) Magn. Hedw. 45: 91. 1906.
- Marssenina fraxini (Ell. & J. J. Davis) Ell. & J. J. Davis Trans. Wisc. Acad. Sci. 17: 882. Oct. 1914.
 - Syn.: Marssonia fraxini Ell. & J. J. Davis l. c. 14: 97. 1903.
- MARTINDALIA Sacc. & Ell. Atti Ist. Ven. Sci. ser. 6, 3: 726, illus. 1885.

 Type: M. spironema Sacc. & Ell.
- ---- spironema Sacc. & Ell. Atti Ist. Ven. Sci. Ser. 6, 3: 726, illus. 1885. Cat. Pl. N. J. p. 572. 1889. Jour. Myc. 1: 95. N. Am. F. 2486; F. Col. 171.
- Massalongiella microspora Ell. & Ev. (ined.). On Fagus, N. Y. Specimen in Myc. Coll.
- Massaria magnoliae Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 141. 1896. On Magnolia acuminata, W. Va.
- ---- olivaceohirta (Schw.) Ell. & Ev. N. Am. Pyren. p. 402. May 1892.
 - Syn.: Sphaeria olivaceo-hirta Schw. Trans. Am. Phil. Soc. ser. 2, 4: 218. 1832.
- ---- plumigera Ell. & Ev. N. Am. Pyren. p. 404. 1892. On Viburnum lentago, N. J.
- Massariovalsa californica Ell. & Harkn. (nom. nud.) in Wehm. Melanconis, p. 50. 1941. On Arbutus menziesii, Calif.
 - = Melanconis californica (Ell. & Harkn.) Wehm. 1. c.

- Massariovalsa caudata Ell. & Ev. N. Am. Pyren. p. 408. May 1892. On Platanus, Ontario. N. Am. F. 2928.
 - = Pseudovalsa caudata (Ell. & Ev.) Sacc. Syll. Fung. 11: 330. 1895. (as P. caudata Ell. & Ev.).
 - = Aglaospora caudata (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 165.
 - = Prosthecium corticale (Schw.) Wehm. Melanconis p. 108. 1941.
- ---- caudata Ell. & Ev. Proc. Acad. Phil. 1893, p. 138. Apr. 11, 1893. (Not M. caudata 1892). On Ulmus sp., Ontario.
 - = Pseudovalsa ulmi Wehm. Pap. Mich. Acad. 23: 237. 1938.
 - = Prosthecium ulmi Wehm. Melanconis p. 103. 1941.
- Mastigosporium album Riess var. calvum Ell. & J. J. Davis Trans. Wisc. Acad. Sci. 14: 98. Sept. 1903. On Calamagrostis canadensis, Wisc.
 - = Mastigosporium calvum (Ell. & Ev.) Sprague Jour. Agr. Res. 57: 298. 1938.
 - = Mastigosporium rubricosum (Dearn. & Barth.) Nannf. sec. Sprague Dis. Cereals p. 402. 1950.
- Melanconiella apocrypta (Ell.) Sacc. Syll. Fung. 2: liv. 1883. (as M. apocrypta Ell.). See Melanconis apocrypta Ell.
- ---- biansata Ell. & Vogl. in Sacc. Syll. Fung. 15: 207. 1901. = M. biansata (Ell. & Ev.) Berl. & Vogl. 1. c. Addit. 1-4, p. 128. 1886. See Melanconis biansata Ell. & Ev.
- ---- decorahensis (Ell.) Sacc. Syll. Fung. 2: liv. 1883 (as M. decorahensis Ell.). See Melanconis decoraensis Ell.
- ---- nyssigena (Ell.) Sacc. Syll. Fung. 17: 691. 1905 (as M. nyssigena Ell. & Ev.). See Melanconis nyssigena Ell. & Ev.
- MELANCONIOPSIS Ell. & Ev. Bull. Torr. Club 27: 575. Nov. 1900. Type: M. inquinans Ell. & Ev.
- ---- inquinans Ell. & Ev. Bull. Torr. Club 27: 575. Nov. 1900. On Acer dasycarpum, Kans.
 - Conidial stage of Melanconis sudans (Berk. & Curt.) Wehm. Melanconis p. 49. 1941.
- Melanconis acrocystis (Pk.) Ell. & Ev. N. Am. Pyren. p. 526. May 1892.
 - Syn.: Valsa acrocystis Pk. Rept. N. Y. St. Mus. 33: 34. 1880.

- Melanconis apocrypta Ell. Am. Nat. 17: 194. Feb. 1883. On poplar (Populus), Iowa. N. Am. Pyren. p. 528, illus. 1892.
 - = Melanconiella apocrypta (Ell.) Sacc. Syll. Fung. 2: liv. 1883 (as M. apocrypta Ell.)
 - = Melanconis occulta (Fckl.) Sacc. sec. Rehm Hedw. 37: 144. 1898 incorrect sec. Wehm. Melanconis p. 25. 1941.
 - = Macrodiaporthe occulta (Fckl.) Petr. Ann. Myc. 17: 94. 1919.
- ---- (Melanconiella) biansata Ell. & Ev. Bull. Torr. Club 10: 118. 1883. On birch (Betula), N. J. Cat. Pl. N. J. p. 534. 1889. N. Am. Pyren. p. 526. 1892.
 - = Melanconiella biansata (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Addit. 1-4, p. 128. 1886.
 - = Melanconis acrocystis (Pk.) Ell. & Ev. sec. Wehm. Melanconis p. 61.
- ---- bitorulosa (Berk. & Br.) Ell. & Ev. N. Am. Pyren. p. 522. May 1892.
 - Syn.: Valsa bitorulosa B. & Br. Ann. Mag. Nat. Hist. ser. 3, 3: 367. 1859.
 - M. bitorulosa Ell. & Ev. (non Berk. & Br.) = Melanconis chrysostroma (Fr.) Tul. var. ellisii Wehm. Rev. Melanconis p. 33-34. 1941.
- ---- dasycarpa Ell. & Kell. Jour. Myc. 2: 3. Jan. 1886. On Acer dasycarpum, Kans. Jour. Myc. 3: 118. 1887. N. Am. Pyren. p. 524. 1892. N. Am. F. <u>1561</u>.
 - = Melanconidium dasycarpum (Ell. & Kell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 493. 1898.
 - = Melanconis everhartii Ell. sec. Wehm. Melanconis p. 29. 1941,
- ---- (Melanconiella) decoraensis Ell. Am. Nat. 17: 195. Feb. 1883. On birch (Betula), Iowa. Bull. Torr. Club 10: 118. 1883. N. Am. Pyren. p. 527-528. 1892. N. Am. F. 1562.
 - = Melanconiella decorahensis (Ell.) Sacc. Syll. Fung. 2: liv. 1883. (as M. decorahensis Ell.).
- ---- decoraensis Ell. var. major Ell. & Ev. Jour. Myc. 3: 42. Apr. 1887.
 On birch (Betula), N. J. N. Am. Pyren. p. 528. 1892.
 - = Melanconiella decoraensis (Ell.) Sacc. var. major (Ell. & Ev.) Sacc. Syll. Fung. 9: 755. 1891.
 - = Melanconis acrocystis (Pk.) Ell. & Ev. sec. Wehm. Melanconis p. 61.
- ---- decoraensis var. subviridis Ell. & Ev. N. Am. Pyren. p. 528. May 1892.
 - = Melanconiella subviridis (Ell.) Dearn. & House Bull. N. Y. St. Mus. 266, p. 81. 1925.
 - See Wehm. Melanconis p. 44. 1941.

- Melanconis everhartii Ell. Bull. Torr. Club 10: 117. 1883. On maple (Acer), Pa. Jour. Myc. 3: 118. 1887. N. Am. Pyren. p. 524, illus. 1892. N. Am. F. 1565.
 - = Melanconidium everhartii (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 493. 1898.
- ---- (Melanconiella) meschuttii Ell. & Ev. Bull. Torr. Club 10: 117. 1883. On birch (Betula), N. J. Cat. Pl. N. J. p. 534. 1889. N. Am. Pyren. p. 524, 526. 1892.
 - = Melanconiella meschuttii (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. Addit. 1-4, p. 129. 1886.
 - = Melanconis nigrospora (Pk.) Wehm Mycol. 32: 327. 1940 and Melanconis p. 65. 1941.
- Melanconis (Melanconiella) nyssaegena Ell. & Ev. Jour. Myc. 8: 18. May 1902. On Nyssa multiflora, N. J.
 - = Melanconiella nyssagena (Ell. & Ev.) Sacc. Syll. Fung. 17: 691. 1905 (as M. nyssaegena Ell. & Ev.).
 - = Melanconis sudans (Berk. & Curt.) Wehm. Melanconis p. 49. 1941.
- ---- obruta Ell. & Ev. Bull. Torr. Club 25: 505. Sept. 10, 1898. On Salix, Wisc.
 - = Melanconiella obruta (Ell. & Ev.) Sacc. & Syd. Syll. Fung. 16: 509. 1902.
 - = Nomen dubium sec. Wehm. Melanconis p. 71. 1941.
- ---- occulta (Schw.) Ell. & Ev. in Wehm. Melanconis p. 131. 1941. N. Am. F. 3030 (as M. occulta (Fckl.)).
 - = Massaria pruni Wehm. 1. c.
- ---- salicina Ell. & Ev. Proc. Acad. Phil. 1890, p. 236. Sept. 30, 1890. On Salix, Ontario. Bull. Torr. Club 25: 505. 1898. N. Am. Pyren. p. 525. 1892. N. Am. F. 2523; F. Col. 1133.
 - = Melanconidium salicinum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 493. 1898.
 - = Allantoporthe tessella (Pers. ex Fr.) Petr. Hedw. 62: 289. 1921.
 - = Diaporthe tessella (Pers. ex Fr.) Rehm sec. Wehm. Melanconis p. 72. 1941.

- Melanconis sigmoideum Cke. & Ell. Grev. 6: 92, illus. Mar. 1878. On Quercus tinctoria and Q. ilicifolia, N. J. Prel. Cat. Fl. N. J. p. 198. 1881. N. Am. F. 1566.
 - = Pseudovalsa sigmoidea (Cke. & Ell.) Sacc. Syll. Fung. 2: 136. 1883. Cat. Pl. N. J. p. 534. 1889. N. Am. Pyren. p. 541. 1892. N. Am. F. 2758; F. Col. 949.
 - = Aglaospora sigmoidea (Cke.) & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 441. 1898.
 - = Pseudovalsa longipes (Tul.) Sacc. sec. Wehm. Melanconis p. 82. 1941.
- ---- tiliacea (Ell.) Ell. & Ev. N. Am. Pyren. p. 524. May 1892. Bull. Torr. Club 24: 288. 1897. Proc. Acad. Phil. 1895, p. 30. 1895. N. Am. F. 2826; F. Col. 34.
 - Syn.: Diatrype tiliacea Ell. Am. Nat. 17: 195. 1883.
 - = Hercospora tiliacea (Ell.) Sacc. Syll. Fung. 2: xlvii. 1883.
 - = Diaporthe tiliacea (Ell.) Hoehn. sec. Wehm. Diaporthe p. 185. 1933. and Melanconis p. 73. 1941.
- Melanconium acerinum Ell. & Ev. Proc. Acad. Phil. 1894, p. 373. Dec. 11, 1894. On Acer macrophyllum, Calif.
- ---- alni (Cke. & Ell.) Ell. & Ev. Proc. Acad. Phil. 1895, p. 436. Dec. 10, 1895.
 - Syn.: Sphaeropsis alni Cke. & Ell. Grev. 5: 50, illus. 1876.

 Prel. Cat. Fl. N. J. p. 179. 1881. Cat. Pl. N. J. p. 581.

 1889. N. Am. F. 115.
 - = Macroplodia alni (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 491. 1898.
- ---- angustum Ell. & Ev. Bull. Torr. Club 27: 574. Nov. 1900. On hickory (Carya), N. J.
- ---- arundinaceum Ell. & Ev. Bull. Torr. Club 24: 290. June 29, 1897. On Arundinaria, La.
- ---- celtidis Ell. & Ev. Erythea 2: 24. Feb. 9, 1894. On Celtis, Kans.
- ---- crinigerum Ell. & Ev. Proc. Acad. Phil. 1895, p. 436. Dec. 10, 1895. On maple (Acer), Ohio.
- ---- gracile Ell. & Ev. Jour. Myc. 1: 44. Mar. 1885. On hickory (Carya), N. J. Cat. Pl. N. J. p. 591. 1889. N. Am. F. 2864.
- ---- grande (as "grandis") Cke. & Ell. Grev. 6: 86, illus. Mar. 1878. On beech (Fagus), N. Y. Cat. Pl. N. J. p. 591. 1889.

- Melanconium hyalinum Ell. Bull. Torr. Club 9: 133. Nov. 1882. On lombardy poplar (Populus), Iowa. N. Am. F. 963; F. Col. 1064.
 - = Myxosporium ellisii Sacc. Syll. Fung. 3: 724. 1884.
 - = Myxosporium hyalinum (Ell.) Wint. F. Europ. 3749. 1886.
 - = Discosporium hyalinum (Ell.) Hoehn. Zeit. Gaerungsphys. 5: 196.
 - = Gloeosporium hyalinum (Ell.) Dearn. Bull. Canad. Dept. Agr. n. ser. 71: 65. 1926 (as G. hyalinum Ell.).
- ---- hysterioideum Cke. & Ell. (nom. nud.) in Seymour Host. Index p. 272. 1929. On Quercus. No description found.
- ---- luteocinctum (as "luteocincta") Ell. & Ev. (nom. nud.) in Cockerell, Jour. Inst. Jamaica 1: 262. Apr. 1893. On Livistona, Jamaica.
- ---- magnoliae Ell. & Ev. Jour. Myc. 7: 133. Mar. 10, 1892. On Magnolia glauca, N. J.
- ---- salicinum Ell. & Ev. Jour. Myc. 2: 103. Sept. 1886. On Salix nigra, La. N. Am. F. 2177.
- ---- stenosporum Ell. & Ev. Proc. Acad. Phil. 1894, p. 373. Dec. 11, 1894. On Carya, Ohio.
- ---- triangulare Ell. & Ev. Jour. Myc. 2: 38. Apr. 1886. On Carpinus americana, Pa. N. Am. F. <u>1568</u>.
 - Reported by Ellis as pycnidial stage of Valsa ellisii Rehm, but incorrectly; see Wehmeyer Melanconis, p. 35. 1941.
- ---- zonatum Ell. & Ev. N. Am. Pyren. p. 523. May 1892. On Ostrya virginica and Carpinus americana, Iowa. N. Am. F. 2960.
- Melanomma alpestre Ell. & Ev. Proc. Acad. Phil. 1894, p. 328. Dec. 11, 1894. On Arctostaphylos nevadensis, Wash. 1. c. p. 347. 1894.
- ---- asterostomum Ell. & Ev. Proc. Acad. Phil. 1894, p. 328. Dec. 11, 1894. On beach (Fagus), Ontario.
- ---- boreale Ell. & Ev. Proc. Acad. Phil. 1895, p. 416. Nov. 5, 1895.
 On wood, Newfoundland.
- ---- commonsii Ell. & Ev. Proc. Acad. Phil. 1890, p. 239. Sept. 30, 1890. On Hypoxylon sassafras, Del. N. Am. Pyren. p. 182. 1892.
- ---- cupulata Ell. & Ev. Bull. Torr. Club 24: 128. Mar. 30, 1897. On Salix, Wash.
 - Syn.: Chaetomastia cupulata Ell. & Ev. (ined.).

- Melanomma dealbatum Ell. & Ev. Proc. Acad. Phil. 1894, p. 328. Dec. 11, 1894. On cottonwood (Populus), Kans. N. Am. F. 3111.
- ---- deciduum Ell. & Ev. Proc. Acad. Phil. 1893, p. 445. Feb. 27, 1894.
 On ash (Fraxinus) and cedar (? Chamaecyparis), N. Y. Erythea 2: 17.
 1894.
- ---- exile (Schw.) Ell. & Ev. N. Am. Pyren. p. 184. May 1892. Proc. Acad. Phil. 1895, p. 22. 1895.
 - Syn.: Sphaeria exilis Schw. in herb. Berk. (Coniochaeta exilis (Schw.) Cke. Grev. 15: 82. 1887.)
- ---- gregarium Ell. & Ev. Bull. Torr. Club 27: 51. Feb. 1900. On cottonwood (Populus), Kans.
- ---- inspersum (Schw.) Ell. & Ev. N. Am. Pyren. p. 183. May 1892.
 - Syn.: Sphaeria inspersa Schw. in Curr. Trans. Linn. Soc. Lond. 22: 334. 1859.
- ---- juniperi Ell. & Ev. in Fairm. Proc. Rochester Acad. Sci. 4: 190. Sept. 2, 1905. On Juniperus virginiana, N. Y.
- ---- moricola (as "moricolum"), Ell. & Ev. Proc. Acad. Phil. 1894, p. 328.
 Dec. 11, 1894. On Morus, Kans.
- ---- nigricans Ell. & Ev. Proc. Acad. Phil. 1895, p. 417. Nov. 5, 1895. On rotten wood, Ohio.
- ---- nitidum Ell. & Ev. Bull. Torr. Club 25: 502. Sept. 10, 1898. On Artemisia tridentata, Colo.
- ---- nuttallii Ell. & Ev. (ined.). On Magnolia fraseri, W. Va. Specimen in Myc. Coll.
- ---- occidentale (Ell.) Sacc. var. tetonense (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 183. May 1892.
 - Syn.: Melanomma tetonense Ell. & Ev. Proc. Acad. Phil. 1890, p. 240. 1890.
 - = Leptosphaeria tetonensis (Ell. & Ev.) Rehm Ann. Myc. 9: 289. 1911.
- ---- parasiticum Ell. & Ev. Proc. Acad. Phil. 1890, p. 240. Sept. 30, 1890. On Diatrype stigma, N. J. N. Am. Pyren. p. 182. 1892. N. Am. F. 2367.
- ---- rhypodes Ell. & Ev. Erythea 2: 17. Feb. 9, 1894. On cottonwood (Populus), Kans. Bull. Torr. Club 27: 51. 1900.

- Melanomma rubiginosum (Cke.) Ell. & Ev. N. Am. Pyren. p. 185. May 1892.
 - Syn.: Byssosphaeria (Melanomma) rubiginosa Cke. Grev. 15: 80. 1887.
- ---- spinferum Ell. & Ev. N. Am. Pyren. p. 184. May 1892. On Corticium sp:? on Morus rubra, Del. N. Am. F. 2610.
- ---- sporadicum Ell. & Ev. N. Am. Pyren. p. 186. May 1892. On Platanus, Canada. N. Am. F. 2753.
- ---- squamulatum (Schw.) Ell. & Ev. N. Am. Pyren. p. 184. May 1892. Proc. Acad. Phil. 1895, p. 21. 1895.
 - Syn.: Sphaeria squamulata Schw. Trans. Am. Phil. Soc. ser. 2, 4: 212. 1832.
- ---- subcongruum Ell. & Ev. Proc. Acad. Phil. 1895, p. 417. Nov. 5, 1895. On Populus monilifera, Kans.
- ---- subconicum Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 402. Nov. 1893. On bark, Nicaragua.
- ---- sulcatum (Ell.) Ell. & Ev. N. Am. F. <u>1663</u>. Mar. 16, 1886. (M. sulcatum (Ell.) Berl. & Vogl. Sacc. Syll. Fung. Addit. 1-4, p. 150. Dec. 31, 1886). N. Am. Pyren. p. 183. 1892.
 - Syn.: Sphaeria sulcata Ell. Bull. Torr. Club 10: 53. May 1883.
 - = Stuartella sulcata (Ell.) Sacc. Syll. Fung. 9: 816. 1891.
- ---- tetonense (as "tetonensis") Ell. & Ev. Proc. Acad. Phil. 1890, p. 240. Sept. 30, 1890. On Artemisia cana, Mont. See M. occidentale (Ell.) Sacc. var. tetonense (Ell. & Ev.) Ell. & Ev.
- Melanopsamma abscondita Ell. & Ev. N. Am. Pyren. p. 177. May 1892. On hickory (Carya). Erythea 2: 17. 1894. Proc. Acad. Phil. 1893, p. 445. 1894.
 - = Zignoella abscondita (Ell. & Ev.) Fairman Proc. Rochester Acad. Sci. 6: 95. 1921.
- ---- alpina Ell. & Ev. Bull. Torr. Club 24: 458. Oct. 30, 1897. On spruce (Picea), Colo.
 - = Abaphospora alpina (Ell. & Ev.) Kirschstein Ann. Myc. 37: 98. 1939.

- Melanopsamma borealis Ell. & Ev. Proc. Acad. Phil. 1893, p. 445. Feb. 27, 1894. On bark, Newfoundland. Proc. Acad. Phil. 1895, p. 416. 1895. Bull. Torr. Club 24: 459. 1897.
 - = Melanopsamma ellisii Sacc. & Syd. Syll. Fung. 14: 540. 1899.
 - = Melanopsamma waghornei House Bull. N. Y. St. Mus. 179, p. 37. 1915.
- ---- corticola Ell. & Ev. Proc. Acad. Phil. 1893, p. 129. Apr. 11, 1893. On Quercus alba, N. J.
- ---- cupressinum Ell. & Ev. Jour. Myc. 2: 103. Sept. 1886. On cypress (?Cupressus) and red cedar (Juniperus?), La. Jour. Myc. 4: 123. 1888. N. Am. Pyren. p. 179. 1892.
- ---- eckfeldtii (Ell.) Ell. & Ev. N. Am. Pyren. p. 178. May 1892.
 - Syn.: Sphaeria eckfeldtii Ell. Bull. Torr. Club 8: 91. 1881.

 Prel. Cat. Fl. N. J. p. 202. 1881. Bull. Torr. Club 9: 73. 1882. N. Am. F. 593.
 - = Amphisphaeria eckfieldii (Ell.) Cke. Grev. 16: 89. 1888.
 - = Zignoella eckfeldtii (Ell.) Sacc. in Cat. Pl. N. J. p. 519. 1889.
 - = Melanomma eckfeldtii (Ell.) Sacc. Syll. Fung. 2: 105. 1883.
 - = Didymella sec. Berl. Icon. Fung. Pyren. 1: 38. 1891.
- ---- graopsis Ell. in Cat. Pl. N. J. p. 517. 1889. = M. graopsis (Ell.) Sacc. Syll. Fung. 2: xlvi. 1883. See Sphaeria graopsis Ell.
- ---- kansensis Ell. & Ev. Erythea 2: 17. Feb. 9, 1894. On Ulmus americana, Kans. N. Am. F. 3010; F. Col. 317.
- ---- melanostigma (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 517. 1889.
 - Syn.: Sphaeria melanostigma Cke. & Ell. Grev. 6: 13, illus. 1877. Prel. Cat. Fl. N. J. p. 200. 1881. N. Am. F. 782.
 - = Psilosphaeria melanostigma (Cke. & Ell.) Cke. Grev. 16: 50. 1887.
 - = Wallrothiella melanostigma (Cke. & Ell.) Sacc. Syll. Fung. 1: 456. 1882. N. Am. Pyren. p. 192, 254. 1892.
- ---- nucigena Ell. & Ev. Proc. Acad. Phil. 1893, p. 445. Feb. 27, 1894. On hickory (Carya), N. J.
- ---- paecilostoma (Berk. & Br.) Ell. & Ev. N. Am. Pyren. p. 179. May 1892.
 - Syn.: Sphaeria paecilostoma Berk, & Br. Ann. Mag. Nat. Hist. ser. 3, 3: 370. 1859.
- ---- segregata (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 180. May 1892.
 - Syn.: Sphaeria segregata Berk. & Curt. Grev. 4: 141. 1876.

- Melanopsamma shimekii Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 402. Nov. 1893. On dry wood, Nicaragua.
- ---- utahensis Ell. & Ev. Jour. Myc. 9: 168. Oct. 29, 1903. On Actaea rubra, Utah.
- Melasmia galii Ell. & Ev. (nom. nud.) N. Am. F. 2384. Feb. 19, 1890. On Galium boreale, Ontario.
- ---- gleditschiae Ell. & Ev. Jour. Myc. 4: 45. Apr.-May 1888. On Gleditschia triacanthos, Mo.
 - = Leptostroma hypophylla Berk. & Rav. sec. Ell. & Ev. N. Am. F. 2173. 1889. F. Col. 975.
 - = Melasmia hypophylla (Berk. & Rav.) Sacc. Syll. Fung. 10: 419. 1892.
- Meliola acervata Ell. & Ev. Bull. Torr. Club 24: 126. Mar. 30, 1897. On Physalis peruviana, Hawaiian Isls.
- ---- caymamansis Ell. & Ev. in Millspaugh Publ. Field Col. Mus. Bot. 2: 15, (illus.?). Apr. 20, 1900. On Pharbitis cathartica, Grand Cayman Isl., W. Indies.
- ---- cryptocarpa Ell. & G. Martin Am. Nat. 17: 1284. Dec. 1883. On Gordonia lasianthus, Fla. N. Am. Pyren. p. 47. 1892. N. Am. F. 1293.
- ---- fenestrata Cke. & Ell. Grev. 5: 95. Mar. 1877. On fir (Abies), N. J. Prel. Cat. Fl. N. J. p. 202. 1881. Cat. Pl. N. J. p. 509. 1889. N. Am. Pyren. p. 48. 1892.
 - = ? Limacinia fenestrata (Cke. & Ell.) (as "Ell. & Ev.") Sacc. Syll. Fung. 14: 475. 1899.
- ---- horrida Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 396. Nov. 1893. On guava (Psidium), Nicaragua.
- ---- maculosa Ell. Bull. Torr. Club 8: 91. Aug. 1881. Prel. Cat. Pl. N. J. p. 202. 1881.
 - Syn.: Venturia maculosa Ell. (nom. nud.) N. Am. F. 200. 1879.
 - = Dimerosporium ellisii Sacc. Syll. Fung. 1: 54. 1882. N. Am. Pyren. p. 32. 1892.
 - = Dimeriella maculosa (Ell.) Th. Beih. Bot. Centralbl. abt. 2, 29: 67. 1912.

- Meliola manca Ell. & G. Martin Am. Nat. 17: 1284. Dec. 1883. On Myrica cerifera, Fla. N. Am. Pyren. p. 47. 1892. N. Am. F. 1292.
 - = Appendiculella calostroma (Desm.) Hoehn. Sitzb. Akad. Wien 128: 556. 1919.
 - =Irenina manca (Ell. & G. Martin) F. L. Stevens Ann. Myc. 25: 448.
- ---- sandicensis Ell. & Ev. Bull. Torr. Club 22: 434. Oct. 31, 1895. On Rubiaceae, Hawaiian Isls.
- ---- sanguinea Ell. & Ev. Jour. Myc. 2: 42. Apr. 1886. On Rubus trivialis, La.
 - = Meliola manca Ell. & G. Martin sec. Ell. & Ev. N. Am. Pyren. p. 47. 1892.
 - = Irenina sanguinea (Ell. & Ev.) F. L. Stevens Ann. Myc. 25: 448.
- ---- simillima Ell. & Ev. in A. S. Hitchcock, Ann. Rept. Mo. Bot. Gard. 9: 118. 1898. On Echites brownei, Nassau, W. Indies.
- Melogramma aceris Cke. & Ell. Grev. 7: 8. Sept. 1878. On Acer, N. J. Proc. Acad. Phil. 1879, 67: 1879; 381, 1880. Grev. 8: 143. 1880.
 - = ? Hypoxylon aceris (Cke. & Ell.) Sacc. Syll. Fung. 1: 373. 1882.
 - = Fuckelia aceris (Cke. & Ell.) Cke. Grev. 12: 52. 1883.
 - = Diatrype (Fuckelia) aceris (Cke. & Ell.) Cke. Grev. 14: 17. 1885.
 - = Botryosphaeria fuliginosa (Moug. & Nestl. Ell. & Ev. N. Am. Pyren. p. 546. 1892.
- ---- boreale Ell. & Ev. Proc. Acad. Phil. 1895, p. 426. Nov. 5, 1895. On Abies, Newfoundland.
- ---- columbiense (as "columbiensis") Ell. & Ev. Erythea 1: 199. Oct. 2, 1893. On shrub, Brit. Col.
- ---- egelingii Ell. & Ev. Bull. Torr. Club 22: 440. Oct. 31, 1895. On Agave, Mexico.
- ---- fuliginosum (as "fuliginosa") (Moug. & Nestl.) Ell. Proc. Acad. Phil. 1879, p. 70. 1879. See Botryosphaeria fuliginosa (Moug. & Nestl.) Ell. & Ev.
- ---- fuliginosum (Moug. & Nestl.) Ell. var. simplex Ell. Proc. Acad. Phil. 1879, p. 382. 1880.
- ---- horridum Ell. & Ev. Bull. Torr. Club 24: 134. Mar. 30, 1897. On beech (Fagus), Ontario.

- Menispora acicola Ell. & Ev. Proc. Acad. Phil. 1893, p. 462. Mar. 13, 1894. On Pinus rigida, N. J. N. Am. F. 2965.
- ---- glauco-nigra Cke. & Ell. Grev. 7: 39. Dec. 1878. On Magnolia, N. J. Prel. Cat. Fl. N. J. p. 188. 1881. Jour. Myc. 2: 104. 1886; 4: 114. 1888. Cat. Pl. N. J. p. 563. 1889. N. Am. F. 555.
- Merulius subchlorinus Ell. & Ev. (ined.). La., Langl. 976. Specimen in Myc. Coll.
- Metasphaeria carveri Ell. & Ev. Jour. Myc. 8: 68. June 1902. On Sesemum orientale, Glycine hispida, Cassia tora, and Mucuna utilis, Ala.
- ---- corylina Ell. & Holw. Bull. Iowa Univ. Lab. Nat. Hist. 3, no. 3, p. 43. Mar. 1895. On Corylus, Iowa.
- ---- fuscata Ell. & Ev. Proc. Acad. Phil. 1893, p. 137. Apr. 11, 1893. On Quercus coccinea, N. J.
- ---- gaurina Ell. & Ev. Erythea 2: 21. Feb. 9, 1894. On Gaura parvi-flora, Kans. N. Am. F. 3021.
- ---- ilicis Ell. & Ev. Erythea 1: 145. July 1, 1893. On Ilex aquifolium, Calif.
- ---- infuscans Ell. & Ev. N. Am. Pyren. p. 388. May 1892. On Andropogon virginicus, Ala. N. Am. F. 2754.
- ---- ipomoeae Ell. & Ev. Jour. Myc. 8: 68. June 1902. On Ipomoea, Ala.
- ---- maximiliani Ell. & Ev. Proc. Acad. Phil. 1893, p. 136. Apr. 11, 1893. On Helianthus maximilianus, Kans. N. Am. F. 2926.
- ---- maximiliani Ell. & Ev. var. divaricata (as "divaricatus") Ell. & Ev. (nom. nud.) F. Col. 1628. Oct. 1902. On Helianthus divaricatus, N. J.
- ---- microecia Ell. & Ev. Proc. Acad. Phil. 1893, p. 137. Apr. 11, 1893. On Acer spicatum, Ontario.
- ---- palmetta (Cke.) Sacc. var. foliicola Ell. & Ev. N. Am. Pyren. p. 387. May 1892. On Sabal palmetto, (Ga.?).
- ---- polygoni-sagittati (Schw.) Ell. & Ev. N. Am. F. 3022. Apr. 18, 1894.
 - Syn.: Sphaeria polygoni-sagittati Schw. Trans. Am. Phil. Soc. ser. 2, 4, p. 222. 1832.
- ---- punctulata Ell. & Ev. Jour. Myc. 4: 76. Aug. 1888. On Panicum curtisii, La. N. Am. Pyren. p. 387. 1892.

- Metasphaeria quercina Ell. & Ev. Proc. Acad. Phil. 1895, p. 423. Nov. 5, 1895. On Quercus coccinea var. tinctoria, N. J.
- ---- rubicola Ell. & Ev. Bull. Torr. Club 24: 279. June 29, 1897. On Rubus deliciosus, Colo. N. Am. F. 3525.
- ---- rubida Ell. & Ev. Proc. Acad. Phil. 1890, p. 237. Sept. 30, 1890.
 On Platanus occidentalis, N. Y. N. Am. Pyren. p. 380. 1892.
- ---- sabalensis Ell. & Ev. in Berl. Icon. Pyren. 2: 155. 1899. = M. sabalensis (Cke.) Cke. Grev. 18: 16. 1889.
- ---- sanguinea Ell. & Ev. Jour. Myc. 8: 68. June 1902. On Helenium tenuifolium, Ala.
- ---- seriata Ell. & Ev. Bull. Torr. Club 24: 279. June 29, 1897. On Umbelliferae, Colo.
- ---- silphii Ell. & Ev. Jour. Myc. 9: 167. Oct. 29, 1903. On Silphium integrifolium, Kans.
- ---- sphenispora Ell. & Ev. Proc. Acad. Phil. 1893, p. 136. Apr. 11, 1893. On Erianthus alopecuroides, Del.
- ---- squamata Cke. & Ell. in Seym. Host. Index p. 38. 1929. = M. squamata (Cke. & Ell.) Sacc. Syll. Fung. 2: 167. 1882. See Leptosphaeria squamata (Cke. & Ell.) Ell.
- ---- stenotheca (Ell. & Ev.) Ell. & Ev. in Langl. Cat. Pl. Basse-La. p. 31. 1887. (M. stenotheca (Ell. & Ev.) Sacc. Syll. Fung. 9: 844. 1891, as M. stenotheca Ell. & Ev.). N. Am. Pyren. p. 387. 1892.
 - Syn.: Sphaeria stenotheca Ell. & Ev. Jour. Myc. 3: 127. Nov. 1887.
- ---- subseriata Ell. & Ev. Jour. Myc. 8: 17. May 1902. On Panicum virgatum, Kans.
- Microcera erumpens Ell. & Ev. Proc. Acad. Phil. 1894, p. 386. Jan. 8, 1895. On Tsuga canadensis, W. Va. N. Am. F. 3398; F. Col. 892.
- Micropera erumpens Ell. & Ev. in Seaver N. Am. Cup-F. Inopercul. p. 354. 1951. = Microcera erumpens Ell. & Ev.
 - = Dermea balsamea (Pk.) Seaver 1. c.
- ---- fraxini Ell. & Ev. Proc. Acad. Phil. 1893, p. 165. Apr. 11, 1893. On Fraxinus americana, Ontario.
- ---- tenella Sacc. & Ell. Michelia 2: 573. Dec. 1, 1882. On Thuja, N. J. Cat. Pl. N. J. p. 586. 1889.
- ---- vaccinii Ell. & Ev. Jour. Myc. 10: 169. June 24, 1904. On Vaccinium corymbosum, Ind.

- Microsphaera densissima Ell. & G. Martin Jour. Myc. 1: 101. Aug. 1885 (as M. densissima Schw.).
 - = Microsphaera alni (Wallr. ex Fr.) Wint. var. calocladophora (Atk.) Salm. Mem. Torr. Bot. Club 9: 153, illus. 1900.
- ---- hedwigii Lév. var. castaneae Ell. (nom. nud.) N. Am. F. 767. Apr. 13, 1882. On chestnut (Castanea), Pa.
 - = Microsphaera alni (Wallr. ex Fr.) Wint. sec. Salm. Mem. Torr. Bot. Club 9: 132. 1900.
- ---- pulchra Cke. & Ell. in Seym. Host. Index p. 628. 1929. M. pulchra Cke. & Pk. Jour. Bot. Ser. 2, 1: 12. 1872; Rept. N. Y. Mus. 25: 95. 1873.
- Minnsia carnea Ell. & Ev. (nom. nud.) in Spaulding and Hansbrough, U. S. Dept. Agr. Tech. Bull. 867, p. 8. 1944.
 - = Aleurodiscus minnsiae Jacks. Canad. Jour. Res. Sect. C, 28: 67. 1950.
- Mitrula luteola Ell. Am. Nat. 17: 192. Feb. 1883. N. J. N. Am. F. 978.
 - = Mitrula irregularis (Pk.) Durand Ann. Myc. 6: 398. 1908.
 - = Ascocorynium irregulare (Pk.) S. Ito & Imai Jour. Fac. Agr. Hokkaido Univ. 45, pt. 4, p. 163. 1941.
- Mollisia abdita (Ell.) Sacc. Syll. Fung. 8: 353. 1889 (as M. abdita Ell.). See Peziza abdita Ell.
- ---- alabamaensis Ell. & Ev. Jour. Myc. 8: 69. June 1902. On Rubus villosus, Ala.
 - ? = Cenangium sec. Seaver N. Am. Cup-F. Inopercul. p. 216. 1951.
- ---- asclepiadis Ell. & Ev. Proc. Acad. Phil. 1895, p. 428. Nov. 5, 1895. On Asclepias, Ontario. N. Am. F. 3334; F. Col. 811.
- ---- astericola (Cke. & Ell.) Sacc. Syll. Fung. 8: 323. 1889 (as M. astericola Cke. & Ell.). See Peziza astericola Cke. & Ell.
- ---- astericola (Cke. & Ell.) Sacc. f. oenotherae Ell. & Ev. (nom. nud.)
 N. Am. F. 3335. Feb. 3, 1896. On Oenothera biennis, N. J.
- ---- atrata (Pers. ex Fr.) Karst. var. megalospora Ell. & Ev. (nom. nud.) N. Am. F. 2625. On Solidago, Ontario.
- ---- clavigera (Ell. & Ev. Sacc. Syll. Fung. 8: 354. 1889. (as M. clavigera Ell. & Ev.). See Peziza clavigera Ell. & Ev.

- Mollisia fairmani (Ell. & Ev.) Sacc. Syll. Fung. 8: 302. 1889. (as M. fairmani Ell. & Ev.). See Peziza fairmani Ell. & Ev.
- ---- fumigata (Ell. & Ev.) Sacc. Syll. Fung. 8: 343. 1889. (as M. fumigata (Ell. & Ev.). See Peziza fumigata Ell. & Ev.
- ---- gaultheriae Ell. & Ev. Proc. Acad. Phil. 1894, p. 349. Dec. 11, 1894. On Gaultheria shallon, Wash.
- ---- gelatinosa (Ell. & G. Martin) Sacc. Syll. Fung. 8: 624. 1889. (as M. gelatinosa Ell. & G. Martin). See Peziza gelatinosa Ell. & G. Martin.
- ---- glagosa (Ell. & Ev.) Sacc. Syll. Fung. 8: 276. 1889 (as M. glagosa "Ell. & C."). See Peziza glagosa Ell. & Ev.
- ---- glenospora (Ell. & Ev.) Sacc. Syll. Fung. 8: 343. 1889 (as M. glenospora Ell. & Ev.). See Peziza glenospora Ell. & Ev.
- ---- incrustata (Ell.) Sacc. Syll. Fung. 8: 301. 1889. (as M. incrustata Ell.). See Peziza incrustata Ell.
- ---- introviridis (Cke. & Ell.) Sacc. Syll. Fung. 8: 339. 1889 (as M. introviridis Cke. & Ell.). See Peziza introviridis Cke. & Ell.
- ---- nipteroides Ell. & Ev. Proc. Acad. Phil. 1893, p. 147. Apr. 11, 1893. On Smilax, La.
- ---- paullopuncta (Cke. & Ell.) Sacc. Syll. Fung. 8: 342. 1889 (as M. paullopuncta Cke. & Ell.). See Peziza paullopuncta Cke. & Ell.
- ---- prinicola (Ell. & Ev.) Ell. & Ev. Proc. Acad. Phil. 1894, p. 350. 1894. = M. prinicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 330. 1889. (as M. prinicola Ell. & Ev.). See Peziza prinicola Ell. & Ev.
- ---- rubrotingens Ell. & Ev. (ined.). On stump, Mich., E. T. & S. A. Harper 971. Specimen in Myc. Coll.
- ---- stictoidea (Cke. & Ell.) Sacc. Syll. Fung. 8: 348. 1889 (as M. "stictoides" Cke. & Ell.). See Peziza stictoidea Cke. & Ell.
- ---- tenella (Cke. & Ell.) Sacc. Syll. Fung. 8: 349. 1889 (as M. tenella Cke. & Ell.). See Peziza tenella Cke. & Ell.
- ---- trametis Ell. & Ev. Proc. Acad. Phil. 1893, p. 147. Apr. 11, 1893. On Polyporus stevensii Berk. on oak (Quercus), N. J.
 - = Mollisia incrustata (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 215. 1951.

- Monilia aureofulva Cke. & Ell. Grev. 8: 12. Sept. 1879. On oak (Quercus), N. J. Cat. Pl. N. J. p. 558. 1889. F. Col. 591.
 - = Monilia similis (Berk.) Pound & Clements Bull. Minn. Geol. & Nat. Hist. Surv. 9: 652. 1896.
 - = Oidium aureo-fulvum (Cke. & Ell.) Linder Lloydia 5: 189. 1942.
- ---- coprogena Ell. (ined.). On bat's dung, Tenn. Specimen in Myc. Coll.
- ---- diffusa Ell. & Ev. Jour. Myc. 1: 44. Mar. 1885. On rotten wood, N. H.
- ---- eriophora Ell. & Harkn. (ined.). On Quercus agrifolia, Calif., Harkn. 2093. Specimen with descriptive notes in Myc. Coll.
- ---- fungicola Ell. & Barth. Erythea 5: 50. Apr. 30, 1897. On Lycop-erdon giganteum, Kans.
 - = Oospora fungicola (Ell. & Barth.) Sumstine Mycol. 5: 51, illus. 1913.
- ---- martinii Ell. & Sacc. Michelia 2: 376. Mar. 5, 1881. On Zea mays, Fla. Prel. Cat. Fl. N. J. p. 188. 1881. Cat. Pl. N. J. p. 557. 1889. Proc. Acad. Phil. 1893, p. 462. 1894. N. Am. F. 655; F. Col. 1358.
 - = Oospora martinii (Ell. & Sacc.) Sumstine Mycol. 5: 52. 1913.
- ---- martinii Ell. & Sacc. var. fructigena Ell. (nom. nud.) Prel. Cat. Fl. N. J. p. 188. 1881. Descriptive notes in Myc. Coll.
- ---- martinii Ell. & Sacc. var. incendiarum Ell. & G. Martin (nom. nud.)
 N. Am. F. 1389. Mar. 25, 1885. On bark of dead shrubs, N. J.
 Cat. Pl. N. J. p. 557. 1889.
- ---- penicillata Ell. & Ev. Jour. Myc. 4: 54. June 1888. On rotten wood, N. J., La., and N. Y.
- ---- pulveracea (Ell.) (as "Ell. & Cragin") Ell. & Ev. N. Am. F. 2962. Oct. 21, 1893.
 - Syn.: Rhinotrichum pulveraceum Ell. in Cragin Bull. Washburn Coll. Lab. Nat. Hist. 1: 69. Jan. 1885. Jour. Myc. 1: 47. 1885.
 - = Malbranchea pulveracea (Ell.) Sumstine Mycol. 5: 57. 1913.
 - = Oidium pulveraceum (Ell.) Linder Lloydia 5: 181. 1942.

- Monilia urediniformis Ell. & Ev. Proc. Acad. Phil. 1893, p. 461. Mar. 13, 1894. On apple (Malus), N. J.
 - = Sclerotinia uredoformis Demaree Science n. ser. 35: 78. 1912.
- MONILOCHAETES Ell. & Halst. Bull. N. J. Agr. Expt. Sta. 76: 27, illus. Nov. 28, 1890. Technical diagnosis in Harter, Jour. Agr. Res. 5: 791, illus. 1916. Type: M. infuscans Ell. & Halst.
- ---- infuscans Ell. & Halst. Bull. N. J. Agr. Expt. Sta. 76: 27, illus. Nov. 28, 1890. On sweet potato (Ipomoea batatas), N. J. Technical diagnosis in Harter, Jour. Agr. Res. 5: 791, illus. 1916.
- Montagnella abietina Ell. & Ev. Erythea 1: 199. Oct. 2, 1893. On fir (Abies), Wash.
- ---- acerina Ell. & Ev. Proc. Acad. Phil. 1893, p. 133. Apr. 11, 1893. On Acer spicatum, Ontario.
- ---- heliopsidis (Schw.) Ell. & Ev. N. Am. Pyren. p. 252. May 1892. = M. heliopsidis (Schw.) Sacc. Syll. Fung. 2: 646. 1883. N. Am. F. 2762; F. Col. 839.
- ---- tumefaciens Ell. & Harkn. Bull. Torr. Club 24: 281. 1897. = M. tumefaciens (Ell. & Harkn.) Berl. & Vogl. Sacc. Syll. Fung. Addit. 1-4, p. 244. 1886. See Sphaeria tumefaciens Ell. & Harkn.
- ---- tumefaciens (Ell. & Harkn.) Berl. & Vogl. var. reducta Ell. & Ev. Bull. Torr. Club 25: 513. Sept. 10, 1898. On Bigelovia graveolens, Colo. F. Col. 1230.
- Morthiera mespili Fckl. var. cydoniae Cke. & Ell. Grev. 6: 84, illus. Mar. 1878. On Cydonia, N. J. N. Am. F. 117.
 - = Entomosporium maculatum Lév. var. cydoniae (Cke. & Ell.) Sacc. Syll. Fung. 2: 657. 1884 (as E. maculatum var. cydoniae Cke. & Ell.). Also cited by Sacc. 1. c. 15: 135. 1901 as E. cydoniae Cke. & Ell.
 - = Entomosporium maculatum Lév. sec. Ell. & Ev. F. Col. 289. 1894.
- MUCRONOPORUS Ell. & Ev. Jour. Myc. 5: 28, illus. Mar. 1889. Type not stated.
- ---- abietis (Karst.) Ell. & Ev. N. Am. F. 2730. Apr. 30, 1892. F. Col. 1205.
 - Syn.: Fomes abietis Karst. Bidr. Finl. Nat. Folk 37: 242. 1882.

- Mucronoporus andersonii Ell. & Ev. Jour. Myc. 6: 79. Sept. 10, 1890. On oak (Quercus), N. J. N. Am. F. 3101 and 3101-b; F. Col. 503, 910.
 - = Scindalma andersonii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 518. 1898.
 - = Xanthochrous andersonii (Ell. & Ev.) Pat. Essai Taxon. p. 101. 1900.
 - = Poria andersonii (Ell. & Ev.) Lloyd Myc. Writ. 2, Let. 34, p. 2. 1911 (P. andersonii (Ell. & Ev.) Neuman Bull. Wisc. Geol. Nat. Hist. 33, p. 57. 1914.
 - = Xanthoporia andersonii (Ell. & Ev.) Murr. Mycol. 8: 57. 1916.
 - ---- balansae (Speg.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus balansae Speg. Anal. Soc. Cient. Argent. 17: 43. 1884.
 - ---- cichoriaceus (Berk.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polystictus cichoriaceus Berk. in Fr. Nov. Symb. p. 76. 1851.
 - ---- circinatus (Fr.) Ell. & Ev. Jour. Myc. 5: 28. Mar. 1889.
 - Syn.: Polyporus circinatus Fr. Vet. Akad. Handl. 1848, p. 8.
- ---- conchatus (Pers. ex Fr.) Ell. & Ev. Jour. Myc. 5: 92. June 1889.
 - Syn.: Boletus conchatus Pers. ex Fr. Syst. Myc. 1: 376. 1821.
- ---- contiguus (Pers. ex Fr.) (as "A. & S.") Ell. & Ev. Cat. Pl. N. J. p. 486. 1889.
 - Syn.: Boletus contiguus Pers. ex Fr. Syst. Myc. 1: 378. 1821.
- ---- crocatus (Fr.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus crocatus Fr. Epicr. Myc. p. 477. 1838.
- ---- dualis (Pk.) Ell. & Ev. Jour. Myc. 5: 28. Mar. 1889.
 - Syn.: Polyporus dualis Pk. Rept. N. Y. Mus. 30, p. 44. 1878.
- ---- everhartii Ell. & Gall. Jour. Myc. 5: 141, illus. Sept. 1889. On Quercus nigra, N. J., and Pa. N. Am. F. 3303; F. Col. 911.
 - = Xanthochrous everhartii (Ell. & Gall.) Pat. Cat. Tunis p. 51. 1897.
 - = Scindalma everhartii (Ell. & Gall.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 518. 1898.
 - = Pyropolyporus everhartii (Ell. & Gall.) Murr. Bull. Torr. Club 30: 114. 1903.
 - = Fomes everhartii (Ell. & Gall.) Schrenk & Spauld. Bull. U. S. Bur. Pl. Ind. 149, p. 48, illus. 1909 (as F. everhartii Ell. & Gall.).
 - = Phellinus everhartii (Ell. & Gall.) Ames Ann. Myc. 11: 246. 1913.

- Mucronoporus everhartii (Continued)
 - (P. everhartii (Ell. & Gall.) Pilát Atlas Champ. Eur. B, 3: 522, illus. 1942).
 - = Fulvifomes everhartii (Ell. & Gall.) Murr. Northern Polyp. p. 50. 1914.
- ---- ferruginosus (Schrad. ex Fr.) Ell. & Ev. Jour. Myc. 5: 90. June 1889. Cat. Pl. N. J. p. 486. 1889. F. Col. 207.
 - Syn.: Boletus ferruginosus Schrad. ex Fr. Syst. Myc. 1: 378. 1821.
- ---- fulvidus Ell. & Ev. Proc. Acad. Phil. 1894, p. 323. Dec. 11, 1894. On Alnus, Calif.
 - = Scindalma fulvidum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 518. 1898.
 - = Fuscoporia fulvida (Ell. & Ev.) Murr. N. Am. Fl. 9: 5. 1907.
 - = Poria fulvida (Ell. & Ev.) Lloyd Letter 59, p. 2. Oct. 1915.
 - = Poria ferrea Pers. ex Fr. sec. Overh. Mycol. 23: 117. 1931.
 - = Fuscoporia ferrea (Pers. ex Fr.) Cunn. N. Zeal. Dept. Sci. & Industr. Res. Pl. Dis. Div. Bull. 73, p. 7. 1948.
- ---- gilvus (Schw. ex Fr.) Ell. & Ev. Jour. Myc. 5: 28. Mar. 1889. Cat. Pl. N. J. p. 486. 1889. Bull. Lab. Nat. Hist. Iowa 3, no. 4, p. 193. 1896. F. Col. 603.
 - Syn.: Boletus gilvus Schw. ex Fr. Elench. Fung. p. 104. 1828.
- ---- igniarius (L. ex Fr.) Ell. & Ev. Jour. Myc. 5: 91. June 1889. Cat. Pl. N. J. p. 486. 1889. F. Col 401.
 - Syn.: Boletus igniarius L. ex Fr. Syst. Myc. 1: 375. 1821.
- ---- isidioides (Berk.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus isidioides Berk. Lond. Jour. Bot. 2: 515. 1843.
- ---- licnoides (Mont.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889. Bull. Iowa Univ. Lab. Nat. Hist. 3, no. 4, p. 193. 1896.
 - Syn.: Polyporus licnoides Mont. Pl. Cell. Cuba p. 401, illus. 1842.
- ---- nigricans (Fr.) Ell. & Ev. Jour. Myc. 5: 92. June 1889.
 - Syn.: Polyporus nigricans Fr. Syst. Myc. 1: 375. 1821.
- ---- obliquus (Pers. ex Fr.) Ell. & Ev. Jour. Myc. 5: 91. June 1889.
 - Syn.: Boletus obliquus Pers. ex Fr. Syst. Myc. 1: 378. 1821.

- Mucronoporus protractus (Fr.) Ell. & Ev. Jour. Myc. 5: 92. June 1889.

 Combination not formally made, but species referred to Mucronoporus.
 - Syn.: Trametes protracta Fr. Vet. Akad. Handl. 1851, p. 52.
- ---- rufi-tinctus (Berk. & Curt.) Ell. & Macbr. Bull. Iowa Univ. Lab.
 Nat. Hist. 3, no. 4, p. 193. Feb. 1896.
 - Syn.: Poria rufi-tincta Berk. & Curt. Grev. 15: 25. 1886.
- ---- salicinus (Pers. ex Fr.) Ell. & Ev. Jour. Myc. 5: 92. June 1889.
 - Syn.: Boletus salicinus Pers. ex Fr. Syst. Myc. 1: 376. 1821.
- ---- setiporus (Berk.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus setiporus Berk. Lond. Jour. Bot. 6: 505, illus. 1847.
- ---- spissus (Schw. ex Fr.) Ell. & Ev. Jour. Myc. 5: 91. June 1889. N. Am. F. <u>2510</u>; F. Col. <u>667</u>.
 - Syn.: Polyporus spissus Schw. ex Fr. Elench. Fung. 1: 111. 1828.
- ---- spongia (Fr.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus spongia Fr. Vet. Akad. Handl. 1852; Monogr. Hymen. Suec. 2: 268. 1863.
- ---- sublilacinus Ell. & Ev. Bull. Torr. Club 27: 50. Feb. 1900. On pine (Pinus), La.
 - = Hapalopilus sublilacinus (Ell. & Ev.) Murr. Bull. Torr. Club 31: 417. 1904.
 - ? = Phellinus gilvus (Schw. ex Fr.) Pat. sec. Pilát Atlas Champ. Eur. B, 3: 498, illus. 1942.
- ---- tabacinus (Mont.) Ell. & Ev. Jour. Myc. 5: 29. Mar. 1889.
 - Syn.: Polyporus tabacinus Mont. Ann. Sci. Nat. Bot. Ser. 2, 3: 349. 1835.
- ---- tabacinus (Mont.) Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 3, no. 4, p. 192. 1896. = P. tabacinus (Mont.) Ell. & Ev.
- ---- tenuis (Karst.) Ell. & Ev. Jour. Myc. 5: 92. June 1889. Combination not formally made, but species referred to Mucronoporus.
 - Syn.: Fomes tenuis Karst. Icon. Hymen. Fenn. 2, p. 14, illus. 1887.

- Mucronoporus tomentosus (Fr.) Ell. & Ev. Jour. Myc. 5: 28, illus. Mar. 1889.
 - Syn.: Polyporus tomentosus Fr. Syst. Myc. 1: 351. 1821.
- Mycenastrum ohiense Ell. & Morgan Jour. Myc. 1: 89. July 1885. Ill., Ohio, and ? Fla. Jour. Myc. 5: 24. 1889.
 - = Scleroderma ohiense (Ell. & Morg.) De T. Sacc. Syll. Fung. 7: 137. 1888.
 - = Bovistella ohiensis (Ell. & Morg.) Morg. Jour. Cincinnati Soc. Nat. Hist. 14: 143. 1891. N. Am. F. 3306; F. Col. 1097.
- ---- oregonense Ell. & Ev. Jour. Myc. 1: 89. July 1885. Oreg.; Mich., and Ontario. Jour. Myc. 1: 86. 1885; 5: 23. 1889.
 - = Scleroderma oregonense (Ell. & Ev.) De T. Sacc. Syll. Fung. 7: 136. 1888.
- Mycosphaerella lithospermi Ell. & Ev. Bull. Torr. Club 27: 52. Feb. 1900. On Lithospermum officinale, Ontario.
 - Syn.: Sphaerella lithospermi Ell. & Ev. F. Col. 1327. May 1899. (S. lithospermi Sacc. & Syd. Syll. Fung. 16: 472. 1902).
- Myriadoporus subsulphureus Ell. & Ev. Bull. Torr. Club 24: 277. June 29, 1897. On decaying wood, Colo.
 - = Poria subsulphurea (Ell. & Ev.) Murr. Mycol. 11: 242. 1919.
- Myriococcum consimile Ell. & Ev. Proc. Acad. Phil. 1890, p. 220. Sept. 30, 1890. On basswood (Tilia), N. J. Cat. Pl. N. J. p. 509. 1889. N. Am. Pyren. p. 57. 1892.
- ---- everhartii Sacc. & Ell. Syll. Fung. 1: 760. June 13, 1882. On rotten wood, N. J. Cat. Pl. N. J. p. 509. 1889. Proc. Acad. Phil. 1890, p. 221. 1890. N. Am. Pyren. p. 57, 748, illus. 1892. N. Am. F. 766.
- Myrmaecium dichaenoides (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 551.

 May 1892.
 - Syn.: Melogramma dichaenoides Berk. & Curt. Grev. 4: 98. 1876.
- ---- fraxineum Ell. & Ev. Jour. Myc. 9: 168. Oct. 29, 1903. On Fraxinus viridis?, Ill.
- ---- subaquilum (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 552. May 1892.
 - Syn.: Melogramma subaquilum Berk. & Curt. Grev. 4: 98. 1876.

- Mystrosporium erectum Ell. & Ev. Jour. Myc. 4: 53. June 1888. On Zea mays, La.
 - = Macrosporium erectum (Ell. & Ev.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 657. 1896.
- ---- orbiculare Cke. & Ell. Grev. 7: 40. Dec. 1878. On Ilex, N. J. Prel. Cat. Fl. N. J. p. 187. 1881. Cat. Pl. N. J. p. 570. 1889.
 - = Macrosporium orbiculare (Cke. & Ell.) Pound & Clements Bull. Geol. Nat. Hist. Surv. Minn. 9: 657. 1896.
- Mytilidion (as "Mytilinidion") californicum Ell. & Harkn. Bull. Torr. Club 8: 51. May 1881. On Sequoia gigantea, Calif. N. Am. Pyren. p. 688. N. Am. F. 1337 (with Sphaeria consociata Ell. & Harkn.).
- ---- (as "Mytilinidion") juniperi Ell. & Ev. Jour. Myc. 4: 57. June 1888.
 On Juniperus virginiana, N. J. N. Am. F. 2152.
 - = Mytilidion tortile (Schw.) Sacc. sec. Ell. & Ev. N. Am. Pyren. p. 688. 1892. N. Am. F. 2829.
- ---- nova-caesariense Ell. in Seym. Host Index p. 43. 1929. = M. nova-caesariense (Ell.) Rehm Ascom. 313. 1876. See Hysterium nova-caesariense Ell.
- Myxormia convexula Cke. & Ell. Grev. 7: 6. Sept. 1878. On Robinia, N. J. Prel. Cat. Fl. N. J. p. 181. 1881. Cat. Pl. N. J. p. 590. 1889. N. Am. F. 628.
- ---- melanconioides Ell. (ined.). On Osmunda, N. J. Specimen with descriptive notes in Myc. Coll.
- Myxosporium corni Ell. & Ev. Bull. Torr. Club 24: 290. June 29, 1897. On Cornus florida, Mich.
 - = Myxosporium everhartii Sacc. & Syd. Syll. Fung. 14: 1014. 1899.
- ---- fumosum Ell. & Ev. Jour. Myc. 10: 169. June 24, 1904. On Tilia americana, Ill.
- ---- luteum Ell. & Ev. Proc. Acad. Phil. 1893, p. 458. Mar. 13, 1894. On Carya tomentosa, W. Va. N. Am. F. 2954; F. Col. 150.
 - = Discosporium luteum (Ell. & Ev.) Hoehn. Zeit. Gaerungsphysiol. 5: 215. 1915.
- ---- platanicola (as "platanicolum") Ell. & Ev. Proc. Acad. Phil. 1894, p. 372. Dec. 11, 1894. On Platanus, W. Va. N. Am. F. 3180.

- Myxosporium seriatum Ell. & Ev. Proc. Acad. Phil. 1894, p. 372. Dec. 11, 1894. On maple (Acer), W. Va.
- ---- subviride Ell. & Ev. Jour. Myc. 2: 103. Sept. 1886. On birch (Betula), N. J.
- Naemacyclus culmigenus Ell. & Langl. Proc. Acad. Phil. 1893, p. 151. Apr. 11, 1893. On Panicum proliferum, La.
- ---- griseus Cke. & Ell. in Seym. Host Index p. 73. 1929. = N. griseus (Cke. & Ell.) Sacc. Syll. Fung. 8: 702. 1889. See Propolis grisea Cke. & Ell.
- Naemaspora microsperma Ell. & Ev. Jour. Myc. 5: 156. Sept. 1889. On Acer saccharinum, Ontario.
 - = Roscoepoundia microsperma (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 515. 1898.
- Naematelia cerebriformis Ell. in Pk. Rept. N. Y. St. Mus. 30, p. 49. Nov. 1878. On Carpinus americana, N. Y.
- ---- discoidea Ell. & Ev. (ined.). Colo., Bethel 290. Specimen in Myc. Coll.
- ---- fusarioides Ell. & Ev. (ined.). On Castanea, N. J. Specimen in Myc. Coll.
- Napicladium astragali Ell. & Ev. Jour. Myc. 4: 114. Nov. 1888. On Astragalus chamaeleuca, Mont.
- Nectria athroa Ell. & Ev. Proc. Acad. Phil. 1890, p. 247. Sept. 30, 1890. On sycamore (Platanus), Kans. N. Am. Pyren. p. 106. 1892.
 - = Nectria sanguinea Fr. sec. Seaver Mycol. 1: 64. 1909.
- ---- atrofusca (Schw.) Ell. & Ev. Jour. Myc. 1: 140. Nov. 1885. N. Am. Pyren. p. 99. 1892. N. Am. F. 1547.
 - Syn.: Sphaeria atrofusca Schw. Trans. Am. Phil. Soc. ser. 2, 4: 206. 1832.
- ---- aureofulva Cke. & Ell. Grev. 7: 8. Sept. 1878. On Magnolia, N. J. Prel. Cat. F. N. J. p. 197. 1881. Jour. Myc. 2: 98. 1886. Cat. Pl. N. J. p. 512. 1889. N. Am. Pyren. p. 99. 1892. N. Am. F. 574.
 - = Cucurbitaria aureofulva (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 460. 1898.
 - = Creonectria ochroleuca (Schw.) Seaver Mycol. 1: 190. 1909.

- Nectria bicolor Ell. & Ev. Proc. Acad. Phil. 1893, p. 443. Feb. 27, 1894. On Carya, Del.
 - = Nectria flavociliata Seaver Mycol. 1: 54. 1909.
- ---- brassicae Ell. & Sacc. Michelia 2: 374. Mar. 5, 1881. On Brassica, N. J. Prel. Cat. Fl. N. J. p. 197. 1881. Jour. Myc. 8: 66. 1902. N. Am. F. 572, 572-b.
 - = Dialonectria brassicae (Ell. & Sacc.) Cke. Grev. 12: 110. 1884. Cat. Pl. N. J. p. 513. 1889 (as D. brassicae Ell. & Sacc.).
 - = Cucurbitaria brassicae (Ell. & Sacc.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 460. 1898.
- ---- canadensis Ell. & Ev. Bull. Torr. Club 11: 74. July 1884. On elm (Ulmus), Ontario. Jour. Myc. 2: 122. 1886.
 - = Calonectria canadensis (E11. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. Addit. 1-4, p. 212. 1886 (C. canadensis (E11. & Ev.) E11. & Ev. N. Am. F. 2547. 1891. N. Am. Pyren. p. 112, illus. 1892. F. Col. 25, 226.)
 - = Scoleconectria canadensis (Ell. & Ev.) Seaver Mycol. 1: 199. 1909.
- ---- chaetostroma Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 4: 70. Dec. 1896. On bark, Nicaragua.
 - = Macbridella chaetostroma (Ell. & Macbr.) Seaver Mycol. 1: 195. 1909.
 - = Letendraea chaetostroma (Ell. & Macbr.) Weese Sitz.Akad. Wien 125, p. 514. 1916.
- ---- coccicola Ell. & Ev. Jour. Myc. 2: 39. Apr. 1886. On scales on bark of orange (Citrus), Fla. See Dialonectria coccicola (Ell. & Ev.) Ell. & Ev.
- ---- conigena Ell. & Ev. Bull. Torr. Club 10: 77. July 1883. On Magnolia glauca, N. J. See Dialonectria conigena (Ell. & Ev.) Ell. & Ev.
 - = Creonectria ochroleuca (Schw.) Seaver N. Am. Fl. 3: 23. 1910.
- ---- cytisporina Ell. & Ev. Erythea 1: 197. Oct. 2, 1893. On fir (Abies), Wash.
 - ? = Creonectria pithyoides (Ell. & Ev.) Seaver N. Am. Fl. 3: 20. 1910.
- ---- diplocarpa Ell. & Ev. Proc. Acad. Phil. 1890, p. 244. Sept. 30, 1890. On Parmelia?, N. Y. N. Am. Pyren. p. 101. 1892.
 - = Cucurbitaria diplocarpa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.

- Nectria dispersa Cke. & Ell. Grev. 5: 33, illus. Sept. 1876. On bark, Maine. N. Am. Pyren. p. 103. 1892.
 - = Dialonectria dispersa (Cke. & Ell.) Cke. Grev. 12: 110. 1884.
 - = Cucurbitaria dispersa (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
- ---- (Calonectria) fulvida Ell. & Ev. Jour. Myc. 1: 140. Nov. 1885. On oak (Quercus), N. J. See Ophionectria cerea (Berk. & Curt.) Ell. & Ev.
- ---- lactea Ell. & Morg. In Ell. & Ev. N. Am. Pyren. p. 110. May 1892. On Polyporus, Stereum, Melia, Ohio, Fla., and La.
- ---- lasioderma Ell. Am. Nat. 17: 194. Feb. 1883. On Valsa lutescens Ell. on Quercus coccinea, N. J. N. Am. Pyren. p. 109. 1892. N. Am. F. 1177.
 - = Iasionectria lasioderma (Ell.) Cke. Grev. 12: 112. 1884. Jour. Myc. 3: 1. 1887. Cat. Pl. N. J. p. 513. 1889 (as L. lasioderma Ell.)
 - = Cucurbitaria lasioderma (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - ? = Nectria peziza (Tode ex Fr.) Fr. sec. Seaver Mycol. 1: 52. 1909.
- ---- microspora Cke. & Ell. Grev. 5: 53, illus. Dec. 1876. On Magnolia, N. J. Prel. Cat. Fl. N. J. p. 197. 1881. Jour. Myc. 2: 97. 1886. Proc. Acad. Phil. 1890. p. 247. 1890. N. Am. Pyren. p. 94, 99. 1892. N. Am. F. 3519; F. Col. 929.
 - = Nectriella microspora (Cke. & Ell.) Sacc. Syll. Fung. 2: 450. 1883.
 - = Nectria episphaeria (Tode ex Fr.) Fr. sec. Seaver N. Am. F. 3: 10. 1910.
- ---- missouriensis Ell. & Ev. Jour. Myc. 4: 57. June 1888. On Carya alba, Mo.
 - = Pleonectria missouriensis (Ell. & Ev.) Sacc. Syll. Fung. 9: 990. 1891. N. Am. Pyren. p. 115. 1892.
 - = Paranectria missouriensis (Ell. & Ev.) Rabh. in Wint. F. Eur. 3748. 1891.
 - = Thyronectria missouriensis (Ell. & Ev.) Seaver Mycol. 1: 205. 1909.
- ---- nipogonensis Ell. & Ev. Proc. Acad. Phil. 1893, p. 129. Apr. 11, 1893. On Diatrypella favacea (Fr.) Nits. on birch (Betula), Ontaria.
 - = Cucurbitaria nipogonensis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Creonectria nipogonensis (Ell. & Ev.) Seaver Mycol. 1: 189. 1909.

- Nectria obscurata Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 398. Nov. 1893. On bark, Nicaragua.
 - = Cucurbitaria obscurata (Ell. & Ev. Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - ? = Nectria sanguinea (Bolt. ex Fr.) Fr. sec. Seaver N. Am. Fl. sec. Seaver N. Am. Fl. 3: 10. 1910.
- ---- pallida Ell. & Ev. Proc. Acad. Phil. 1894, p. 325. Dec. 11, 1894. On Carya alba, Mo.
 - = Cucurbitaria pallida (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Creonectria ochroleuca (Schw.) Seaver Mycol. 1: 190. 1909.
- ---- perforata Ell. & Holw. in Arth. et al. Bull. Minn. Geol. & Nat. Hist. Surv. 3, p. 33. Oct. 1, 1887. On Agaricus (sect. Pleurotus), Minn. See Dialonectria perforata (Ell. & Holw.) Ell. & Ev.
 - = Nectria peziza (Tode ex Fr.) Fr. sec. Seaver N. Am. Fl. 3: 7. 1910.
- ---- pithoides Ell. & Ev. Proc. Acad. Phil. 1890, p. 247. Sept. 30, 1890. On alder (Alnus), Brit. Col. N. Am. Pyren. p. 94. 1892. N. Am. F. 2750.
 - = Cucurbitaria pithoides (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Creonectria pithoides (Ell. & Ev.) Seaver Mycol. 1: 187. 1909.
- ---- poliosa Ell. & Ev. Jour. Myc. 2: 39. Apr. 1886. On Diatrype platystoma (Schw.) Curt. Fla. See Lasionectria poliosa (Ell. & Ev.) Ell. & Ev.
 - = Cucurbitaria poliosa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
- ---- rexiana Ell. Am. Nat. 17: 194. Feb. 1883. On Chondrioderma spumarioides (Fr.) Rost., N. Y. N. Am. Pyren. p. 110. 1892.
 - = Lasionectria rexiana (Ell.) Cke. Grev. 12: 112. 1884. Jour. Myc. 3: 2. 1887.
 - = Cucurbitaria rexiana (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
- ---- rubefaciens Ell. & Ev. Jour. Myc. 3: 116. Oct. 1887. On lichen, N. J. N. Am. Pyren.p. 108. 1892.
 - = Cucurbitaria rubefaciens (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.

- Nectria sambuci Ell. & Ev. Proc. Acad. Phil. 1890, p. 246. Sept. 30, 1890. On Sambucus canadensis, Nebr. N. Am. Pyren. p. 94. 1892.
 - = Cucurbitaria sambuci (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Creonectria purpurea (L. ex Fr.) Seaver Mycol. 1: 184. 1909.
- ---- secalina Ell. & Ev. Jour. Myc. 8: 66. June 1902. On Secale cereale, Ala.
 - Suggests N. ochroleuca (Schw.) Berk. sec. Seaver N. Am. Fl. 3: 12. 1910.
- ---- sphaerospora Ell. & Ev. in Bessey & Webber Rept. Nebr. Bd. Agr. 1889, p. 193. 1890. See Chilonectria crinigera Ell. & Ev.
- ---- squamulosa Ell. Bull. Torr. Club 9: 20. Feb. 1882. On decaying wood, (N. J.). N. Am. Pyren. p. 104. 1892.
 - = Dialonectria squamulosa (Ell.) Cke. Grev. 12: 110. 1884 (D. squamulosa Ell. Cat. Pl. N. J. p. 513. 1889).
 - = Cucurbitaria squamulosa (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
- ---- striispora Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 398. Nov. 1893. On bark, Nicaragua.
 - = Cucurbitaria striispora (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Macbridella striispora (Ell. & Ev.) Seaver Mycol. 1: 196. 1909.
 - = Calostilbe striispora (Ell. & Ev.) Seaver Mycol. 20: 248. 1928.
- ---- subcoccinea Sacc. & Ell, Michelia 2: 570. Dec. 1, 1882. Jour. Myc. 2: 110. 1886. N. Am. Pyren. p. 95. 1892. N. Am. F. 1333.
 - = Cucurbitaria subcoccinea (Sacc. & Ell.) (as "Ell. & Sacc.") Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Sphaerostilbe coccophila (Desm.) Tul. sec. Seaver Mycol. 1: 180. 1909.
 - = Nectria coccophila Wr. Zentralbl. Bakt. Abt. 2, 106: 118. 1943.
- ---- sulphurata Ell. & Ev. Proc. Acad. Phil. 1890, p. 248. Sept. 30, 1890. On Populus tremuloides, Mont. N. Am. Pyren. p. 105. 1892.
 - = Cucurbitaria sulphurata (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 461. 1898.
 - = Pseudonectria sulphurata (Ell. & Ev.) Seaver Mycol. 1: 48. 1909.
- ---- tremelloides Ell. & Ev. Jour. Myc. 2: 121. Nov. 1886. On willow (Salix), La. Jour. Myc. 2: 121. 1886. N. Am. Pyren. p. 101. 1892.

- Nectria truncata Ell. Am. Nat. 17: 194. Feb. 1883. (On white cedar (Chamaecyparis) N. J.) N. Am. Pyren. p. 102. 1892. N. Am. F. 1332.
 - = Dialonectria truncata (Ell.) Cke. Grev. 12: 110. 1884 (D. truncata Ell. Cat. Pl. N. J. p. 513. 1889).
 - = Cucurbitaria truncata (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 462.
- ---- vulpina Ell. & Ev. in Seaver Mycol. 1: 52. 1909. = N. vulpina (Cke.) Cke. in Ell. N. Am. F. 774. Apr. 13, 1882.
- Nectriella cacti Ell. & Ev. Jour. Myc. 8: 66. June 1902. On Opuntia ficus indica, Ala.
 - = Hyponectria cacti (Ell. & Ev.) Seaver Mycol. 1: 20. 1909.
- Neocytispora pallida Ell. & Ev. (nom. nud.) in Barth. F. Col. 1617. 1902. and Sacc. Syll. Fung. 18: 301. 1906.
 - = Cytospora pallida Ell. & Ev. 1. c.
- Nidularia castanea (nom. nud.) in V. White Bull. Torr. Club 29: 276. 1902.
 - = Granularia castanea V. White 1. c.
- ---- rubella Ell. & Ev. Bull. Torr. Club 11: 18. Feb. 1884. On pine (Pinus), N. J.
- Niptera lithospermi Ell. & Ev. Proc. Acad. Phil. 1893, p. 147. Apr. 11, 1893. On Lithospermum canescens, Mont.
 - = Calloria lithospermi (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 165. 1951.
- Nitschkia euomphala (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 246. May 1892.
 - Syn.: Sphaeria euomphala Berk. & Curt. Grev. 4: 141. 1876.
- Nummularia albosticta Ell. & Morg. Bull. Torr. Club 24: 135. Mar. 30, 1897. On hickory (Carya), Ohio.
- ---- excavata (Schw.) Ell. & Ev. Jour. Myc. 5: 20. Mar. 1889.
 - Syn.: Sphaeria excavata Schw. Trans. Am. Phil. Soc. ser. 2, 4: 195. 1832.
- ---- lateritia Ell. & Ev. Proc. Acad. Phil. 1893, p. 144. Apr. 11, 1893. On Fraxinus sambucifolia, Ontario. N. Am. F. 3033; F. Col. 326.
 - = Kommamyce lateritia (Ell. & Ev.) Nieuwland Am. Midl. Nat. 4: 375. 1916.

- Odontia glauca Ell. & Langl. (ined.). On wood, La., Langl. 2586, 2587, 2591. Specimens in Myc. Coll.
- Odontotrema pezizoides Ell. & Ev. (ined.). On Tsuga mertensiana, Wash. Specimen in Herb. Wash. St. Coll.
- Ohleria rugulosa var. nigerrima Ell. in Seym. Host Index p. 265. 1929. See Sphaeria (Ohleria) rugulosa Fckl. var. nigerrima Ell.
- Oidium compactum Cke. & Ell. Grev. 6: 5, illus. Sept. 1877; 7: 39. 1878. On Vaccinium, N. J.
 - = Oospora compacta (Cke. & Ell.) Sacc. & Vogl. in Sacc. Syll. Fung. 4: 13. 1886.
 - = Alysidium compactum (Cke. & Ell.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 650. 1896.
 - = Acrosporium compactum (Cke. & Ell.) Sumstine Mycol. 5: 58. 1913.
- ---- obductum Ell. & Langl. Jour. Myc. 6: 35. May 1890. On Quercus (falcata?), Ia. N. Am. F. 2869.
 - = Acrosporium obductum (Ell. & Langl.) Sumstine Mycol. 5: 58. 1913.
- ---- persicinum Ell. (ined.). On peach (Amygdalus persica), Calif. Specimens in Myc. Coll.
- ---- pirinum Ell. & Ev. Jour. Myc. 5: 68. June 1889. On Pirus coronaria, Wisc.
 - = Acrosporium pyrinum (Ell. & Ev.) Sumstine Mycol. 5: 58. 1913.
- Ombrophila albofusca Ell. Bull. Torr. Club 9: 73. June 1882. On Magnolia glauca, (N. J.) Cat. Pl. N. J. p. 551. 1889.
 - Doubtful species, sec. Seaver N. Am. Cup-F. Inopercul. p. 232. 1951.
- ---- aurea Ell. Bull. Torr. Club 8: 74. July 1881. On cedar (? Chamae-cyparis), (N. J.). Cat. Pl. N. J. p. 551. 1889. N. Am. F. 395; F. Col. 1025.
 - = Calloria aurea (Ell.) Sacc. Syll. Fung. 8: 640. 1889.
- Oomyces langloisii (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 69, illus. May 1892.
 - Syn.: Coscinaria langloisii Ell. & Ev. Jour. Myc. 2: 88. 1886.

- Oospora cuboidea Sacc. & Ell. Michelia 2: 576. Dec. 1, 1882. On Quercus, N. J. Cat. Pl. N. J. p. 557. 1889.
 - = Alysidium cuboideum (Sacc. & Ell.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 650. 1896. (A. cuboideum (Sacc. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 442. 1898).
 - = Geotrichum cuboideum (Sacc. & Ell.) Sumstine Mycol. 5: 56. 1913.
- Oospora heterospora Ell. & Ev. Bull. Torr. Club 24: 470. Oct. 30, 1897. On Xylaria polymorpha (Pers. ex Fr.) Grev., Mo.
- ---- tulipiferae Ell. & G. Martin Am. Nat. 16: 1004. Dec. 1882. On Liriodendron, Pa. N. Am. F. 1644.
 - = Alysidium tulipiferae (Ell. & G. Martin) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 650. 1896 (A. tulipiferae (Ell. & G. Martin) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 442. 1898).
 - = Toruloidea tulipiferae (Ell. & G. Martin) Sumstine Mycol. 5: 54. 1913.
- Ophiobolus andropogonis Ell. & Ev. Proc. Acad. Phil. 1893, p. 448. Feb. 27, 1892. On Andropogon muricatus, Ia.
- ---- collapsus Ell. & Sacc. Michelia 2: 374. Mar. 5, 1881. On Trifolium pratense, N. J. N. Am. Pyren. p. 398. 1892.
 - Syn.: Sphaeria collapsa Ell. & Sacc. N. Am. F. 584. 1881.
 - = Raphidospora collapsa (Ell. & Sacc.) Cke. Grev. 18: 16. 1889.
- ---- consimilis Ell. & Ev. Jour. Myc. 4: 77. Aug. 1888. On okra (Hibiscus), La. N. Am. Pyren. p. 394. 1892. Proc. Acad. Phil. 1895, p. 424. 1895.
- fragilisporus Ell. & Ev. Proc. Acad. Phil. 1894, p. 337. Dec. 11, 1894. On dead herbaceous stems, Colo.
- ---- hamasporus Ell. & Ev. Jour. Myc. 3: 117. Oct. 1887. On Quercus (tinctoria?), Kans. N. Am. Pyren. p. 396. 1892.
- ---- helianthi Ell. & Ev. Proc. Acad. Phil. 1895, p. 423. Nov. 5, 1895. On Helianthus maximiliani, Kans.
 - = Leptosphaeria sec. Berl. Icon. Pyren. 2: 136. 1899.
- ---- instabilis Ell. & Ev. Bull. Torr. Club 25: 504. Sept. 10, 1898. On Artemisia biennis, Wisc.

- Ophiobolus medusa Ell. & Ev. Jour. Myc. 1: 150. Dec. 1885. On Spartina, N. J. N. Am. Pyren. p. 395. 1892. Proc. Acad. Phil. 1893, p. 448. 1894.
 - = Rhaphidospora medusae (Ell. & Ev.) Cke. Grev. 18: 16. 1889.
 - = Halophiobolus medusa (Ell. & Ev.) Linder Farlowia 1: 419. 1944.
 - = Linocarpon medusa (Ell. & Ev.) Petr. Sydowia 6: 388. 1952.
- ---- medusae Ell. & Ev. var. minor Proc. Acad. Phil. 1890, p. 239. Sept. 30, 1890. On Andropogon muricatus, La.
- ---- purpureus Ell. & Ev. Proc. Acad. Phil. 1895, p. 424. Nov. 5, 1895. On Umbelliferae, Colo.
 - = Leptosphaeria sec. Berl. Icon. Pyren. 2: 136. 1899.
- ---- staphylinus Ell. & Ev. Jour. Myc. 1: 150. Dec. 1885. On Staphylea trifolia, Pa. N. Am. Pyren. p. 397. 1892.
- ---- trichisporus Ell. & Ev. Proc. Acad. Phil. 1890, p. 239. Sept. 30, 1890. On grass culms, Ontario. N. Am. Pyren. p. 394. 1892.
 - Possibly Couthocarpon sec. Berl. Icon. Pyren. 2: 118. 1899.
- ---- versisporus Ell. & G. Martin Jour. Myc. 1: 99. Aug. 1885. On Sabal serrulata, Fla. N. Am. Pyren. p. 398. 1892. N. Am. F. 1961; also on some specimens of 2875 (Torula conglutinata Cda.).
 - = Raphidospora versispora (Ell. & G. Martin) Cke. Grev. 18: 17. 1889.
 - = Linocarpon versisporum (Ell. & G. Martin) Petr. Sydowia 6: 388.
- Ophioceras ohiense Ell. & Ev. N. Am. Pyren. p. 198. May 1892. On rotten wood, Ohio.
- Ophiodothis alnea (Pers. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 620. May 1892.
 - Syn.: Xyloma alneum Pers. ex Fr. Syst. Myc. 2: 564. 1823.
- Ophionectria cerea (Berk. & Curt.) Ell. & Ev. N. Am. Pyren. p. 118.
 May 1892.
 - Syn.: Sphaeria cerea Berk. & Curt. Grev. 4: 108.
 - Nectria fulvida Ell. & Ev. Jour. Myc. 1: 140. 1885. Cat. Pl. N. J. p. 512. 1889. Proc. Acad. Phil. 1890, p. 245. 1890.
 - Dialonectria fulvida (Ell. & Ev.) Ell. & Ev. Jour. Myc. 2: 122. 1888.
 - : Ophionectria everhartii Ell. & Gall. Jour. Myc. 6: 32. 1890.
 - : Calonectria fulvida (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. 9: 986. 1891.

- Ophionectria coccicola Ell. & Ev. in Seym. Host Index p. 451. 1929.

 = O. coccicola (Ell. & Ev.) Berl. & Vogl. in Sacc. Syll. Addit. 1-4, p. 218. 1886. See Dialonectria coccicola (Ell. & Ev.) Ell. & Ev.
- ---- cockerelli Ell. & Ev. Jour. Inst. Jamaica 1: 141. Aug. 1892. On Philampelus vitis, Jamaica. See Cordyceps cockerelli (Ell. & Ev.) Ell.
- ---- everhartii Ell. & Gall. Jour. Myc. 6: 32. May 1890. On Diatrype stigma (Hoffm. ex Fr.) Fr. on oak (Quercus), N. J. See Ophionectria cerea (Berk. & Curt.) Ell. & Ev.
- Ophiotheca umbrina Ell. (nom. nud.) in Cke. Grev. 20: 38. 1891. N. Am. F. 726 issued as O. umbrina Berk.
 - = Perichaena confusa Mass. sec. Cke. 1. c.
- Orbilia caulophylli Ell. & Ev. Proc. Acad. Phil. 1893, p. 145. Apr. 11, 1893. On Caulophyllum thalictroides, Ontario. N. Am. F. 2811.
 - = Calloria caulophylli (Ell. & Ev.) Rehm sec. Seym. Host Index p. 315. 1929.
- Otthia fruiticola (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 250. May 1890. F. Col. 718.
 - Syn.: Parodiella fruticola Ell. & Ev. Jour. Myc. 4: 97. Oct. 1888. N. Am. F. 2129.
 - : Plowrightia fruticola Ell. & Ev. in F. W. Anderson Jour. Myc. 5: 84. 1889.
- ---- hypoxyloides (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 249, illus. May 1892.
 - Syn.: Amphisphaeria hypoxylon Ell. & Ev. Jour. Myc. 2: 41. 1886.
 - (? = Dimerium sec. Hansford Kew Mycol. Pap. 15, p. 81. 1946.) = Melanomma hypoxylon (Ell. & Ev.) Cke. Grev. 16: 53. 1887.
 - = Otthia hypoxylon (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 216. 1905. (O. hypoxylon (Ell. & Ev.) Shear F. Col. 2438. 1907.).
- ---- morbosa (Schw. ex Fr.) Ell. & Ev. N. Am. Pyren. p. 251. May 1892. F. Col. 717.
 - Syn.: Sphaeria morbosa Schw. ex Fr. Syst. Myc. 2: 417. 1823.
- ---- ostryaegena Ell. & Ev. Proc. Acad. Phil. 1893, p. 133. Apr. 11, 1893. On Ostrya virginica, Ontario. N. Am. F. 3017.

- Otthia quercicola Ell. & Ev. N. Am. Pyren. p. 250. May 1892. On oak (Quercus), N. J.
- ---- staphylina (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 251, illus. May 1892. N. Am. F. 3320.
 - Syn.: Plowrightia staphylina Ell. & Ev. Proc. Acad. Phil. 1890, p. 248. Sept. 30, 1890.
 - = Otthiella staphylina (Ell. & Ev.) Dearn. & House Bull. N. Y. St. Mus. 266, p. 71. 1925.
- ---- symphoricarpi (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 249. May 1892.
 - Syn.: Plowrightia symphoricarpi Ell. & Ev. Proc. Acad. Phil. 1890, p. 249. 1890. N. Am. F. 2374.
 - = Pseudotthia symphoricarpi (Ell. & Ev.) Rehm Ann. Myc. 11: 169.
 - = Valsaria symphoricarpi (Ell. & Ev.) Th. & Syd. sec. Seym. Host Index p. 627. 1929.
- Ovularia bullata Ell. & Ev. Bull. Torr. Club 24: 471. Oct. 30, 1897. On Stachys bullata, Calif.
- ---- carletoni Ell. & Kell. Jour. Myc. 5: 144. Sept. 1889. On Lactuca, Kans.
- ---- compacta Ell. & Ev. Jour. Myc. 5: 68. June 1889. On Macrorhyncus troximoides, Colo.
- ---- (?) globifera Ell. & Ev. Bull. Torr. Club 24: 471. Oct. 30, 1897. On Lupinus stiversi, Calif.
 - = Hadrotrichum globiferum (Ell. & Ev.) J. J. Davis Trans. Wisc. Acad. 15: 777. 1907.
- ---- lotophaga Ell. & Ev. Proc. Acad. Phil. 1895, p. 437. Dec. 10, 1895. On Lotus torreyi, Calif.
- ---- maclurae Ell. & Langl. Jour. Myc. 6: 35. May 1890. On Maclura aurantiaca, La. N. Am. F. 2290.
- ---- monilioides Ell. & G. Martin Am. Nat. 19: 77. Jan. 1885. On Myrica, Mass. See Ramularia monilioides (Ell. & G. Martin) Ell. & Ev.
- ---- quercina Ell. & Ev. (ined.). On Quercus prinus, Kans. Specimen in Myc. Coll.

- Ovularia rhamnigena Ell. & Ev. Bull. Torr. Club 24: 471. Oct. 30, 1897. On Rhamnus tomentella, Oreg.
- ---- vancouveriae Ell. & Ev. Proc. Acad. Phil. 1894, p. 375. Dec. 11, 1894. On Vancouveria hexandra, Calif.
 - = Ramularia vancouveriae (Ell. & Ev.) Sprague Mycol. 29: 431. 1937.
- Parodiella fruticola Ell. & Ev. Jour. Myc. 4: 97. Oct. 1888. On Clematis ligusticifolia, Mont. See Otthia fruticola (Ell. & Ev.) Ell. & Ev.
- ---- grammodes reticulata Ell. & Ev. (nom. nud.) in Th. & Syd. Ann. Myc. 15: 130. 1917. On Chapmania floridana, Fla.
 - = Parodiella reticulata Th. & Syd. 1. c.
- ---- rigida Ell. & Ev. Jour. Myc. 4: 62. July 1888. On Pinus rigida, N. J.
 - = Asterina pinastri (Fckl.) Sacc. & Ell. sec. Ell. & Ev. N. Am. Pyren. p. 39. 1892. F. Col. 615.
- Patellaria carolinensis Ell. & Ev. Jour. Myc. 1: 152. Dec. 1885. On wood, S. Car.
 - = Scutularia carolinensis (Ell. & Ev.) Sacc. Syll. Fung. 8: 808. 1889.
- ---- cenangiicola Ell. & Ev. Jour. Myc. 4: 56. June 1888. On Cenan-gium turgidum Schw. on Quercus coccinea, N. J.
 - = Patellea cenangiicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 784 (as P. cenangiicola Ell. & Ev.).
 - = Godroniopsis quernea (Schw.) Diehl & Cash Mycol. 21: 244. 1929.
- ---- clavata Ell. Bull. Torr. Club 8: 74. July 1881. On Andropogon, N. Y. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 553. 1889. N. Am. F. 446.
 - = Lecanidion clavatum (Ell.) Sacc. Syll. Fung. 8: 802. 1889.
 - = Belonidium clavatum (Ell.) Rehm Ann. Myc. 2: 354. 1904.
- ---- cyanea Ell. & G. Martin Jour. Myc. 1: 97. Aug. 1885. On Quercus (? laurifolia), Fla. N. Am. F. 1781 (issued as on Ilex coriacea).
 - = Patellea cyanea (Ell. & G. Martin) Sacc. Syll. Fung. 8: 784. 1889.

- Patellaria cylindrospora Ell. Bull. Torr. Club 6: 108. Sept. 1876. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 553. 1889.
 - = Scutularia cylindrospora (Ell.) Sacc. Syll. Fung. 8: 808. 1889.
- ---- ferruginea Cke. & Ell. Grev. 5: 91. Mar. 1887. On herbaceous stems, N. J. Prel. Cat. Fl. N. P. p. 193. 1881. Cat. Pl. N. J. p. 553. 1889. Proc. Acad. Phil. 1893, p. 453. 1894. N. Am. F. 148.
 - = Dermatea ferruginea (Cke. & Ell.) Rehm Ann. Myc. 2: 353. 1904. Probably a Pezicula sec. J. W. Groves; Seaver N. Am. Cup-F. Inopercul. p. 366. 1951.
- ---- fusco-atra Ell. in Seym. Host Index p. 259. 1929. = P. fusco-atra Rehm in Ell. N. Am. F. 447. 1880.
- ---- gnaphaliana Cke. & Ell. Grev. 6: 91. Mar. 1878. On Gnaphalium decurrens, N. J. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 554. 1889. N. Am. F. 398.
 - = Patinella gnaphaliana (Cke. & Ell.) Sacc. Syll. Fung. 8: 771. 1889.
 - = Pyrenopeziza gnaphaliana (Cke. & Ell.) Rehm Ann. Myc. 2: 354. 1904.
- ---- imperfecta Ell. Bull. Torr. Club 8: 74. July 1881. On corn (Zea mays), (N. J.). Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N.J. p. 554. 1889.
 - = Karschia imperfecta (Ell.) Sacc. Syll. Fung. 8: 782. 1889.
- ---- leucochaetes Ell. & Ev. Jour. Myc. 1: 152. Dec. 1885. On Andropogon, N. J.
 - = Scutularia leucochaete (Ell. & Ev.) Sacc. Syll. Fung. 8: 809. 1889. N. Am. F. 3539.
- ---- nigro-virens Sacc. & Ell. Michelia 2: 572. Dec. 1, 1882. On Quercus, N. J. Cat. Pl. N. J. p. 554. 1889. N. Am. F. 852.
 - = Leciographa sec. E. Butl. Mycol. 32: 812. 1940.
- ---- podascus Ell. (ined.). On Quercus, N. J. Specimen in Myc. Coll.
- ---- signata Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 3. Sept. 1884. On Tsuga pattoniana, Wash.
 - = Blytridium signatum (Ell. & Ev.) Sacc. Syll. Fung. 8: 807. 1889.
 - = Tryblidium signatum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 537. 1898.

- Patellaria subrufa Ell. (ined.). On Vaccinium, N. J. Specimen in Myc. Coll.
- ---- subsidua Cke. & Ell. Grev. 6: 8, illus. Sept. 1877. On Morus, N. J. Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 554. 1889.
 - = Blytridium subsiduum (Ell. & Ev.) Sacc. Syll. Fung. 8: 805. 1889.
 - = Tryblidium subsiduum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 537. 1898.
- ---- subvelata Ell. & Ev. Jour. Myc. 1: 152. Dec. 1885. On conifer, Wash. = Arthonia sec. E. Butl. Mycol. 32: 812. 1940.
- ---- tuberculosa Ell. Bull. Torr. Club 8: 74. July 1881. On Andropogon, N. J.). Prel. Cat. Fl. N. J. p. 193. 1881. Cat. Pl. N. J. p. 554. 1889. N. Am. F. 399.
 - = Lecanidion tuberculosum (Ell.) Sacc. Syll. Fung. 8: 801. 1889.
 - = Belonidium tuberculosum (Ell.) Rehm Ann. Myc. 2: 353. 1904.
 - = Belonidium clavatum (Ell.) Rehm sec. E. Butl. Mycol. 32: 812. 1940.
- Patellea cenangiicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 784. 1889 (as P. cenangiicola Ell. & Ev.). See Patellaria cenangiicola Ell. & Ev.
- ---- hysterioides Ell. & Ev. Proc. Acad. Phil. 1895, p. 429. Nov. 5, 1895. On pine (Pinus), Kans. Erythea 5: 51. 1897.
- Patinella macrospora Ell. & Ev. Proc. Acad. Phil. 1894, p. 354. Dec. 11, 1894. On Geum rossii, Colo. See Patinella monticola Ell.
- ---- monticola Ell. & Ev. Bull. Torr. Club 25: 514. Sept. 10, 1898.
 - Syn.: Patinella macrospora Ell. & Ev. Proc. Acad. Phil. 1894, p. 354. Dec. 11, 1894, nec. P. macrospora Mass.
- ---- vagans Ell. & Ev. Proc. Acad. Phil. 1893, p. 452. Feb. 27, 1894.
 On Lindera benzoin and Eupatorium sessilifolium, Del.
- Paxillus aurantiacus Ell. Bull. Torr. Club 9: 18. Feb. 1882. On cedar (? Chamaecyparis), N. J.
 - Doubtful species sec. Murr. N. Am. Fl. 10: 147. 1917.
- ---- pubescens Ell. Bull. Torr. Club 6: 76. Feb. 1876. N. J. See Gomphidius pubescens (Ell.) Ell.

- Penicillium repens Cke. & Ell. Grev. 7: 6. Sept. 1878. On Magnolia, N. J. Prel. Cat. Fl. N. J. p. 188. 1881. Cat. Pl. N. J. p. 559. 1889. N. Am. F. 553.
- Peniophora anceps Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. Specimens in Myc. Coll., Langl. 854 on Citrus, 871 on Sabal.
- ---- argentea Ell. & Ev. in Burt, Ann. Mo. Bot. Gard. 12: 346, Feb. 18, 1926. On Fraxinus, La.
 - Sterile fungus growth sec. Rogers & Jacks. Farlowia 1: 315. 1943.
- Peniophora atkinsonii Ell. & Ev. Proc. Acad. Phil. 1894, p. 324. Dec. 11, 1894. On bark, N. Y.
 - = Stereum chailletii Pers. sec. Burt Ann. Mo. Bot. Gard. 7: 200. 1920.
 - = Kneiffia atkinsonii (Ell. & Ev.) Rick Brot. Cienc. Nat. 3: 73. 1934.
- ---- clavigera Ell. & Ev. (ined.). See Peniophora scintillans Ell. & Ev.
- ---- crustosa Ell. & Ev. (ined.). On Magnolia, N. J. Specimen in Myc. Coll.
 - = Lichen, sec. P. L. Lentz.
- ---- ditissima Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. La.
- ---- globifera Ell. & Ev. Am. Nat. 31: 340. Apr. 1897. On Abies, Canada.
 - = Kneiffia globifera (Ell. & Ev.) Rick, Brot. Cienc. Nat. 3: 77.
 - = Peniophora gigantea (Fr.) Mass. sec. Rogers & Jacks. Farlowia 1: 317. 1943.
- ---- gracillima Ell. & Ev. in Rogers & Jacks. Farlowia 1: 317. July 1943. On Acer, N. J.
 - Syn.: Peniophora glebulosa sensu Bres., etc.
- ---- occidentalis Ell. & Ev. Bull. Torr. Club 24: 277. June 29, 1897. On dead limbs, Canada and U. S. N. Am. F. 2314.
 - = Lloydella occidentalis (Ell. & Ev.) Hoehn. & Litsch. Sitz. Akad. Wien 116: 791. 1907.
 - = Stereum cinerascens (Schw.) Mass. sec. Burt Ann. Mo. Bot. Gard. 7: 203. 1920.

- Peniophora papyrina Ell. (nom. nud.) in Sacc. Syll. Fung. 9: 237. 1891.
 - = Peniophora ellisii Mass. Jour. Linn. Soc. 25: 144. 1889.
- ---- parasitica Ell. & Ev. (ined.). On Hymenochaete on Acer, N. J. Specimen and descriptive notes in Myc. Coll.
- ---- scintillans Ell. & Ev. (ined.). La., Langl. 1386. Specimen in Myc. Coll., also labeled as Peniophora clavigera Ell. & Ev. and P. pubera Fr.?
- ---- trachytricha Ell. & Ev. Proc. Acad. Phil. 1895, p. 413. Nov. 5, 1895. On oak (Quercus), N. J. N. Am. F. 3210.
 - = Kneiffia setigera (Fr.) P. Henn. var trachytricha (Ell. & Ev.) Rick Brot. Cienc. Nat. 3: 70. 1934.
 - = Peniophora aspera (Pers.) Sacc. sec. Rogers & Jacks. Farlowia 1: 282. 1943.
- ---- vernicosa Ell. & Ev. in Burt Ann. Mo. Bot. Gard. 12: 250. Feb. 18, 1925. On Celtis, Fla. and La.
- Periconia albocothurnata Ell. & Ev. (ined.). On Alnus, N. J. Specimen in Myc. Coll.
- ---- hystricina Ell. (ined.). On Viburnum, no locality given. Specimen in Myc. Coll.
- ---- lateralis Ell. & Ev. Jour. Myc. 2: 104. Sept. 1886. On herbaceous stems, La.
- ---- tabacina (as "tabascina") Ell. & Langl. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. On Spartina polystachya, La. Langl. 919. Specimen in Myc. Coll.
- Peridermium abietinum engelmannii Ell. & Ev. (nom. nud.) N. Am. F. 2223.

 Mar. 6, 1889. On Picea engelmanni, Colo.
 - = Peridermium coloradense (Diet.) Arth. & Kern. sec. N. Am. Fl. 7: 647. 1924.
- ---- gracile Ell. & Harkn. in Sacc. Syll. 15: 239. 1901. = P. gracile Harkn. Bull. Calif. Acad. 1: 36. 1884.
- ---- pini Wallr. var. corticola Ell. (nom. nud.) N. Am. F. 1021. Apr. 26, 1883. On Pinus inops, N. J.
 - = Aecidium cerebrum (Pk.) Diet. (Cronartium quercuum (Berk.) Miyabe) sec. Farlow Bibl. Index N. Am. F. pt. 1, p. 27. 1905.

- Peronospora giliae Ell. & Ev. in Holzinger Contr. U. S. Nat. Herb. 3: 276. 1895. On Gilia, Idaho.
 - = Peronospora phlogina Diet. & Holw. sec. G. W. Wils. Mycol. 6: 206. 1914.
- ---- halstedii Farl. var. ambrosiae Ell. (nom. nud.) N. Am. F. 210. Feb. 11, 1880. On Ambrosia artemisaefolia, Mass.
 - = Rhysotheca halstedii (Farl.) G. W. Wils. Bull. Torr. Club 34: 403. 1907.
- ---- impatientis Ell. & Ev. Proc. Acad. Phil. 1891, p. 86. Mar. 10, 1891. On Impatiens fulva, Del.
 - = Plasmopara impatientis (Ell. & Ev.) Berl. Icon. Phycom. p. 15,
 - = Rhysotheca obducens (Schr.) G. W. Wils. Bull. Torr. Club 34: 402. 1907.
- Mar. 6, 1889. On Iva xanthifolia, Kans.
 - = Plasmopara kellermani (Ell. & Halst.) Swing. Proc. Kans. Acad. Sci. 11: 74. 1889.
 - = Basidiophora kellermanii (Ell. & Halst.) G. W. Wils. Bull. Torr. Club 34: 394. 1907.
- ---- lini Ell. & Kell. Jour. Myc. 3: 126. Nov. 1887. On Linum sulcatum, Kans.
 - = P. lini Schroet. sec. Alf. Fisch. Rabh. Kryptogamenfl. Ed. 2, Bd. 1, abt. 4: 451. 1892. See also Gaeumann Peronosp. p. 319. 1923.
- oxybaphi Ell. & Kell. Jour. Myc. 1: 2. Jan. 1885. On Oxybaphus nyctagineus, Kans. N. Am. F. 1418.
- ---- swinglei Ell. & Kell. Jour. Myc. 3: 104. Sept. 1887. On Salvia lanceolata, Kans. N. Am. F. 2203.
- ---- violae Ell. & Ev. (nom. nud.) in Berl. Icon. Phycom. p. 21. 1898.
 - = Peronospora megasperma Berl. l. c. N. Am. F. 2207 (issued as P. violae de B.).
- N. Am. F. 1402. Mar. 25, 1885. On Ampelopsis quinquefolia, Minn.

- Peronospora whippleae Ell. & Ev. Bull. Torr. Club 22: 364. Aug. 31, 1895. On Whipplea modesta, Calif.
- Pestalozzia adusta Ell. & Ev. Jour. Myc. 4: 51. June 1888. On plum (Prunus), N. J.
- ---- affinis Ell. & Ev. Jour. Myc. 5: 156. Sept. 1889. On chestnut (Castanea), La.
 - = Pestalozzia everhartii Sacc. Syll. Fung. 10: 492. 1892.
- ---- aquatica Ell. & Ev. Jour. Myc. 5: 157. Sept. 1889. On Peltandra virginica, N. J.
 - = Pestalotiopsis aquatica (Ell. & Ev.) Steyaert Bull. Jard. Bot. Brux. 19: 334. 1949.
- ---- batatae Ell. & Ev. Jour. Myc. 8: 65. June 1902. On Batatas edulis, Ala.
- ---- bicolor Ell. & Ev. Bull. Torr. Club 27: 575. Nov. 1900. On Salix, Ala.
- ---- capitata Ell. Bull. Torr. Club 9: 133. Nov. 1882. On Xerophyllum asphodeloides, "North America".
- ---- clavata Cke. & Ell. Grev. 6: 85, illus. Mar. 1878. On Smilax, N. J. Prel. Cat. Fl. N. J. p. 182. 1881. Bull. Torr. Club 9: 133. 1882. Cat. Pl. N. J. p. 592. 1889. N. Am. F. 350.
- ---- coccolobae Ell. & Ev. in Millspaugh Publ. Field Col. Mus. Bot. Ser. 1: 286, illus. Dec. 1896. On Coccoloba uvifera, Yucatan. Bull. Torr. Club 27: 576. 1900.
- ---- cornifolia Ell. & Ev. Jour. Myc. 4: 51. June 1888. On Cornus sericea, La.
- ---- crataegi Ell. & Ev. Bull. Torr. Club 27: 58. Feb. 1900. On Crataegus parvifolia, Fla. Jour. Myc. 8: 14. 1902.
 - = Monochaetia crataegi (Ell. & Ev.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- discoidea Ell. (ined.). On Kentia forestiera, Fla. Specimen with descriptive notes in Myc. Coll.
- ---- discosioides Ell. & Ev. Jour. Myc. 4: 51. June 1888. On rose (Rosa), Del. N. Am. F. 2180.
 - = Monochaetia discosioides (Ell. & Ev.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.

- Pestalozzia eriobotryae Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. On Eriobotrya japonica, La., Langl. 837. Specimen in Myc. Coll.
- ---- fibriseda Ell. & Barth. Erythea 4: 27. Feb. 1, 1896. On Rhus glabra, Kans.
 - = Monochaetia fibriseda (Ell. & Barth.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- flagellifera Ell. & Ev. Jour. Myc. 5: 156. Sept. 1889. On Comptonia asplenifolia, N. J. N. Am. F. 2388.
 - = Barklayella flagellifera (Ell. & Ev.) Sacc. Syll. Fung. 10: 476. 1892. Generic name changed to Neobarclaya in Syll. Fung. 11: 725. 1895.
 - = Neobarclayella flagellifera (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 500. 1898.
 - = Conidial stage of Cryptodiaporthe aubertii (West.) Wehm. Genus Diaporthe p. 203. 1933.
 - = Uniseta flagellifera (Ell. & Ev.) Cicc. Nuov. Giorn. Bot. Ital. 54: 711. 1948.
- ---- foedans Sacc. & Ell. Michelia 2: 575. Dec. 1, 1882. On Thuja, N. J. Cat. Pl. N. J. p. 592. 1889. N. Am. F. 954; F. Col. 81.
 - = Pestalotiopsis foedans (Sacc. & Ell.) Steyaert Bull. Jard. Bot. Brux. 19: 329. 1949.
- ---- foliorum Ell. & Ev. (nom. mud.) in Barth. F. Col. 1551. Dec. 1901. On Diospyros virginiana, Ala.
- Dec. 1901. On Rosa, Ala. (nom. nud.) in Barth. F. Col. 1552.
- prunifolium, Pa. N. Am. F. 953. Nov. 1882. On Viburnum
 - = Monochaetia jeffersii (Ell.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- kalmicola Ell. & Ev. Jour. Myc. 4: 51. June 1888. On Kalmia latifolia, Del.
- macrocarpa, Kans. N. Am. F. 3281; F. Col. 785. On Quercus
 - = Monochaetia kansensis (Ell. & Barth.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.

- Pestalozzia lateripes Ell. & Ev. Jour. Myc. 7: 133. Mar. 10, 1892. On Cassia chamaecrista, N. J. N. Am. F. 2786.
- ---- liquidambaris Ell. & Gall. (ined.). On Liquidambar, Mo., M. B. Waite 509. Specimen in Myc. Coll.
- ---- lycopodina Ell. & Ev. Proc. Acad. Phil. 1892, p. 461. Mar. 13, 1894.
 On Lycopodium complanatum, Del.
- ---- mali Ell. & Ev. Jour. Myc. 8: 13. May 1902. On apple (Malus sylvestris), N. J.
 - = Monochaetia mali (Ell. & Ev.) Sacc. & D. Sacc. Syll. Fung. 18: 485.
- ---- maura Ell. & Ev. Jour. Myc. 4: 123. Dec. 1888. On Psychotria rufescens, Fla. Jour. Myc. 5: 157. 1889.
- ---- microspora Ell. & Ev. Jour. Myc. 4: 46. Apr.-May 1888. On Quercus coccinea, N. J. See Pestalozzia minor Ell. & Ev.
- ---- minor Ell. & Ev. N. Am. F. 2178. Mar. 6, 1889.
 - Syn.: Pestalozzia microspora Ell. & Ev. Jour. Myc. 4: 46. 1888.
 - = Pestalozzia ellisii Sacc. & Syd. Syll. Fung. 14: 1030. 1899.
- ---- monochaetoidea Sacc. & Ell. Michelia 2: 375. Mar. 5, 1881. On Spiraea, N. J. Prel. Cat. Fl. N. J. p. 182. 1881. Cat. Pl. N. J. p. 592. 1889. N. Am. F. 528; 3070.
 - = Monochaetia monochaetoidea (Sacc. & Ell.) Allesch. in Rabh. Kryp-togamenfl. Ed. 2, Bd. 1, Abt. 6: 674. 1902.
 - = Monochaetia ellisiana Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- menochaetoidea Sacc. & Ell. var. rubi Ell. & Ev. (nom. nud.) N. Am. F. 3070. Apr. 18, 1894. On Rubus strigosus, N. J.
- ---- myricae Ell. & G. Martin Am. Nat. 18: 70. Jan. 1884. On Myrica cerifera, Fla. N. Am. F. 1222.
- nervalis Ell. & Ev. Jour. Myc. 5: 157. Sept. 1889. On white oak (Quercus), Wisc.
 - = Monochaetia nervalis (Ell. & Ev.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- mucicola Ell. & Ev. Proc. Acad. Phil. 1893, p. 461. Mar. 13, 1894. On hickory (Carya), N. J.

- Pestalozzia oenotherae Ell. & Barth. Erythea 4: 26. Feb. 1, 1896. On Oenothera biennis, Kans.
 - = Monochaetia oenotherae (Ell. & Barth) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- pallida Ell. & Ev. Jour. Myc. 4: 46. Apr.-May 1888. See Pestalozzia pallida Ell. & G. Martin.
- ---- pallida Ell. & G. Martin (as "Ell. & Ev.") Jour. Myc. 4: 46, 132. 1888. On Quercus alba, Ohio. Jour. Myc. 5: 143, 156. 1889. Erythea 4: 26. 1896.
 - = Monochaetia pallida (Ell. & G. Martin) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- peregrina Ell. & G. Martin Jour. Myc. 1: 100. Aug. 1885. On Pinus (as "Prinus") austriaca, N. J. Host spelling corrected 1. c. p. 119. Cat. Pl. N. J. p. 592. 1889. N. Am. F. 1627.
- on Polygonum virginianum, Del. 1894, p. 374. Dec. 11, 1894.
- ---- primaria Ell. & Ev. Jour. Myc. 2: 103. Sept. 1886. On Scirpus fluviatilis, La.
 - = Barklayella primaria (Ell. & Ev.) Sacc. Syll. Fung. 10: 475. 1892. Generic named changed to Neobarclaya in Syll. Fung. 11: 725. 1895.
 - = Neobarclaya primaria (Ell. & Ev.) Lindau in Engl. & Prantl. Pflanzenf. 1, abt. 1, p. 407. 1900.
 - = Neobarclayella primaria (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 1, p. 177. 1893.
- ---- pseudopeziza Ell. (ined.). On Pyrus communis, N. J. Specimen in Myc. Coll.
- ---- sassafras Ell. & Ev. (nom. nud.) N. Am.F. <u>1376</u>. Mar. 25, 1885. On Sassafras, N. J.
 - = Pestalozzia sassafras Kleb. sec. Guba Phytopath. 19: 217. 1929.
- ---- scirpina Ell. & G. Martin Am. Nat. 19: 76. Jan. 1885. On Scirpus maritimus, Md. N. Am. F. 1626, 2181.
 - = Pestalotia versicolor Speg. var. americana Speg. sec. Guba Mycol. 24: 385. 1932.
- Mar. 1929. On Carya aquatica, La. N. Am. F. 2387.

- Pestalozzia suffocata Ell. & Ev. Jour. Myc. 2: 38. Apr. 1886. On rose (Rosa), no locality given.
- ---- taphrinicola Ell. & Ev. Jour. Myc. 4: 104. Oct. 1888. On Taphrina coerulescens on Quercus, N. J. and La. Cat. Pl. N. J. p. 592. 1889. N. Am. F. 2179.
 - = Monochaetia taphrinicola (Ell. & Ev.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- toxica Ell. & Ev. Proc. Acad. Phil. 1894, p. 374. Dec. 11, 1894. On Rhus toxicodendron, W. Va.
 - = Marssonina Toxicodendri Sacc. sec. Oud. Enum. Syst. Fung. 3: 1123.
- tremelloides Ell. & Ev. (nom. nud.) in Zabriskie, Jour. N. Y. Micr. Soc. 7: 102. 1891. On Vitis, N. Y.
- ---- uncinata Ell. & Kell. Jour. Myc. 5: 143. Sept. 1889. On Quercus tinctoria, Kans.
 - = Monochaetia uncinata (Ell. & Kell.) Sacc. & D. Sacc. Syll. Fung. 18: 485. 1906.
- ---- unicornis Cke. & Ell. Grev. 7: 6. Sept. 1878. On white cedar (Chamaecyparis), N. J. Prel. Cat. Fl. N. J. p. 182. 1881. Cat. Pl. N. J. p. 593. 1889.
- cat. Pl. Basse-La. p. 32. 1887. Specimen in Myc. Coll. on Juncus effusus, La., Langl. 1063.
- ---- versicolor Speg. forma polygoni Ell. & Langl. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. Specimen in Myc. Coll. on Polygonum acre, La., Langl. 1064.
- ---- vitis Ell. & Ev. (ined.). On Vitis indivisa, La., Lang. 807. Specimen in Myc. Coll.
- ---- zonata Ell. & Ev. Proc. Acad. Phil. 1894, p. 374. Dec. 11, 1894. On Cydonia, N. J.
- PESTALOZZIELLA Sacc. & Ell. Michelia 2: 575. Dec. 1, 1882. Type: P. subsessilis Sacc. & Ell.
- ---- andersonii Ell. & Gall. Jour. Myc. 5: 65. June 1889. On Asclepias or Apocynum, Mont. Bot. Gaz. 16: 48, illus. 1891.

- Pestalozziella subsessilis Sacc. & Ell. Michelia 2: 575. Dec. 1, 1882. On Geranium carolinianum, N. J. Cat. Pl. N. J. p. 591. 1889. Jour. Myc. 5: 65. 1889. N. Am. F. 1223; F. Col. 444.
- Pezicula rhabarbarina (Berk.) Tul. f. corni Ell. & Ev. (nom. nud.)
 N. Am. F. 2809. Mar. 2, 1893. On Cornus alternifolia, Ontario.
 - = Pezicula corni Petr. sec. Groves Canad. Jour. Res. C 17: 136.
- ---- spicata Ell. & Ev. Bull. Torr. Club 25: 506. Sept. 10, 1898. On Acer spicatum, Ontario.
- Peziza (Mollisia) abdita Ell. Bull. Torr. Club 9: 19. Feb. 1882. On Juglans regia, (N. J.). Proc. Acad. Phil. 1895, p. 428. 1895. N. Am. F. 849. Cat. Pl. N. J. p. 549. 1889.
 - = Mollisia abdita (Ell.) Sacc. Syll. Fung. 8: 353. 1889 (as M. abdita Ell.).
- ---- (Dasyscypha) acerina Cke. & Ell. Grev. 7: 40. Dec. 1878. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 546. 1889. N. Am. F. 666.
 - = Trichopeziza acerina (Cke. & Ell.) Sacc. Syll. Fung. 8: 417. 1889.
 - = Dasyscypha acerina (Cke. & Ell.) Cash Jour. Wash. Acad. Sci. 29: 49. 1939.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 273. 1951.
- ---- (Mollisia) aquifoliae Cke. & Ell. Grev. 6: 91. Mar. 1878. On Ilex opaca, N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 546. 1889.
 - = Pezizella aquifolii (Cke. & Ell.) Sacc. Syll. Fung. 8: 288. 1889.
 - = Hymenoscyphus aquifoliae (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 216. 1951.
- ---- (Mollisia) astericola Cke. & Ell. Grev. 6: 91. Mar. 1878. On Aster, N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 547. 1889.
 - = Mollisia astericola (Cke. & Ell.) Sacc. Syll. Fung. 8: 323. 1889. (as M. astericola Cke. & Ell.).
 - = Mollisia erigeronata (Cke.) Sacc. sec. Seav. N. Am. Cup-F. Inopercul. p. 208. 1951.

- Peziza (Sarcoscypha) aurantiopsis Ell. Bull. Torr. Club 9: 18. Feb. 1882. On soil and decaying wood, (N. J.)
 - = Lachnea aurantiopsis (Ell.) Sacc. Syll. Fung. 8: 180. 1889. Proc. Acad. Phil. 1893, p. 145. 1893.
 - = Wolfina aurantiopsis (Ell.) Seaver Mycol. 29: 680. 1937.
- ---- blakeriana Ell. (ined.). On Carpinus, N. H. Specimen in Myc. Coll.
- ---- (Dasyscypha) borealis Ell. & Holw. in Arth. et al. Bull. Minn. Geol. & Nat. Hist. Surv. 3, p. 36. Oct. 1, 1887. On rotten wood, Minn.
 - = Dasyscypha borealis (Ell. & Holw.) Sacc. Syll. Fung. 8: 457. 1889.
 - = Lachnella borealis (Ell. & Holw.) Sacc. Syll. Fung. 8: 457. 1889 (as L. borealis Ell. & Holw. synonym).
 - = Atractobolus borealis (Ell. & Holw.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 445. 1898.
 - = Lachnella corticalis (Pers. ex Fr.) Fr. sec. Seaver N. Am. Cup-F. Inopercul. p. 249. 1951.
- ---- (Cupulares) brachypus Ell. & Ev. Jour. Myc. 4: 55. June 1888. On ground, N. J.
 - = Geopyxis brachypus (Ell. & Ev.) Sacc. Syll. Fung. 8: 68. 1889.
 - ? = Paxina subclavipes (Phill. & Ell.) Seaver N. Am. Cup-F. Opercul. p. 206. 1928.
- ---- (Dasyscypha) callochaetes Ell. & Ev. Jour. Myc. 4: 99. Oct. 1888.
 On Myrica cerifera, N. J.
 - = Dasyscypha callochaetes (Ell. & Ev.) Sacc. Syll. Fung. 8: 463. 1889.
 - = Lachnella callochaetes (Ell. & Ev.) Sacc. Syll. Fung. 8: 463. 1889. (as L. callochaetes Ell. & Ev.).
 - = Atractobolus callochaetes (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 445. 1898.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 274. 1951.
- ---- (Dasyscyphae) campanula Ell. Bull. Torr. Club 8: 73. July 1881. On "quaking ash" (? Populus), Utah.
 - = Lachnella campanula (Ell.) Sacc. Syll. Fung. 8: 396. 1889 (as L. campanula Ell.).
 - = Cyphella sec. Seaver N. Am. Cup-F. Inopercul. p. 274. 1951.
- ---- carnea Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. La.

- Peziza carneorubra Ell. in Cke. Bull. Buffalo Soc. Nat. Sci. 3: 22. 1877. On Erigeron, N. J.
 - = Trichopeziza carneo-rubra (Ell.) Sacc. Syll. Fung. 8: 405. 1889. Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 275. 1951.
- ---- cazenoviae Ell. & Ev. Jour. Myc. 5: 180. Sept. 1889.
 - Syn.: Peziza soleniaeformis Ell. & Ev. Jour. Myc. 4: 55. 1888, nec. Berk. & Curt.
 - = Dasyscypha soleniiformis (Ell. & Ev.) Sacc. Syll. Fung. 8: 436.
 - = Lachnella soleniiformis (Ell. & Ev.) Sacc. Syll. Fung. 8: 436. 1889. (as L. soleniiformis Ell. & Ev.).
 - = Atractobolus soleniiformis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 446. 1898.
 - = Lachnella solenia (Pk.) Seaver N. Am. Cup-F. Inopercul. p. 260.
- On herbaceous stems, Utah.
 - = Lachnella cenangicides (Ell.) Sacc. Syll. Fung. 8: 396. 1889 (as L. cenangicides Ell.). Bull. Torr. Club 24: 467. 1897.
 - L. cenangioides Ell.). Bull. Torr. Club 24: 467. 1897. = Lachnella sulphurea (Pers. ex Fr.) Quél. sec. Seaver N. Am. Cup-F. Inopercul. p. 264. 1951.
- ---- (Humaria) cestrica Ell. & Ev. Jour. Myc. 1: 152. Dec. 1885. Pa.
 - = Humaria cestrica (Ell. & Ev.) Sacc. Syll. Fung. 8: 133. 1889.
 - = Aleuria cestrica (Ell. & Ev.) Seaver N. Am. Cup-F. Opercul. p. 98. 1928.
- ---- chaetomelloides Ell. (ined.). See Peziza dinemasporioides Ell.
- ---- (Sarcoscypha) chlamydospora Ell. & Ev. Bull. Torr. Club 10: 98. Sept. 1883. On ground, Pa.
 - = Aleurina atrovinosa (Cke.) Seaver N. Am. Cup-F. Opercul. p. 101.
- ---- chrysocoma (Bull.) Cke. & Ell. in Cat. Pl. N. J. p. 549. 1889. = P. chrysocoma Bull. ex Fr. Syst. Myc. 2: 140. 1822.
- ---- clavigera Ell. & Ev. Jour. Myc. 4: 100. Oct. 1888. On Ammophila longifolia, Mont.
 - = Mollisia clavigera (Ell. & Ev.) Sacc. Syll. Fung. 8: 354. 1889 (as M. clavigera Ell. & Ev.).

- Peziza (Mollisia) cognata Ell. (ined.). On Acer, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- commonsii Ell. & Ev. (nom. nud.) in Seaver N. Am. Cup-F. Opercul. p. 98. 1928.
 - = Aleuria cestrica (Ell. & Ev.) Seaver 1. c.
- ---- (Patellea) compressa Pers. ex Fr. var. rubicola Cke. & Ell. Grev. 6: 8. Sept. 1877. On Rubus, N. J.
- ---- (Mollisia) conorum Ell. Bull. Torr. Club 6: 133. Feb. 1877. On Pinus inops, N. J.
 - = Propolis rhodoleuca Sommerf. sec. Ell. & Ev. N. Am. F. 2150. 1889. Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 216. 1951.
- ---- (Tapesia) cornuta Ell. Bull. Torr. Club 9: 73. June 1882. On chestnut (Castanea), Pa.
 - = Helotiella cornuta (Ell.) Sacc. Syll. Fung. 8: 474. 1889. Proc. Acad. Phil. 1894, p. 351. 1894.
 - = Arachnopeziza cornuta (Ell.) Korf Lloydia 14: 158. 1951.
- ---- craginiana Ell. & Ev. in Cragin Bull. Washburn Coll. Lab. Nat. Hist. 1: 70. Jan. 1885. On rotten wood, Kans.
 - = Phialea craginiana (Ell. & Ev.) Sacc. Syll. Fung. 8: 258. 1889.
 - = Hymenoscyphus craginianus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - = Helotium craginianum (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 144. 1951.
- ---- crinella Ell. & Ev. Bull. Torr. Club 10: 76. July 1883. On Carex crinita, Pa. N. Am. F. 1273.
 - = Dasyscypha crinella (Ell. & Ev.) Sacc. Syll. Fung. 8: 450. 1889.
 - = Lachnella crinella (Ell. & Ev.) Sacc. Syll. Fung. 8: 450. 1889 (as L. crinella Ell. & Ev.).
 - = Atractobolus crinellus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 3, p. 445. 1898.
 - Doubtful species sec. Seaver N. Am. Inopercul. p. 275. 1951.
- ---- (Dasyscypha) crossota Ell. Bull. Torr. Club 8: 124. Nov. 1881. On wood, Utah.
 - = Trichopeziza crossota (Ell.) Sacc. Syll. Fung. 8: 413. 1889.
 - = Lachnella crossota (Ell.) Sacc. Syll. Fung. 8: 413. 1889 (as L. crossota Ell.).
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 275. 1951.

- Peziza (Dasyscypha) crossota Ell. Bull. Torr. Club 8: 124. Nov. 1881. On wood, Utah.
 - = Trichopeziza crossota (Ell.) Sacc. Syll. Fung. 8: 413. 1889.
 - = Lachnella crossota (Ell.) Sacc. Syll. Fung. 8: 413. 1889 (as L. crossota Ell.).
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 275. 1951.
- ---- (Tapesia) culcitella Cke. & Ell. Grev. 6: 7. Sept. 1877. On oak (Quercus), N. J. Grev. 6: 90. 1878. Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 547. 1889. N. Am. F. 388.
 - = Tapesia culcitella (Cke. & Ell.) Sacc. Syll. Fung. 8: 374. 1889.
- ---- cyphelloides Ell. & Ev. Jour. Myc. 1: 151. Dec. 1885. On Hydnum,
 - = Lachnellula cyphelloides (Ell. & Ev.) Sacc. Syll. Fung. 8: 391. 1889.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 284. 1951.
- On Steironema ciliatum, Ontario. See Phialea dearnessii Ell. & Ev.
- ---- denigrata (J. Kuntze) Ell. N. Am. F. 565. May 23, 1881.
 - Syn.: Niptera denigrata Kuntze (nom. nud.) F. sel. exs. 180. 1877.
 - = Pyrenopeziza ellisii Mass. Lond. Jour. Bot. 34: 149, illus. 1896.
 - = Niptera ellisii (Mass.) Rehm Ann. Myc. 5: 519. 1907.
- ---- denticulata Ell. (ined.). On old log, Pa. Specimen in Myc. Coll.
- Andropogon, N. J. Cat. Pl. N. J. p. 547. 1889. N. Am. F. 1780, 1780-b.
 - = Chaetomella atra Fckl. sec. Ell. in unpublished notes; syn.: P. chaetomelloides Ell. (ined.).
 - = Gorgoniceps dinemasporioides (Ell. & Ev.) Sacc. Syll. Fung. 8: 506. 1889.
- (Otidea) doratophora Ell. & Ev. Jour. Myc. 1: 90. July 1885.
 - = Otidea doratophora (Ell. & Ev.) Sacc. Syll. Fung. 8: 96. 1889.
 - = Midotis irregularis Cke. sec. Seaver N. Am. Cup-F. Inopercul. p. 92. 1951.

- Peziza (Tapesia) earina Ell. Bull. Torr. Club 8: 124. Nov. 1881. On grasses and wood, Utah.
 - = Tapesia earina (Ell.) Sacc. Syll. Fung. 8: 377. 1889 (as T. earina Ell.).
- ---- earliana Ell. & Ev. Bull. Torr. Club 11: 74. July 1884. On Fragaria, Ill. N. Am. F. 2043.
 - = Mollisia earliana (Ell. & Ev.) Sacc. Syll. Fung. 8: 328. 1889.
 - = Diplocarpon earliana (Ell. & Ev.) Wolf Jour. Elisha Mitch. Sci. Soc. 39: 158. 1924.
 - = Fabraea earliana (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 190. 1951.
- ---- (Mollisia) elongata Ell. & Ev. (nom. nud.) in Rehm Rabh. Krypto-gamenfl. Ed. 2, Bd. 1, Abt. 3, p. 1217. 1896. On Valeriana capitata, Wash.
 - = Agyrium elongatum (Ell. & Ev.) Pk. in M. E. Jones Univ. Mont. Bull. Biol. Ser. 15, p. 61. 1910.
- ---- (Mollisia) fairmanii Ell. & Ev. Jour. Myc. 4: 56. June 1888. On bark, N. Y.
 - = Mollisia fairmanii (Ell. & Ev.) Sacc. Syll. Fung. 8: 302. 1889 (as M. fairmanii Ell. & Ev.).
 - = Pseudohelotium fairmanii (Ell. & Ev.) Sacc. Syll. Fung. 8: 302. 1889.
- ---- (Dasyscypha) frondicola Ell. & Ev. Jour. Myc. 4: 99. Oct. 1888. On Osmunda, N. J.
 - = Pirottaea frondicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 388. 1889.
 - = Lachnella frondicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 388. 1889 (as L. frondicola Ell. & Ev.).
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 277. 1951.
- ---- (Mollisia) fumigata Ell. & Ev. Bull. Torr. Club 11: 41. Apr. 1884. On Magnolia, N. J. Cat. Pl. N. J. p. 546. 1889.
 - = Mollisia fumigata (Ell. & Ev.) Sacc. Syll. Fung. 8: 343. 1889 (as M. fumigata Ell. & Ev.).

- Peziza (Hymnoscypha) fumosella Cke. & Ell. Grev. 6: 91. Mar. 1878. On fir (Abies), N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 546. 1889.
 - = Phialea fumosella (Cke. & Ell.) Sacc. Syll. Fung. 8: 269. 1889.
 - = Hymenoscyphus fumosellus (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - = Pocillum fumosellum (Cke. & Ell.) Hoehn. Sitzb. Akad. Wien 127: 373.
 - = Allophylaria fumosellum (Cke. & Ell.) Nannf. Nova Acta Soc. Sci. Upsal. ser. 4, vol. 8, no. 2, p. 291. 1932.
 - = Helotium fumosellum (Cke. & Ell.) Seaver N. Am. Cup-F. Inopercul. p. 126. 1951.
- ---- fuscidula Cke. & Ell. in Grev. 6: 7. 1877. Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 545. 1889. N. Am. F. 139. = P. fuscidula Cke. Bull. Buffalo Soc. Nat. Sci. 3: 22. 1877.
- ---- fuscocarpa Ell. & Holw. Jour. Myc. 1: 5. Jan. 1885. On log, Iowa. N. Am. F. 2325.
 - = Phaeopezia fuscocarpa (Ell. & Holw.) Sacc. Syll. Fung. 8: 474. 1889.
 - = Humaria fuscocarpa (Ell. & Holw.) Morg. Jour. Myc. 8: 189. 1902.
 - = Aleurina fuscocarpa (Ell. & Holw.) Sacc. & Syd. Syll. Fung. 16: 739.
 - = Catinella nigro-olivacea (Schw.) Durand Bull. Torr. Club 49: 16.
- ---- fuscosanguinea (Rehm) Ell. & Ev. N. Am. F. 2146. Mar. 6, 1889.
 - Syn.: Dasyscypha fuscosanguinea Rehm Ascom. no. 112. 1872; Ber. Naturw. Ver. Augsburg 26: 30. 1881.
- ---- (Dasyscypha) gaultheriae Ell. & Ev. Erythea 1: 199. Oct. 2, 1893. On Gaultheria shallon, Wash.
 - = Dasyscypha gaultheriae (Ell. & Ev.) Sacc. Syll. Fung. 11: 413.
 - = Atractobolus gaultheriae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 445. 1898.
 - = Lachnum gaultheriae (Ell. & Ev.) Zeller Mycol. 26: 292. 1934.
 - = Lachnella gaultheriae (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 256. 1951.
- ---- (Mollisia) gelatinosa Ell. & G. Martin Am. Nat. 17: 1283. Dec. 1883. On Meliola on Persea palustris, Fla.
 - = Mollisia gelatinosa (Ell. & G. Martin) Sacc. Syll. Fung. 8: 624. 1889 (as M. gelatinosa Ell. & G. Martin).
 - = Orbilia gelatinosa (Ell. & G. Martin) Sacc. Syll. Fung. 8: 624. 1889.
 - = Coryne gelatinosa (Ell. & G. Martin) Rehm Ann. Myc. 5: 118. 1907.
 - = Galloriopsis gelatinosa (Ell. & G. Martin) H. & P. Syd. Ann. Myc. 15: 254. 1917.
 - = Trichobelonium leucorrhodinum (Mont.) Seaver N. Am. Cup-F. Inopercul. p. 161. 1951.

- Peziza (Mollisia) glagosa Ell. & Ev. Jour. Myc. 4: 56. June 1888. On fallen leaf, N. J.
 - = Mollisia glagosa (Ell. & Ev.) Sacc. Syll. Fung. 8: 276. 1889 (as M. glagosa "E. & C.").
 - = Pezizella glagosa (Ell. & Ev.) (as "E. & C.") Sacc. Syll. Fung. 8: 276. 1889.
 - = Hymenoscyphus glagosus (Ell. & Ev.) (as 'Ell. & Cke.") Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - = Calloria glagosa (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 167. 1951.
- ---- (Mollisia) glenospora Ell. & Ev. Bull. Torr. Club 11: 18. Feb. 1884. On Magnolia, N. J. Cat. Pl. N. J. p. 547. 1889.
 - = Mollisia glenospora (Ell. & Ev.) Sacc. Syll. Fung. 8: 343. 1889 (as M. glenospora Ell. & Ev.).
- ---- (Sarcoscyphae) hainesii Ell. Bull. Torr. Club 8: 65. June 1881. On old stump, Pa. Jour. Myc. 10: 170. 1904. N. Am. F. <u>562</u>.
 - = Lachnea hainesii (Ell.) Sacc. Syll. Fung. 8: 186. 1889.
 - = Paxina semitosta (Berk. & Curt.) Seaver N. Am. Cup-F. Opercul. p. 209. 1928.
- ---- hemisphaerica Wigg. ex Fr. var. subcalva Ell. in Cragin Bull. Washburn Coll. Lab. Nat. Hist. 1: 70. Jan. 1885. Kans.
 - = Lachnea hemisphaerica (Wigg. ex Fr.) Gill. var. subcalva (Ell.) Sacc. Syll. Fung. 8: 167. 1889 (as L. hemisphaerica var. subcalva Ell.).
- ---- (Mollisia) heterocarpa Ell. Bull. Torr. Club 6: 134. Feb. 1877. On Bidens, N. J.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 217. 1951.
- ---- (Tapesia) heteromorpha Ell. & Ev. Jour. Myc. 2: 88. Aug. 1886. On Spartina polystachya, La.
 - = Belonidium heteromorphum (Ell. & Ev.) Sacc. Syll. Fung. 8: 502. 1889.
 - = Belonium heteromorphum (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 174. 1951.
 - ? = Trichobelonium sec. Korf, Lloydia 14: 174. 1951.

- Peziza hirto-capillata Ell. (ined.). On rotten wood, N. J. Specimen in Myc. Coll.
- ---- (Mollisia) hypnicola Ell. Bull. Torr. Club 6: 134. Feb. 1877. On Hypnum sylvaticum, Pa. Bull. Torr. Club 6: 232. 1878.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 217. 1951.
- ---- (Dasyscypha) hystricula Ell. & Ev. Jour. Myc. 4: 99. Oct. 1888. On Magnolia grandiflora, La.
 - = Dasyscypha hystricula (Ell. & Ev.) Sacc. Syll. Fung. 8: 445. 1889.
 - = Lachnella hystricula (Ell. & Ev.) Sacc. Syll. Fung. 8: 445. 1889 (as L. hystricula Ell. & Ev.).
 - = Atractobolus hystriculus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, 446. 1898.
 - Suggests Erinellina sec. Seaver N. Am. Cup-F. Inopercul. p. 277. 1951.
- ---- iticifolia Cke. & Ell. (ined.). On Ilex, N. J. Specimen in Myc. Coll.
- ---- incondita Ell. Bull. Torr. Club 8: 73. July 1881. On ground among mosses (N. J.). Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 546. 1889. N. Am. F. 391.
 - = Sclerotinia incondita (Ell.) Sacc. Syll. Fung. 8: 200. 1889. See notes by Seaver N. Am. Cup-F. Inopercul. p. 84, 1951.
- ---- (Mollisia) incrustata Ell. Amer. Nat. 17: 192. 1883. On Polyporus on Juniperus virginiana, N. J.
 - = Pseudohelotium incrustatum (Ell.) Sacc. Syll. Fung. 8: 301. 1889.
 - = Mollisia incrustata (Ell.) Sacc. Syll. Fung. 8: 301. 1889 (as M. incrustata Ell.) (M. incrustata (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 215. 1951).
- ---- (Mollisia) introviridis (as "introvirida") Cke. & Ell. Grev. 7: 7.
 Sept. 1878. On wood, N. J. Prel. Cat. Fl. N. J. p. 192. 1881.
 Cat. Pl. N. J. p. 546. 1889. N. Am. F. 566.
 - = Mollisia introviridis (Cke. & Ell.) Sacc. Syll. Fung. 8: 339.
 1889 (as M. introviridis Cke. & Ell.).
 Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 217. 1951.
- ---- lasioderma Ell. (ined.). Utah, coll. Harkness. Specimen in Myc. Coll.

- Peziza (Dasyscypha) latebrosa Ell. Bull. Torr. Club 9: 18. Feb. 1882. On pine (Pinus) box, (N. J.). N. Am. F. 845.
 - = Dasyscypha latebrosa (Ell.) Sacc. Syll. Fung. 8: 434. 1889.
 - = Lachnella latebrosa (Ell.) Sacc. Syll. Fung. 8: 434. 1889 (as L. latebrosa Ell.).
 - = Atractobolus latebrosus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 446. 1898.
 - ? = Lachnella virginea (Batsch ex Fr.) Phill. sec. Seaver N. Am. Cup-F. Inopercul. p. 253. 1951.
- ---- (Mollisia) latens, Ell. (ined.). On Magnolia, N. J. Specimen in Myc. Coll.
- ---- (Mollisia) lecideoides Ell. (ined.). On Quercus, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- lethalis Ell. (nom. nud.) N. Am. F. 385. Apr. 20, 1880. On Pinus rigida, N. J.
 - = Dermatea phyllophila Pk. sec. Ell. corrected label to N. Am. F. 385.
- ---- (Durella) mauriatra Cke. & Ell. Grev. 6: 91. Mar. 1878. On Andromeda, N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 549. 1889.
 - = Patinella mauriatra (Cke. & Ell.) Sacc. Syll. Fung. 8: 774. 1889.
- ---- (Dasyscypha) meleagris Ell. Bull. Torr. Club 8: 123. Nov. 1881. On wood, Utah.
 - = Lachnella meleagris (Ell.) Sacc. Syll. Fung. 8: 397. 1889 (as L. meleagris Ell.). Bull. Torr. Club 24: 467. 1897.
 - ? = Perrotia flammea (A. & Sc. ex Fr.) Boud. sec. Seaver N. Am. Cup-F. Opercul. p. 154. 1928.
- ---- (Dasyscyphae) miniopsis Ell. Bull. Torr. Club 8: 66. June 1881. On Acer rubrum, (N. J.). Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 546. 1889. N. Am. F. <u>563</u>.
 - = Erinella miniopsis (Ell.) Sacc. Syll. Fung. 8: 510. 1889.
 - = Dasyscyphella miniopsis (Ell.) Kanouse Pap. Mich. Acad. Sci. 23: 151. 1938.
 - = Erioscypha miniopsis (Ell.) Kirschst. Ann. Myc. 36: 384. 1938.
 - = Erinellina miniopsis (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 291. 1951.
- ---- (Mollisia) mycogena Ell. Bull. Torr. Club 6: 107. Sept. 1876. On Polyporus igniarius, N. J. Bull. Torr. Club 6: 174. 1877.
 - See Seaver, N. Am. Cup-F. Inopercul. p. 169. 1951.

- Peziza nigripes Ell. (nom. nud.) in Seym. Host Index p. 209. 1929. On Myrica, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- nyssaegena Ell. Bull. Torr. Club 8: 73. July 1881. On Nyssa multi-flora, (N. J.). Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 546. 1889. N. Am. F. 389.
 - = Helotium nyssogenum (Ell.) Sacc. Syll. Fung. 8: 207. 1889 (as H. nyssogenum Ell.).
 - = Ciboria nyssogena (Ell.) Sacc. Syll. Fung. 8: 207. 1889.
 - = Sclerotinia nyssaegena (Ell.) Rehm Ann. Myc. 4: 338. 1906.
- ---- oenotherae Cke. & Ell. Grev. 6: 90. Mar. 1878. On Oenothera, N.J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 546. 1889. N. Am. F. 846; F. Col. 244.
 - = Pezizella oenotherae (Cke. & Ell.) Sacc. Syll. Fung. 8: 278. 1889.
 - = Hymenoscyphus oenotherae (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - = Helotium oenotherae (Cke. & Ell.) Hoehn. (edit. Weese) Mitt. Bot. Inst. Techn. Hochsch. Wien 3: 80, 105. 1926.
 - = Discohainesia oenotherae (Cke.) Nannf. Nova Acta R. Soc. Sci. Upsal. ser. 4, vol. 8, no. 2, p. 88. 1932.
 - = Mollisia oenotherae (Cke. & Ell.) Seaver N. Am. Cup-F. Inopercul. p. 211. 1951.
- ---- oleosa Ell. Bull. Torr. Club 10: 52. May 1883. On herbaceous stems, Utah.
 - = Calloria oleosa (Ell.) Sacc. Syll. Fung. 8: 639. 1889.
- ---- (Humaria) olivatra Ell. & Holw. in Arth. et al. Bull. Minn. Geol. & Nat. Hist. Surv. 3: 36. Oct. 1, 1887. On old stumps, Minn.
 - = Humaria olivatra (Ell. & Holw.) Sacc. Syll. Fung. 8: 148. 1889.
- ---- (Humaria) orthotricha Cke. & Ell. Grev. 6: 7, illus. Sept. 1877.
 On bark with Orthotrichum, N. J. Prel. Cat. Fl. N. J. p. 191.
 1881. Cat. Pl. N. J. p. 544. 1889.
 - = Humaria orthotricha (Cke. & Ell.) Sacc. Syll. Fung. 8: 119. 1889 (as H. orthotricha "B. & C.").
- ---- (Dasyscypha) osmundae Cke. & Ell. Grev. 6: 7. Sept. 1877. On Osmunda, N. J. Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 547. 1889. N. Am. F. 136.
 - = Trichopeziza osmundae (Cke. & Ell.) Sacc. Syll. Fung. 8: 423. 1889.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 279. 1951.

- Peziza (Mollisia) paulopuncta (as "paulupuncta") Cke. & Ell. Grev. 7: 7. Sept. 1878. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 549. 1889.
 - = Mollisia paulopuncta (Cke. & Ell.) Sacc. Syll. Fung. 8: 342. 1889 (as M. paulopuncta Cke. & Ell.).

 Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 217. 1951.
- ---- (Tapesia) phlegmacea Ell. Bull. Torr. Club 9: 19. Feb. 1882. On Magnolia, (N. J.). Cat. Pl. N. J. p. 547. 1889.
 - = Belonidium? phlegmaceum (Ell.) Sacc. Syll. Fung. 8: 500. 1889.
 - = Tapesia phlegmacea (Ell.) Sacc. Syll. Fung. 8: 500. 1889 (as T. phlegmacea Ell.).
 - = Belonium phlegmaceum (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 172. 1951.
 - = Arachnopeziza aurata Fckl. sec. Korf Lloydia 14: 153. 1951.
- ---- (Mollisia) prinicola Ell. & Ev. Jour. Myc. 4: 99. Oct. 1888. On Quercus prinus, La.
 - = Mollisia prinicola (Ell. & Ev.) Sacc. Syll. Fung. 8: 330. 1889
 (as M. prinicola Ell. & Ev.) (M. prinicola (Ell. & Ev.) Ell.
 & Ev. Proc. Acad. Phil. 1894, p. 350. 1894.)
 - = Mollisia rabenhorstii (Awd.) Rehm Ber. Bayer. Bot. Ges. 14: 96.
 - = Pyrenopeziza prinicola (Ell. & Ev.) Cash Jour. Wash. Acad. 30: 302. 1940.
- ---- (Tapesia) prolifica Ell. Bull. Torr. Club 8: 73. July 1881. On oak (Quercus), (N. J.). Cat. Pl. N. J. p. 548. 1889 (as P. "prolificans").
 - = Tapesia prolifica (Ell.) Sacc. Syll. Fung. 8: 382. 1889 (as T. prolifica Ell.).
 - = Eriopezia prolifica (Ell.) Sacc. & D. Sacc. Syll. Fung. 18: 73. 1906.
- ---- prolificans Ell. (nom. nud.) Cat. Pl. N. J. p. 548. 1889. See Peziza prolifica Ell.
- prorumpens Ell. & Ev. (ined.). On Valeriana capitata, Wash., ex herb. Suksdorf. Specimen in Myc. Coll.
- ---- pruinosa Ell. in Seaver N. Am. Cup-F. Inopercul. p. 300. 1951. See Dermatea pruinosa Ell.
- ---- pseudotuberosa (Rehm) Ell. N. Am. F. 983. Apr. 26, 1883.
 - Syn.: Ciboria pseudotuberosa Rehm Ascom. no. 106. 1872; Ber. Naturh. Ver. Augsburg 26: 28. 1881.

- Peziza (Mollisia) regalis Cke. & Ell. Grev. 6: 91. Mar. 1878. On apple (Malus sylvestris), N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 549. 1889. N. Am. F. 438.
 - = Pezizella regalis (Cke. & Ell.) Sacc. Syll. Fung. 8: 284. 1889.
 - = Peziza cruenta Schw. sec. Mass. Grev. 22: 100. 1894.
 - = Hymenoscyphus regalis (Cke. & Ell.) Kuntze Rev. Gen. Pl. p. 486.
 - = Hyalinia rubella (Fr.) Nannf. Nova Acta R. Soc. Sci. Upsal. ser. 4, vol. 8, no. 2, p. 252. 1932.
 - = Orbilia cruenta (Schw.) Seaver N. Am. Cup-F. Inopercul. p. 158.
- On Comptonia, (N. J.). Cat. Pl. N. J. p. 546. 1889. N. Am. F. 844.
 - = Erinella rhabdocarpa (Ell.) Sacc. Syll. Fung. 8: 510. 1889.
 - = Echinella rhabdocarpa (Ell.) Seaver N. Am. Gup-F. Inopercul. p. 294. 1951.
- On pine (Pinus), N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 547. 1889. N. Am. F. 842 (first referred to A. aurata Fckl.).
 - = Erinella rhaphidospora (Ell.) Sacc. Syll. Fung. 8: 509. 1889.
 - = Arachnopeziza rhaphidospora (Ell.) Rehm Ann. Myc. 2: 352. 1904.
 - = Erinellina rhaphidospora (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 291. 1951.
 - = Gorgoniceps aridula Karst. sec. Korf Lloydia 14: 174. 1951.
- ---- (Sarcoscypha) rhizomorphae (as "rhizomorpha") Ell. & Ev. Jour. Myc. 4: 98. Oct. 1888. On Rhizomorpha (? subterranea Pers.), La.
 - = Plectania rhizomorphae (Ell. & Ev.) (as "rhizomorpha Cke. & Ell.")
 Sacc. Syll. Fung. 8: 164. 1889.
 - = Scutellina rhizomorphae (Ell. & Ev.) (as "rhizomorpha C. & E.") Kuntze Rev. Gen. Pl. 3, pt. 2, p. 520. 1898.
- ---- (Sarcoscypha) scutelloides Ell. Bull. Torr. Club 9: 18. Feb. 1882. On ground, Pa. N. Am. F. 838.
 - = Sphaerospora scutelloides (Ell.) Sacc. Syll. Fung. 8: 188. 1889.
- ---- simulans Ell. (nom. nud.) Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 548. 1889. See Peziza simulata Ell.

- Peziza (Hymenoscyphae) simulata Ell. Bull. Torr. Club 8: 73. July 1881. On maple (Acer), (N. J.). Prel. Cat. Fl. N. J. p. 192. 1881 and Cat. Pl. N. J. p. 548. 1889 (both as P. simulans Ell.).
 - = Helotium simulatum (Ell.) Sacc. Syll. Fung. 8: 254. 1889 (as H. simulatum Ell.) (H. simulatum (Ell.) Seaver N. Am. Cup-F. Inopercul. p. 137. 1951).
 - = Phialea simulata (Ell.) Sacc. Syll. Fung. 8: 254. 1889.
 - = Hymenoscyphus simulatus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 137. 1951.
- ---- (Dasyscypha) soleniaeformis Ell. & Ev. Jour. Myc. 4: 55. June 1888. N. Y. See Peziza cazenoviae Ell. & Ev.
- ---- (Dasyscypha) solfatera Cke. & Ell. Grev. 7: 7. Sept. 1878. On pine (Pinus), N. J.
 - = Dasyscypha solfatara (Cke. & Ell.) Sacc. Syll. Fung. 8: 463. 1889.
 - = Atractobolus solfatarius (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 446. 1898.
 - = Peziza pulverulenta Lib. sec. Ell. unpublished notes.
 - = Lachnella pulverulenta (Lib.) Quél. sec. Seaver N. Am. Cup-F. Inopercul. p. 265. 1951.
- ---- stephensoniana Ell. in Rehm Ascom Lojk. p. 3. 1882 (as synonym).
 - = Peziza repanda (Wahlbg.) Rehm, 1. c.
 - = Pustularia stevensoniana (Ell.) Rehm Rabh. Kryptogamenfl. Ed. 2, Bd. 1, Abt. 3, p. 1019. 1894.
 - = Discina repanda (Wahlbg.) subsp. stephensoniana (Ell.) Sacc. Syll. Fung. 8: 100. 1889 (as D. repanda *P. stephensoniana Ell.). (Discina repens Wahlb. subsp. stephensoniana (Ell.) Sacc. in Syll. Fung. 12: 948. 1897).
- On Juneus, N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 549. 1889.
 - = Mollisia stictoidea (Cke. & Ell.) Sacc. Syll. Fung. 8: 348. 1889 (as M. stictoides Cke. & Ell.).
- (Sarcoscypha) striispora Ell. & Ev. Bull. Iowa Univ. Lab. Nat. Hist. 4: 69. Dec. 1896. On decaying wood, Nicaragua.
 - = Sarcoscypha striispora (Ell. & Ev.) Sacc. & Syd. Syll. Fung. 14: 754. 1899.
 - = Cockeina tricholoma (Mont.) O. Kuntze sec. Seaver Mycol. 5: 188. 1913.

- Peziza (Macropodia) subclavipes Phill. & Ell. (nom. nud.) N. Am. F. 985. On soil, N. J. F. Col. 1219.
 - = Macropodia subclavipes (Phill. & Ell.) Rehm Ann. Myc. 2: 354. 1904.
 - = Paxina subclavipes (Phill. & Ell.) Seaver N. Am. Cup-F. Opercul. p. 206. 1928.
- ---- subgibbosa Ell. Bull. Torr. Club 6: 108. Sept. 1876. On Andropogon, N. J.
 - = Belonium subgibbosum (Ell.) Sacc. Syll. Fung. 8: 493. 1889.
 - Belonioscypha vexata (De N.) Rehm in Rabh. Kryptogamenfl. Ed. 2, Bd. 1, Abt. 3, p. 745. 1893.
 - = Belonium culmicola (Desm.) Seaver N. Am. Cup-F. Inopercul. p. 176.
- ---- (Mollisia) tenella Cke. & Ell. Grev. 7: 40. Dec. 1878. On Osmunda, N. J. Prel. Cat. Fl. N. J. p. 192. 1881. Cat. Pl. N. J. p. 549. 1889. N. Am. F. 669.
 - = Mollisia tenella (Cke. & Ell.) Sacc. Syll. Fung. 8: 349. 1889 (as M. tenella Cke. & Ell.).
- ---- (Dasyscypha) theioidea Cke. & Ell. Grev. 7: 7. Sept. 1878. On Rhus venenata, N. J. Prel. Cat. Fl. N. J. p. 191. 1881. Cat. Pl. N. J. p. 547. 1889.
 - = Lachnellula theioidea (Cke. & Ell.) Sacc. Syll. Fung. 8: 391. 1889 (Lachnella in Seym. Host Index N. Am. F. p. 469. 1929).

 Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 284. 1951.
- ---- (Humaria) trachyderma Ell. & Ev. Am. Nat. 31: 426. May 1897. Nebr.
 - = Humaria trachyderma (Ell. & Ev.) Sacc. & Syd. Syll. Fung. 14: 752.
 - = Humarina trachyderma (Ell. & Ev.) Seaver N. Am. Cup-F. Opercul. p. 139. 1928.
- ---- tremelloides Ell. & Ev. (ined.). On Valeriana, Wash. coll. Suksdorf. Specimen in Myc. Coll.
- On Gaylussacia dumosa, N. J. N. Am. F. 2145.
 - = Lachnella venturioides (Ell. & Ev.) Sacc. Syll. Fung. 8: 419. 1889 (as L. venturioides Ell. & Ev.).
 - Trichopeziza venturioides (Ell. & Ev.) Sacc. Syll. Fung. 8: 419. 1889.
 - Doubtful species sec. Seaver N. Am. Cup-F. Inopercul. p. 281. 1951.

- Peziza (Mollisia) vinosa Alb. & Schw. ex Fr. f. minor Cke. & Ell. (nom. nud.) Grev. 6: 7. Sept. 1877. On Acer, N. J.
- ---- virginea Batsch ex Fr. var. clethricola Ell. & Ev. (nom. nud.) F. Col. 19. 1893. On Clethra alnifolia, N. J.
- ---- yogoensis Ell. & Gall. Jour. Myc. 5: 65. June 1889. On Carex, Mont.
 - = Pyrenopeziza yogoensis (Ell. & Gall.) Sacc. Syll. Fung. 10: 17. 1892.
- Phacidium crustaceum Ell. (nom. nud. as P. crustaceum (Curt.) Ell.)

 N. Am. F. 455. Jan. 28, 1881. On Pinus strobus, N. J. F. Col.

 1554 (as P. crustaceum (Curt.) Ell. & Ev.).
 - Syn.: Coccomyces crustaceum Curt. ined.
 - = Coccophacidium crustaceum Durand in Dearn. & House Rept. N. Y. St. Mus. 71, p. 46. 1919.
 - = Therrya pini (Alb. & Schw. ex Fr.) Hoehn. Ann. Myc. 15: 323. 1917.
- ---- pustulatum Ell. (ined.). On Pinus, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- sphaeroideum Cke. & Ell. Grev. 7: 7. Sept. 1878. On Ilex glabra, N. J. Prel. Cat. Pl. N. J. p. 195. 1881. Cat. Pl. N. J. p. 554. 1889. N. Am. F. 456.
- Phaeangium (as "Phaenangium") sphaeroides Ell. & Ev. Bull. So. Calif. Acad. Sci. 4: 62. Apr. 1905. On Rhamnus and Rhus laurina, Calif.
- Phaeopezia (as "Phaeopeziza") novae-terrae Ell. & Ev. Bull. Torr. Club 25: 507. Sept. 10, 1898. On rotten wood, Newfoundland.
 - = Aleurina novae-terrae (Ell. & Ev.) Sacc. & Syd. Syll. Fung. 16: 738. 1902.
- ---- (as "Phaeopeziza") nuttallii Ell. & Ev. (nom. nud.) N. Am. F. 2908. Oct. 21, 1893. On burned ground, W. Va.
 - = Ascobolus atrofuscus Phill. & Plowr. sec. Farl. Bibl. Index N. Am. F. p. 264. 1905.
 - = Ascobolus carbonarius Karst. sec. Seaver N. Am. Cup-F. Opercul. p. 87. 1928.
- Pharcidia borealis (Sacc.) Ell. & Ev. N. Am. Pyren. p. 301. May 1892.
 - Syn.: Epicymatia borealis Sacc. Syll. Fung. 1: 572. 1882.

- Pharcidia borealis (Sacc.) Ell. & Ev. N. Am. Pyren. p. 301. May 1892.
 - Syn.: Epicymatia borealis Sacc. Syll. Fung. 1: 572. 1882.
- Phialea ampla Ell. & Ev. Bull. Torr. Club 24: 135. Mar. 30, 1897. On Salix, Wash.
 - = Helotium amplum (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 133. 1951.
- ---- arenicola Ell. & Ev. Am. Nat. 31: 426. May 1897. On sandy ground, Del.
 - = Lachnum pygmaeum (Fr.) Bres. sec. W. L. White Am. Midl. Nat. 28: 522. 1942.
 - = Helotium arenicola (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 148. 1951.
- ---- dearnessii Ell. & Ev. Proc. Acad. Phil. 1893, p. 146. Apr. 11, On Monarda, Ontario.
 - Syn.: Peziza (Phialea) dearnessii Ell. & Ev. (nom. nud.) N. Am. F. 2624. Feb. 21, 1891.
 - = Hymenoscyphus dearnessii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 485. 1898.
 - = Helotium dearnessii (Ell. & Ev.) W. L. White Mycol. 34: 167. 1942.
- Philocopra lutea (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 132, illus. May 1892. (Illustration labeled as Podospora lutea Ell. & Ev.)
 - Syn.: Scrdaria lutea Ell. & Ev. Jour. Myc. 3: 118. Oct. 1887. Cat. Pl. N. J. p. 514. 1889.
 - = Pleurage lutea (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 505. 1898.
 - = Lasiosordaria lutea (Ell. & Ev.) Chenantais Bull. Soc. Myc. Fr. 35: 78. 1919.
 - = Bombardia lutea (Ell. & Ev.) Wehm. Canad. Jour. Res. Sect. C 20: 576. 1942.
- Phleospora anemones Ell. & Kell. in G. Martin Jour. Myc. 3: 88. Aug. 1887. On Anemone, Kans. Jour. Myc. 3: 105. 1887.
 - = Septaria anemones (Ell. & Kell.) O. Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898. (nec S. anemones Desm.). = Septoria punicea J. J. Davis Parasitic Fungi of Wisc. p. 79. 1942.

- Phleospora asiminae Ell. & Morg. in G. Martin Jour. Myc. 3: 88. Aug. 1887. On Asimina triloba, Ohio.
 - = Septaria asiminae (Ell. & Morg.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
 - = Septogloeum asiminae (Ell. & Morg.) Vassiljevsky in Vassiljevsky & Karakulin F. Imperf. Paras. pt. 2 Melanconiales, p. 439. 1948.
 - = Rhopaloconidium asiminae (Ell. & Morg.) Petr. Sydowia 6: 301. 1952.
- ---- bigeloviae Ell. in Coville, Contr. Nat. Herb. 4: 232. 1893. On Bigelovia, Calif.
 - = Septaria bigeloviae (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
- ---- californica Ell. & Ev. Proc. Acad. Phil. 1895, p. 435. Dec. 10, 1895. On Acer californicum, Calif. N. Am. F. 3376; F. Col. 852.
 - = Septaria californica (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
 - = Hendersonia californica (Ell. & Ev.) Hoehn. Hedw. 62: 74. 1920.
- ---- caricis Ell. & Ev. in G. Martin Jour. Myc. 3: 88. Aug. 1887. On Carex angustata, Del. Jour. Myc. 4: 49. 1888. Proc. Acad. Phil. 1893, p. 162. 1893.
 - = Septaria caricis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
- ---- caricis Ell. & Ev. var. emaculata Ell. & Ev. (nom. nud.) N. Am. F. 2568. (emend. Feb. 21, 1891). On Carex, N. J.
- ---- celtidis Ell. & G. Martin Jour. Myc. 3: 87. Aug. 1887. On Celtis occidentalis, Mo. N. Am. F. 2283.
 - = Septaria celtidis (Ell. & G. Martin) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
 - = Stagonospora celtidis (Ell. & G. Martin) H. C. Greene Am. Midl. Nat. 44: 639. 1950.
- ---- chenopodii Ell. & Kell. Jour. Myc. 4: 26. Feb.-Mar. 1888. On Chenopodium album, Kans. 1. c. 4: 117. 1888.
 - = Septoria chenopodii West., etc. in Seym. Host Index p. 294. 1929 (as P. chenopodii (West.) Ell. & Kell.).

- Phleospora megarrhizae Ell. & Ev. Proc. Acad. Phil. 1894, p. 369. Dec. 11, 1894. On Megarrhiza oregana, Wash. N. Am. F. 3377.
 - = Septaria megarrhizae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
- ---- minor Ell. & Ev. Jour. Myc. 8: 18. May 1902. On Hesperaloe dayi, Mexico.
 - = Pycnidial stage of Botryosphaeria hysterioides Ell. & Ev. 1. c.
- ---- oxyacanthae Ell. in Seym. Host Index p. 379. 1929. = Phleospora oxyacanthae (G. Kze. & Schm.) Wallr. Crypt. Fl. p. 177. 1831.
- ---- oxytropidis Ell. & Gall. Jour. Myc. 5: 65. June 1889. On Oxytropis lamberti, Mont.
 - = Septaria oxytropidis (Ell. & Gall.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
- ---- reticulata Ell. & Ev. Proc. Acad. Phil. 1891, p. 81. Mar. 10, 1891. On Lathyrus palustris, Ontario. N. Am. F. 2861.
 - = Septaria reticulata (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 521. 1898.
- Phlyctaena albocincta Ell. & Ev. Am. Nat. 31: 429. May 1897. On Rhus toxicodendron radicans, N. J. N. Am. F. 3463.
- ---- andersoni Ell. Jour. Myc. 7: 277. May 15, 1893. On Arabis holboellii and Draba, Mont.
- ---- gossypina Ell. & G. Martin in Seym. Host Index p. 509. 1929. On Gossypium hirsutum. No reference found.
- Phlyctaena ipomoeae (as "ipomoea") Ell. & Ev. Proc. Acad. Phil. 1894, p. 369. Dec. 11, 1894. On Ipomoea pandurata, W. Va.
- malus, Mich. Ev. Bull. Torr. Club 27: 56. Feb. 1900. On Pirus
- Pholiota californica Ell. & Gall. (ined.). Specimen (without data) in Myc. Coll.
- Phoma acuum Cke. & Ell. Grev. 6: 83. Mar. 1878. On pine (Pinus), N. J. Prel. Cat. Fl. N. J. p. 179. 1881. Cat. Pl. N. J. p. 587. 1889. N. Am. F. 27; F. Col. 1139.
 - = Sphaeropsis acuum (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 523. 1898.

- Phoma apocrypta Ell. & Ev. Jour. Myc. 8: 62. June 1902. On Phytolacca decandra, Ala.
- ---- arabicola Ell. & Ev. (ined.). On Arabis, Tex., coll. H. S. Jennings. Specimen in Myc. Coll.
- ---- asclepiadea Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. Ser. 1, no. 2 (publ. 9), p. 107. Jan. 1896. On Asclepias syriaca, W. Va.
- ---- astragali Ell. & Kell. (ined.). On Astragalus sulcatus, Kans. Specimen in Myc. Coll.
- ---- batatae Ell. & Halst. N. J. Agr. Expt. Sta. Bull. 76, p. 25, illus. Nov. 28, 1890. On sweet potato (Ipomoea batatas), N. J.
 - = Sphaeropsis batatae (Ell. & Halst.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 524. 1898.
 - = Phomopsis batatae (Ell. & Halst.) Harter & Field Phytopath. 2: 121. 1912.
 - = Conidial stage of Diaporthe phaseolorum (Cke. & Ell.) Sacc. var. batatatis (Harter & Field) Wehm. Gen. Diaporthe p. 48.
- ---- biformis Ell. & Barth. Erythea 4: 80. May 9, 1896. On Amorpha fruticosa, Kans.
- ---- californica Ell. & Ev. Bull. Torr. Club 24: 286. June 29, 1897. On Gentiana serrata, Calif.
- ---- canescens Ell. & Barth. Trans. Kans. Acad. Sci. 16: 165. 1899. On cottonwood (Populus), Kans.
- ---- caulophylli Ell. & Ev. Proc. Acad. Phil. 1893, p. 158. Apr. 11, 1893. On Caulophyllum thalictroides, Ontario.
 - = Sphaeropsis caulophylli (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 524. 1898.
- ---- clypeata Cke. & Ell. Grev. 5: 33, illus. Sept. 1876. On dead wood, Maine. Cat. Pl. N. J. p. 579. 1889.
 - = Aposphaeria clypeata (Cke. & Ell.) Sacc. Syll. Fung. 3: 170. 1884.
 - = Coniothyrium clypeatum (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 459. 1898.
- ---- confertum Ell. & Ev. (nom. nud.) in H. L. Jones Bull. Oberlin Coll. Lab. 9, p. 7. June 15, 1898. On Carya, Ohio.
- ---- consors Cke. & Ell. in Sacc. Syll. Fung. 3: 91. 1884. = Phoma consorta Cke. & Ell.

- Phoma consorta Cke. & Ell. Grev. 4: 180, illus. June 1876. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 179. 1881. Cat. Pl. N. J. p. 579. 1889. N. Am. F. 693 (with Lophiostoma tingens Ell.); F. N. Caesar. 19 (ined.).
 - = Sphaeropsis consorta (as "consors") (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 524. 1898.
- ---- corallorhizae (as "corallorhiza") Ell. & Ev. (nom. nud.) in Coons Rept. Mich. Acad. Sci. 14, p. 239. 1912. On Corallorhiza multiflora, Mich.
- ---- dianthi Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. On Dianthus caryophyllus, La. Specimen in Myc. Coll.
- ---- erysiphoides Ell. & Ev. Bull. Torr. Club 27: 54. Feb. 1900. On Gnaphalium? and Achillea millefolium, Colo.
- ---- fibriseda Cke. & Ell. Grev. 6: 2. Sept. 1877. On Rhus venenata, N. J. Cat. Pl. N. J. p. 579. 1889.
 - = Aposphaeria fibriseda (Cke. & Ell.) Sacc. Syll. Fung. 3: 173. 1884.
 - = Coniothyrium fibrisedum (Cke. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 459. 1898.
- ---- fumosa Ell. & Ev. Bull. Torr. Club 25: 508. Sept. 10, 1898. On Negundo aceroides, Colo. F. Col. 1341.
- ---- glumarum Ell. & Tracy Jour. Myc. 4: 123. Dec. 1888. On Oryza sativa, Miss.
 - = Sphaeropsis glumarum (Ell. & Tracy) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 525. 1898.
 - = Phyllosticta glumarum (Ell. & Tracy) Miyake Jour. Coll. Agr. Tokyo 2: 252. 1910.
- ---- grandinia Ell. & Ev. (ined.). On bark, Wyoming, Univ. Wyo. 6943. Specimen in National Herbarium.
- ---- ilicina Ell. & F. W. Anderson Bot. Gaz. 16: 46. Feb. 1891. On Ilex, D. C. N. Am. F. 3057.
 - = Sphaeropsis ilicina (Ell. & F. W. Anderson) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 526. 1898.
- ---- infossa Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On Fraxinus, N. Y.
 - = Sphaeropsis infossa (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 526. 1898.
 - = Cytospora minuta Thuem. sec. Archer Ann. Myc. 24: 27. 1926.

- Phoma infuscans Ell. & Ev. (nom. nud.) N. Am. 3259. Mar. 25, 1895. On Oenothera biennis, N. J. F. Col. 769.
- ---- kansensis Ell. & Gall. (ined.). On Symphoricarpus, Kans. coll. Bartholomew 406. Specimen in Myc. Coll.
- ---- lagerstroemiae Speg. var. foliicola Ell. & Ev. Jour. Myc. 4: 101. Oct. 1888. On Lagerstroemia indica, La.
- ---- lethalis Ell. & G. Martin Bull. Torr. Club 11: 73. 1884. On Rubus villosus and R. canadensis, associated with Hendersonia platypus Ell. & Ev. Description of only a few words.
- ---- lupini Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 6. Sept. 1884. On Lupinus?, Wash. N. Am. F. 1364.
 - = Sphaeropsis lupini (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 526. 1898.
- ---- magnispora Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. Specimen in Myc. Coll. on Ricinus communis, La., Langl. 849.
- ---- mamillariae Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On Mamillaria vivipara, Mont. N. Am. F. 2137.
 - = Sphaeropsis mamillariae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 526. 1898.
- ---- maydis Ell. & Ev. (nom. nud.) in Ann. Rept. Del. Agr. Expt. Sta. 6 (1893): 33. Jan. 1895. On Zea mays, Del.
- ---- media Ell. & Ev. Jour. Myc. 5: 147. Sept. 1889. On Asparagus, N. J.
 - = Sphaeropsis media (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 526. 1898.
- p. 357. Dec. 11, 1894. On Negundo aceroides, W. Va. Bull. Torr. Club 25: 509. 1898.
- ---- nucigena Ell. & Ev. (ined.). On Carya, N. J. Specimen in Myc. Coll.
- nyssocarpa Cke. f. ramicola Ell. & Ev. (ined.). On Nyssa aquatica, W. Va. Specimen in Myc. Coll., L. W. Nutt. Fl. Fayette Co. 1809.
 Listed in Millspaugh & L. W. Nutt. Geol. Surv. W. Va. pt. 1, p. 55.
 1913 as P. nyssocarpa Cke.

- Phoma obscurans Ell. & Ev. Proc. Acad. Phil. 1894, p. 357. Dec. 11, 1894. On Fragaria, W. Va. N. Am. 3258, 3444.
 - = Sphaeropsis obscurans (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 527. 1898.
 - = Phyllosticta obscurans (Ell. & Ev.) Tassi Bull. Iab. Bot. Siena 5: 13. 1902.
 - = Dendrophoma obscurans (Ell. & Ev.) H. W. Anderson Bull. Ill. Agr. Expt. Sta. 229, p. 135. 1920.
- ---- opuntiae Ell. (nom. nud.) in Baker Bull. S. Calif. Acad. 4: 57.
 May 18, 1905. On Cactus, Calif.
- ---- orthosticha Ell. & Ev. Bull. Torr. Club 27: 573. Nov. 1900. On Typha latifolia, Maine.
- ---- paniculatae (as "paniculata") Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 91. Sept. 1897. On Cornus paniculata, Ontario.
 - = Macrophoma paniculatae (Ell. & Dearn.) Sacc. & Syd., Syll. Fung. 14: 890. 1899.
- ---- parasitica Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On Taphrina coerulescens (Mont. & Desm.) Tul. on Quercus coccinea, N. J.
 - = Sphaeropsis parasitica (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 527. 1898.
- ---- pedunculi Ell. & Ev. Proc. Acad. Phil. 1894, p. 357. Dec. 11, 1894. On Magnolia fraseri, W. Va.
 - = Sphaeropsis pedunculi (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 527. 1898.
- ---- pennsylvanica Ell. & Ev. Proc. Acad. Phil. 1894, p. 357. Dec. 11, 1894. On Acer pennsylvanicum, W. Va.
 - = Sphaeropsis pennsylvanica (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 527. 1898.
- ---- piricola Ell. & Ev. (nom. nud.) N. Am. F. 2158. On Pyrus malus, N. J.
- ---- pseudo-capsici Ell. & Langl. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887.
- On apple (Malus sylvestris), Pa.
 - Syn.: Sphaeria pyrina Schw. ined.

- Phoma ribis Ell. & Barth. Erythea 4: 4. Jan. 2, 1896. On gooseberry (Ribes), Kans.
- ---- sassafras Ell. & Ev. (nom. nud.) in Pollock & Kauffman Rept. Mich. Acad. Sci. 7: 58. 1905. On Sassafras, Mich.
- ---- subcircinata Ell. & Ev. Proc. Acad. Phil. 1893, p. 158. Apr. 11, 1893. On lima bean (Phaseolus lunatus), N. J. N. Am. F. 2840.
 - = Sphaeropsis subcircinata (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 528. 1898.
 - = Diaporthe phaseolorum (Cke. & Ell.) Sacc. sec. Wehm. Gen. Diaporthe p. 46. 1933.
- ---- tageticola (Schw.) Ell. & Ev. Proc. Acad. Phil. 1895, p. 28. Mar. 19, 1895.
 - Syn.: Sphaeria tageticola Schw. Trans. Am. Phil. Soc. ser. 2, 4: 222. 1832.
- ---- thapsi Ell. & Ev. Bull. Torr. Club 24: 286. June 29, 1897. On Verbascum thapsus, N. J.
- ---- thermopsidis Ell. & Gall. Jour. Myc. 5: 65. June 1889. On Thermopsis rhombifolia, Mont.
 - = Macrophoma thermopsidis (Ell. & Gall.) Sacc. & Syd. Syll. Fung. 13: 1231. 1898.
 - = Sphaeropsis thermopsidis (Ell. & Gall.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 528. 1898.
- ---- urens Ell. & Ev. Jour. Myc. 4: 102. Oct. 1888. On poplar (Populus),
 Mass.
 - = Sphaeropsis urens (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 528. 1898.
- ---- vaccinii Ell. & Ev. (nom. nud.) in Pollack & Kauffman Rept. Mich. Acad. Sci. 7: 58. 1905. On Vaccinium oxycoccus, Mich.
- virginiana Ell. & Halst. Jour. Myc. 4: 8. Jan. 1888. On Prunus virginiana, Iowa. See Phyllosticta virginiana (Ell. & Halst.) Ell. & Ev.
- ---- virginica Ell. & Halst. in Ell. & Ev. N. Am. F. 2830. Mar. 2, 1893. Error for P. virginiana Ell. & Halst. See Phyllosticta virginiana (Ell. & Halst.) Ell. & Ev.
- viridis Ell. & Barth. Erythea 4: 4. Jan. 2, 1896. On Fraxinus viridis, Kans.

- Phoma zeicola Ell. & Ev. Bull. Torr. Club 27: 573. Nov. 1900. On Zea mays, Ala. Jour. Myc. 8: 62. 1902.
- Phomatospora cupressina Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887.
- ---- sesbaniae (Ell. & Ev.) Sacc. Syll. Fung. 9: 590. 1891 (as P. ses-baniae Ell. & Ev.). See Physalospora sesbaniae Ell. & Ev.
- ---- wistariae Ell. & Ev. Jour. Myc. 8: 68. June 1902. On Wistaria frutescens, Ala.
- Phyllachora adolphiae Ell. & Kell. Jour. Myc. 10: 232, illus. Oct. 14, 1904. On Adolphia infesta, Mexico.
 - = Phyllachora mexicana Ture. sec. Th. & Syd. Ann. Myc. 13: 528. 1915.
- ---- andropogi (Schw.) Ell. & Ev. N. Am. F. 2828. Mar. 2, 1893.
 - Syn.: Sphaeria andropogi Schw. Trans. Am. Phil. Soc. ser. 2, 4: 209. 1832.
- on Aster oblongifolius, Kans. N. Am. F. 3035; F. Col. 325.
 - Species delenda sec. Th. & Syd. Ann. Myc. 13: 571. 1915.
- ---- cinerea Ell. & Ev. Jour. Myc. 10: 170. June 24, 1904. On Catalpa, Ontario.
- ---- coccodes (Lév.) Ell. & Ev. N. Am. Pyren. p. 597. 1892.
 - Syn.: Sphaeria coccodes Lév. Ann. Sci. Nat. Bot. ser. 3, 3: 50. 1845.
 - N. Am. F. 1950, issued as Dothidea coccodes Lév. = Auerswaldia puccinioides Speg. sec. Th. & Syd. Ann. Myc. 13: 565. 1915.
- ---- diplocarpa Ell. & Ev. Bull. Torr. Club 24: 292. June 29, 1897. N. Am. F. 3439; F. Col. 955.
 - Syn.: Homostegia diplocarpa Ell. & Ev. Bull. Torr. Club 24: 135.
 Mar. 20, 1897.
 - = Endodothella tracyi (Ell. & Ev.) Th. & Syd. Ann. Myc. 13: 583.
- ---- leptotaeniae Ell. & Ev. (ined.). On Leptotaenia multifida, Wash., coll. C. V. Piper. Specimen in Myc. Coll.

- Phyllachora oxalina Ell. & Ev. Jour. Myc. 3: 41. Aprl 1887. On Oxalis corniculata, Del. N. Am. Pyren. p. 602. 1892. N. Am. F. 1787, 3530.
 - Species delenda sec. Th. & Syd. Ann. Myc. 13: 574. 1915.
 - = Phomopsis oxalina (Ell. & Ev.) Syd. Ann. Myc. 28: 177. 1930.
- ---- peucedani Ell. & Ev. (ined.). On Peucedanum grayii, Wash. Specimen in herb. Wash. St. Coll.
- ---- plantaginis Ell. & Ev. Proc. Acad. Phil. 1895, p. 427. Nov. 5, 1895. On Plantago ruegelii, Wisc.
 - Species delenda sec. Th. & Syd. Ann. Myc. 13: 575. 1913.
- ---- rickseckeri Ell. & Kelsey in Seaver Mycol. 17: 6. 1925. On Cissampelos pareira, St. Croix Isl., West Indies.
- ---- serialis Ell. & Ev. Jour. Myc. 8: 18. May 1902. On Spartina stricta, Calif.
- ---- stenostoma Ell. & Tracy Jour. Myc. 6: 76. Sept. 10, 1890. On Panicum brizanthemum, Africa.
 - = Phaeodothis stenostoma (Ell. & Tracy) Th. & Syd. Ann. Myc. 13: 596. 1915.
- ---- tracyi Ell. & Ev. Jour. Myc. 4: 63. July 1898. On Distichlis maritima, Oreg.
 - = Dothidella tracyi (Ell. & Ev.) Sacc. Syll. Fung. 9: 1039. 1891.
 - = Endodothella tracyi (Ell. & Ev.) Th. & Syd. Ann. Myc. 13: 583.
- ---- ? yuccae Ell. & Ev. Bull. Torr. Club 22: 440. Oct. 31, 1895. On Yucca angustifolia, Mexico. Jour. Myc. 8: 19. 1902.
 - = Dothidea yuccae (Ell. & Ev.) Earle Bull. N. Y. Bot. Gard. 2: 346.
 Apr. 1902 (D. yuccae (Ell. & Ev.) Ell. & Ev. Jour. Myc. 8: 19.
 May 1902).
 - = Phaeodothis yuccae (Ell. & Ev.) Sacc. Syll. Fung. 17: 855. 1905.
 - ? = Systremma sec. Th. & Syd. Ann. Myc. 13: 337. 1915.
- Phyllosticta abortiva Ell. & Kell. Jour. Myc. 1: 4. Jan. 1885. On Menispermum canadense Kans. N. Am. Phyll. p. 2. 1900.
 - = Septoria abortiva (Ell. & Kell.) Tehon & Daniels Mycol. 19: 119.

- Phyllosticta acanthospermi Ell. & Ev. N. Am. Phyll. p. 57. Dec. 1900. On Acanthospermum xanthioides, Fla.
- ---- acericola Cke. & Ell. Grev. 8: 11. Sept. 1879. On maple (Acer),
 N. J. Prel. Cat. Fl. N. J. p. 181. 1881. Cat. Pl. N. J. p. 577.
 1889. Canad. Rec. Sci. 5: 269. 1893. N. Am. F. 534; F. Col. 140,
 660.
 - = Phyllosticta minima (Berk. & Curt.) Underw. & Earle (P. minima (Berk. & Curt.) Ell. & Ev.) sec. Ell. & Ev. N. Am. Phyll. p. 1. 1900.
- ---- adusta Ell. & G. Martin Jour. Myc. 2: 130. Nov. 1886. On orange (Citrus), Fla. See Colletotrichum adustum (Ell. & G. Martin) Ell.
- aesculi Ell. & G. Martin Jour. Myc. 2: 130. Nov. 1886. On Aesculus glabra, Mo. N. Am. F. 1723.
 - = Phyllosticta aesculicola Sacc. sec. Ell. & Ev. N. Am. Phyll. p. 41.
 - = Guignardia aesculi (Pk.) V. B. Stewart Phytopath. 6: 9. 1916.
- officinalis, Ohio. See Gloeosporium sassafras (Cke.) Ell. & Ev.
- on Quercus agrifolia, Calif. Erythea 1: 146. July 1, 1893. p. 21, 1900.
- ---- alcides Ell. & Kell. Ohio Naturalist 21: 223. Mar. 1902; descr. corrected 1. c. 262, Apr. 1902. On Populus alba, Ohio.
 - = P. alcides Sacc. var. americana Sacc. & D. Sacc. Syll. Fung. 18: 240. 1906.
- ---- alismatis Sacc. & Speg. var. minor Ell. & Ev. (nom. nud.) in Seym. Host Index p. 81. On Alisma plantago-aquatica. No description found.
- ---- allantospora Ell. & Ev. Proc. Acad. Phil. 1894, p. 355. Dec. 11, 1894. On Cakile americana, N. J. N. Am. Phyll. p. 50. 1900.
- retroflexus, Kans. N. Am. Phyll. p. 44. 1900.
- amicta Ell. & Ev. Proc. Acad. Phil. 1895, p. 430. Nov. 5, 1895. On Arctostaphylos viscida and A. manzanita, Calif. N. Am. Phyll. p. 10. 1900.

- Phyllosticta ampelopsidis Ell. & G. Martin Jour. Myc. 2: 14. Feb. 1886. On Ampelopsis quinquefolia, Pa. and N. J. N. Am. F. 1169; F. Col. 564.
 - = Phyllosticta labruscae Thuem. sec. Ell. & Ev. N. Am. Phyll. p. 25. 1900.
 - = Guignardia bidwellii (Ell.) Viala & Ravaz. sec. Seym. Host Index p. 493. 1929.
 - = Phyllostictina viticola (B. & C.) Petr. Ann. Myc. 38: 258. 1940.
- on Anemon's Ell. & Kell. Proc. Acad. Phil. 1894, p. 356. Dec. 11, 1894. On Anemone pennsylvanica, Mich. N. Am. Phyll. p. 52. 1900. N. Am. F. 3152; F. Col. 568.
 - = Phyllosticta anemonicola Sacc. & Syd. Syll. Fung. 14: 865. 1899.
- antennariae Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Antennaria plantaginifolia, Del. N. Am. Phyll. p. 68. 1900.
- on Aplectrum hyemale, Del. N. Am. Phyll. p. 50. 1900.
- apocyni Ell. & Mart. Am. Nat. 18: 1264. Dec. 1884. On Apocynum cannabinum, "North America". N. Am. F. 2678.
 - = P. apocyni Trel. Trans. Wisc. Acad. Sci. 6: (p. 17 of separate).
 Nov. 1884. sec. Ell. & Ev. N. Am. Phyll. p. 45. 1900. F. Col.
 565.
- araliae Ell. & Ev. Proc. Acad. Phil. 1894, p. 355. Dec. 11, 1894.
 On Aralia spinosa, W. Va.
 - = Phyllosticta everhartii Sacc. & Syd. Syll. Fung. 14: 865. 1899. N. Am. Phyll. p. 32. 1900.
- ---- arbutifoliae (as "arbutifolia") Ell. & G. Martin Jour. Myc. 2: 129.
 Nov. 1886. On Pyrus arbutifolia, N. J. N. Am. Phyll. p. 5. 1900.
 N. Am. F. 1725.
- asiminae Ell. & Kell. Am. Nat. 17: 1165. Nov. 1883. On Asimina triloba, Ohio. N. Am. Phyll. p. 35. 1900. N. Am. F. 1164; F. Col. 431.
- asterîcola Ell. & Ev. Proc. Acad. Phil. 1893, p. 157. Apr. 11, 1893. On Aster umbellatus, Wisc. N. Am. Phyll. p. 49. 1900.

- Phyllosticta bataticola Ell. & G. Martin Am. Nat. 16: 1002. Dec. 1882. On Batatas edulis (Ipomoea batatas), N. J. Cat. Pl. N. J. p. 577. 1889. N. Am. F. 1155.
 - = Phyllosticta batatas (Thuem.) Cke. sec. Ell. & Ev. N. Am. Phyll. p. 45. 1900.
- ---- betulae Ell. & Ev. in Shear N. Y. Fungi no. 367. Mar. 1896. On Betula lenta, N. Y. Spore measurements given on specimen label.
- ---- brunellae Ell. & Ev. Proc. Acad. Phil. 1894, p. 355. Dec. 11, 1894. On Brunella vulgaris, Wash. N. Am. Phyll. p. 51. 1900.
- ---- calaminthae Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Calamintha clinopodium, Ontario. N. Am. F. 2831.
 - = Phyllosticta decidua Ell. & Kell. sec. Ell. & Ev. N. Am. Phyll. p. 66. 1900.
- ---- calthae Ell. & Ev. (ined.). On Caltha palustris, Del. Specimen in Commons Coll. sec. D. Sumstine in litt.
- ---- canescens Ell. & Ev. Bull. Torr. Club 27: 54. Feb. 1900. On Ribes divaricatum, Idaho. N. Am. Phyll. p. 24. 1900.
- ---- caryae Ell. & Ev. Jour. Myc. 4: 101. Oct. 1888. On Carya, N. J. See Gloeosporium caryae Ell. & Dearn.
- ---- caryigena Ell. & Ev. N. Am. F. 2165. 1889. Syn.: P. caryae Ell. & Ev. See Gloeosporium caryae Ell. & Dearn.
- ---- caryigena Ell. & Ev. var. subfusca Ell. & Ev. (nom. mud.) N. Am. F. 2677. Feb. 21, 1891. See Gloeosporium caryae Ell. & Dearn.
- On Castanea Ell. & Ev. Proc. Acad. Phil. 1894, p. 357. Dec. 11, 1894.
 On Castanea vesca, W. Va. Proc. Acad. Phil. 1895, p. 431. 1895.
 N. Am. Phyll. p. 12-13. 1900. N. Am. F. 3254.
- On Castanea chrysophylla, Calif. N. Am. Phyll. p. 13. 1900.
 - = Dothidella castanicola (Ell. & Ev.) Bonar Mycol. 20: 294. 1928.
 - = Dothidella janus (B. & C.) Hoehn. sec. W. F. Cooke Mycol. 44: 258.
- bignonioides, Pa. See P. catalpicola (Schw.) Ell. & Ev.

- Phyllosticta catalpicola (Schw.) Ell. & Ev. N. Am. Pyren. p. 747. May 1892.
 - Syn.: Sphaeria catalpicola Schw. Trans. Am. Phil. Soc. ser. 2, 4: 226.
 - Phyllosticta catalpae Ell. & G. Martin Am. Nat. 18: 189. Feb. 1884. Cat. Pl. N. J. p. 578. 1889. N. Am. Phyll. p. 39. 1900. N. Am. F. 1368.
- ---- celastri Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Mus. Bot. Ser. 1: 104. Jan. 1896. On Celastrus scandens, W. Va. N. Am. Phyll. p. 23. 1900.
- ---- celtidis Ell. & Kell. Jour. Myc. 4: 27. Feb.-Mar. 1888. On Celtis occidentalis, Kans. N. Am. Phyll. p. 31. 1900. N. Am. F. 2836; F. Col. 661.
- ---- cercidicola Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 105. Jan. 1896. On Cercis canadensis, W. Va. N. Am. Phyll. p. 22. 1900. N. Am. F. 3253.
- ---- chrysanthemi Ell. & Dearn. Canad. Rec. Sci. 5: 267. Jan. 1893. On Chrysanthemum sinense, Ontario. N. Am. Phyll. p. 47. 1900.
- ---- clematidis Ell. & Dearn. Canad. Rec. Sci. 5: 268. Jan. 1893. On Clematis viorna var. coccinea, Ontario. N. Am. Phyll. p. 31. 1900.
- ---- clethricola Ell. & G. Martin Am. Nat. 16: 1002. Dec. 1882. On Clethra alnifolia, N. J. Cat. Pl. N. J. p. 578. 1889. N. Am. Phyll. p. 17. 1900. N. Am. F. 1153; F. Col. 1246.
- ---- clypeata Ell. & Ev. Jour. Myc. 8: 15. May 1902. On Pirus malus, Oreg.
- ---- coccolobae Ell. & Ev. Ann. Rept. Mo. Bot. Gard. 9: 118. 1898. On Coccoloba uvifera, Nassau. N. Am. Phyll. p. 4. 1900.
- ---- commonsii Ell. & Ev. Jour. Myc. 5: 146. Sept. 1889. On Paeony (Paeonia), Del. N. Am. Phyll. p. 63. 1900.
 - = Coniothyrium subgen. Phyllostictella sec. Keissl. Ann. Myc. 21: 73. 1923.
- ---- concentrica Sacc. var. sparsa Ell. & Ev. (nom. nud.) N. Am. F. 2936.
 Oct. 21, 1893. On Hedera helix, N. J. N. Am. Phyll. p. 9, 56.
 1900. F. Col. 67.
- ---- concomitans Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Ilex decidua (La.). Jour. Myc. 4: 50. 1888. N. Am. Phyll. p. 40. 1900.

- Phyllosticta confertissima Ell. & Ev. Proc. Acad. Phil. 1893, p. 455. Feb. 27, 1894. On Ulmus fulva, Kans. N. Am. Phyll. p. 10. 1900.
- ---- consimilis Ell. & Ev. N. Am. Phyll. p. 70. Dec. 1900. On Yucca, Ala. Probably spermagonial stage of Diatrype acervata Ell. & Ev.
- ---- cornuti Ell. & Kell. Bull. Torr. Club 11: 115. Oct. 1884. On Asclepias cornuti, Kans. N. Am. Phyll. p. 46. 1900.
- ---- corylina Ell. & G. Martin Am. Nat. 18: 1264. Dec. 1884. On Corylus americana, N. J.
 - = Gloeosporium coryli (Desm.) Sacc. sec. Ell. & Ev. Jour. Myc. 1: 114. 1885, and N. Am. Phyll. p. 44. 1900.
- ---- curtisii (Sacc.) Ell. & Ev. in Hume Rept. Fla. Expt. Sta. 1899-1900, p. 41. 1900.
 - Syn.: Phoma curtisii Sacc. Syll. Fung. 3: 860. 1884.
- ---- cynoglossi Ell. & Ev. (ined.). On Cynoglossum officinale, Wisc. Specimen in Myc. Coll.
 - = Phyllosticta decidua Ell. & Kell. sec. Ellis' note on specimen label.
- ---- cyrillae Ell. & G. Martin Jour. Myc. 2: 130. Nov. 1886. On Cyrilla racemiflora, Fla. N. Am. Phyll. p. 6. 1900. N. Am. F. 1720.
- cardinalis, Nepeta cataria, Mentha piperita, Ohio. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 92. 1897. N. Am. Phyll. p. 31, 66. 1900. N. Am. F. 1165; F. Col. 359.
 - Syn.: Phyllosticta calaminthae Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. N. Am. F. 2831.
 - : Phyllosticta cynoglossi Ell. & Ev. (ined.).
 - Phyllosticta lycopodis Ell. & Ev. Proc. Acad. Phil. 1891, p. 76. 1891.
 - Phyllosticta monardae Ell. & Barth. Trans. Kans. Acad. Sci. 16: 165. 1899.
 - : Phyllosticta perforans Ell. & Ev. Proc. Acad. Phil. 1893: 157. 1893.
- ---- decipiens Ell. & Ev. N. Am. Phyll. p. 55. Dec. 1900. On Hedera helix, Ala.
- ---- desmodii Ell. & Ev. Jour. Myc. 5: 146. Sept. 1889. On Desmodium, Wisc. N. Am. Phyll. p. 62. 1900.

- Phyllosticta deutziae Ell. & Ev. Jour. Myc. 5: 146. Sept. 1889. On Deutzia, "North America". N. Am. Phyll. p. 63. 1900.
- ---- dircae Ell. & Dearn. Canad. Rec. Sci. 5: 267. Jan. 1893. On Dirca palustris, Ontario. N. Am. F. 2838.
 - = Spermagonial stage of Sphaerella dircae Ell. & Ev. sec. Ell. & Ev. N. Am. Phyll. p. 5. 1900.
- ---- discincola Ell. & Ev. Proc. Acad. Phil. 1893, p. 454. Feb. 27, 1894. On Forsythia, D. C. N. Am. Phyll. p. 14. 1900.
 - = Phyllostictella discincola (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 4: 5. 1901 and 5: 20. 1902.
 - = Coniothyrium (Phyllostictella) discincola (Ell. & Ev.) Keissl. Ann. Naturh. Mus. Wien 35: 21. 1922.
- ---- erratica Ell. & Ev. N. Am. Phyll. p. 43. Dec. 1900. On Ulmus americana, U. fulva and Thea sp., Ala.
- ---- eucalypti Ell. & Ev. Bull. Torr. Club 24: 285. June 29, 1897. On Eucalyptus, Calif. See Phyllosticta extensa Ell. & Ev.
- ---- eucherae Ell. & Ev. in Sacc. Syll. Fung. 15: 288, 1901. See P. heucherae Ell. & Ev.
- ---- extensa Ell. & Ev. Bull. Torr. Club 24: 462. Oct. 30, 1897. N. Am. Phyll. p. 42. 1900 (as P. extensa Sacc.).
 - Syn.: Phyllosticta eucalypti Ell. & Ev. Bull. Torr. Club 24: 285. 1897, nec Thuem.
- ---- fagicola Ell. & Morg. Jour. Myc. 4: 10. Jan. 1888. On Fagus ferruginea, Ohio. N. Am. Phyll. p. 7. 1900. Antedates P. faginea Pk. by several months sec. Ell. & Ev. 1. c.
- ---- ferax Ell. & Ev. Proc. Acad. Phil. 1894, p. 355. Dec. 11, 1894. On Lupinus albifrons, Calif. Bull. Torr. Club 27: 59. 1900. N. Am Phyll. p. 51. 1900.
- ---- fimbriata Ell. & Ev. Bull. Torr. Club 24: 286. June 29, 1897. On Arbutus menziesii, Oreg. N. Am. Phyll. p. 11, 1900.
- ---- fraserae Ell. & Ev. N. Am. Phyll. p. 47. Dec. 1900. On Frasera, Colo.

- Phyllosticta fraxini Ell. & G. Martin Am. Nat. 18: 189. Feb. 1884. On Fraxinus, Pa. Jour. Myc. 5: 142, 145. 1889. Cat. Pl. N. J. p. 577. 1889. N. Am. F. 1163.
 - = Phyllosticta fraxinicola (Curr.) Sacc. sec. Ell. & Ev. N. Am. Phyll. p. 2. 1900.
 - = Cylindrosporium fraxini (Ell. & Kell.) Ell. & Ev. sec. Gilman & Archer Iowa St. Coll. Jour. Sci. 3: 373. 1929.
- ---- fusispora Ell. & Ev. N. Am. Phyll. p. 74. Dec. 1900. On Castanea vesca, Ala.
- ---- galacis (as "galactis") (Cke.) Ell. & Ev. N. Am. F. 3153. Nov. 26, 1894. N. Am. Phyll. p. 64. 1900. Bull. Torr. Club 27: 54. 1900 (as P. galactis Cke.).
 - Syn.: Phoma galacis Cke. Grev. 14: 90. 1886.
- Rhytisma solidaginis Schw., Colo. N. Am. Phyll. p. 46. 1900.
- ---- gaultheriae Ell. & Ev. Jour. Myc. 1: 153. Dec. 1885. On Gaultheria procumbens, N. J. Jour. Myc. 3: 130. 1887. Cat. Pl. N. J. p. 578. 1889. N. Am. Phyll. p. 61. 1900. N. Am. F. 1619; F. Col. 358.
- ---- gelsemii Ell. & Ev. Jour. Myc. 7: 131. Mar. 10, 1892. On Gelsemium sempervirens, N. J. N. Am. Phyll. p. 32. 1900.
- carolinianum, La. N. Am. Phyll. p. 61. 1900.
- ---- gladioli Ell. & Ev. N. Am. Phyll. p. 73. Dec. 1900. On Gladiolus communis, Ala.
- ---- globifera Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 104. Jan. 1896. On Cornus florida, W. Va. N. Am. Phyll. p. 27. 1900.
 - = Phyllosticta cornicola (DC. ex Fr.) Rabh. sec. Seym. Host Index p. 544. 1929.
- ---- globigera Ell. & Ev. (ined.). On Sorbus, Wash. Specimen in Herb. Wash. St. Coll.
- ---- gordoniae Ell. & G. Martin Jour. Myc. 1: 100. Aug. 1885. On Gordonia lasianthus, Fla. N. Am. Phyll. p. 23. 1900. N. Am. F. 1618.
- Gossypium), no locality cited. N. Am. Phyll. p. 67. 1900.

- Phyllosticta halstedii Ell. & Ev. Jour. Myc. 5: 146. Sept. 1889. On Syringa vulgaris, N. J. N. Am. Phyll. p. 38. 1900.
 - = Macrophoma halstedii (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 17. 1902.
- ---- helianthi Ell. & Ev. in H. C. Greene Farlowia 1: 572. 1944. On Helianthus, Wisc. Nom. nud. in J. J. Davis Trans. Wisc. Acad. 9: 172. 1893.
- ---- heraclei Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 91. Sept. 1897. On Heracleum lanatum, Ontario. N. Am. Phyll. p. 54. 1900.
 - = Stictochorella heraclei (Ell. & Dearn.) Hoehn. Ber. Deutsch. Bot. Ges. 35: 253. 1917.
- ---- heucherae Ell. & Ev. Am. Nat. 31: 428. May 1897. On Heuchera cylindrica, Idaho. Bull. Torr. Club 27: 571. 1900.
 - = Phyllosticta cylindrica Sacc. & Syd. Syll. Fung. 14: 853. 1899.
 - = Dothidella heucherae Ell. & Ev. sec. Seym. Host Index p. 345. 1929.
 - = Stictochorella heucherae (Ell. & Ev.) Petr. Ann. Myc. 22: 395.
- ---- hibiscina Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Hibiscus mutabilis, La. N. Am. Phyll. p. 7. 1900.
- ---- hispidae (as "hispida") Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 91. Sept. 1897. On Smilax hispida, Ontario. N. Am. Phyll. p. 73. 1900. N. Am. F. 3541.
- ---- humuli Sacc. & Speg. var. major Ell. & Ev. Jour. Myc. 5: 145.
 Sept. 1889. On hops (Humulus), Iowa. N. Am. Phyll. p. 69. 1900.
- ---- hydrangeae Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Hydrangea, "North America". N. Am. Phyll. p. 69. 1900.
- ---- ilicicola (Cke. & Ell.) Ell. & Ev. F. Col. 70. Oct. 3, 1893.
 - Syn.: Sphaeropsis ilicicola Cke. & Ell. Grev. 6: 3, illus. Sept. 1877. Prel. Cat. Fl. N. J. p. 179. 1881. Cat. Pl. N. J. p. 581. 1889.
 - = Phoma ilicicola (Cke. & Ell.) Sacc. Syll. Fung. 3: 106. 1884.
 - = Phyllostictina ilicicola (Cke. & Ell.) Hoehn. Ber. Deutsch. Bot. Ges. 36: 315. 1918.
 - = Physalospora ilicis (Schleich. ex Fr.) Sacc. sec. Seym. Host Index p. 471. 1929.

- Phyllosticta ipomoeae Ell. & Kell. Jour. Myc. 3: 102. Sept. 1887. On Ipomoea pandurata, Kans. N. Am. Phyll. p. 67. 1900.
- ---- iridis Ell. & G. Martin Proc. Acad. Phil. 1893, p. 456. Feb. 27, 1894. On Iris versicolor, Fla. and Mich. N. Am. Phyll. p. 71. 1900. N. Am. F. 2937.
 - = Phlyctaena iridis (Ell. & G. Martín) (as 'Ell. & Ev.") Petr. Ann. Myc. 23: 64. 1925.
- ---- ivaecola Ell. & Ev. Jour. Myc. 2: 37. Apr. 1886. On Iva frutescens, La. N. Am. Phyll. p. 5. 1900.
- ---- juliflorae (as "juliflora") Ell. & Barth. Jour. Myc. 8: 174. Dec. 1902. On Prosopis juliflora, Tex.
- ---- kalmicola (Schw.) Ell. & Ev. Proc. Acad. Phil. 1893: 454. Feb. 27, 1894. N. Am. Phyll. p. 13. 1900. N. Am. F. 2935; F. Col. 69.
 - Syn.: Sphaeria Depazea kalmicola Schw. Trans. Am. Phil. Soc. ser. 2, 4: 226. 1832.
- ---- lagerstroemiae Ell. & Ev. Jour. Myc. 4: 101. Oct. 1888. On Lagerstroemia indica, La. N. Am. Phyll. p. 68. 1900.
- ---- latifoliae (as "latifolia") Ell. & Ev. Proc. Acad. Phil. 1893, p. 454. Feb. 27, 1894. On Kalmia latifolia, N. J. N. Am. Phyll. p. 14. 1900. N. Am. F. 2938; F. Col. 68.
- ---- leucothoes Ell. & G. Martin Am. Nat. 18: 1264. Dec. 1884. On Leucothoe acuminata, Fla. Jour. Myc. 4: 9. 1888. N. Am. Phyll. p. 19, 29. 1900. N. Am. F. 1369.
 - = Macrophoma leucothoes (Ell. & G. Martin) Tassi Bull. Lab. Bot. Siena 5: 17. 1902.
- Lilium superbum, Cntario.
 - Spermagonial stage of Leptosphaeria lilii Ell. & Dearn. sec. Ell. & Ev. Proc. Acad. Phil. 1893, p. 136. 1893, and N. Am. Phyll. p. 72. 1900.
- ---- linderae Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Lindera benzoin, Del. Proc. Acad. Phil. 1894, p. 354. 1894. N. Am. Phyll. p. 8. 1900. N. Am. F. 2154.
- On Lindera benzoin, W. Va. N. Am. Phyll. p. 8. 1900. N. Am. F. 3251; F. Col. 664.

- Phyllosticta livida Ell. & Ev. Bull. Torr. Club 24: 285. June 29, 1897. On Quercus douglasii, Calif. N. Am. Phyll. p. 18. 1900.
- ---- ludoviciana Ell. & G. Martin Jour. Myc. 2: 130. Nov. 1886. On Quercus aquatica, La. Proc. Acad. Phil. 1894, p. 356. 1894. N. Am. Phyll. p. 18, 19. 1900.
- ---- lychnidis (Fr.) Ell. & Ev. N. Am. Phyll. p. 59. Dec. 1900. N. Am. F. 2839.
 - Syn.: Sphaeria lychnidis Fr. Syst. Myc. 2: 531. 1823.
- ---- lycii Ell. & Kell. Am. Nat. 17: 1166. Nov. 1883. On Lycium vulgare, Ohio. N. Am. Phyll. p. 37. 1900. N. Am. F. 1157.
- ---- lycopi (as "lycopodis") Ell. & Ev. Proc. Acad. Phil. 1891, p. 76.
 Mar. 10, 1891. On Lycopus canadensis, Ontario.
 - = Phyllosticta decidua Ell. & Kell. sec. Ell. & Ev. N. Am. Phyll. p. 66. 1900.
- ---- maclurae Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Maclura aurantiaca, N. J. N. Am. Phyll. p. 35. 1900. N. Am. F. 2679.
- ---- macrospora Ell. & Ev. Proc. Acad. Phil. 1894, p. 355. Dec. 11, 1894. On Liriodendron tulipifera, W. Va. N. Am. Phyll. p. 38. 1900. N. Am. F. 3256; F. Col. 666.
- ---- maculans Ell. & Ev. Proc. Acad. Phil. 1893, p. 157. Apr. 11, 1893. On Populus monilifera, Kans. N. Am. Phyll. p. 34. 1900. N. Am. F. 2837.
 - = Coleophoma maculans (Ell. & Ev.) Petr. Beih. Fedde Repert. Spec. Nov. 42: 471. 1927.
- ---- marginalis Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Quercus aquatica, La. Proc. Acad. Phil. 1894, p. 357. 1894. N. Am. Phyll. p. 18, 19. 1900.
 - = Phyllosticta apiculata Sacc. & Syd. Syll. Fung. 14: 865. 1899.
- ---- maximi (as "maxima") Ell. & Ev. Jour. Myc. 4: 123. Dec. 1888. On Rhododendron maximum, Mass.
 - = Phyllosticta rhododendri West. sec. Ell. & Ev. N. Am. Phyll. p. 9. 1900. N. Am. F. 2765. Not this species sec. B. H. Davis Mycol. 38: 42-44. 1946.
 - = Phyllostictina maximi (Ell. & Ev.) Petr. Hedw. 74: 56. 1934.
 - = Guignardia rhodorae (Cke.) B. H. Davis 1. c.

- Phyllosticta melaleuca Ell. & Ev. N. Am. Phyll. p. 43. Dec. 1900. On Ulmus americana, Ala.
 - = Phyllosticta ulmicola Sacc. sec. Seym. Host Index p. 275. 1929.
- ---- meliae Ell. & Ev. Jour. Myc. 4: 9. Jan. 1888. On Melia azedarach,
 La. N. Am. Phyll. p. 7. 1900.
- ---- mentzeliae Ell. & Kell. Jour. Myc. 2: 4. Jan. 1886. On Mentzelia nuda, Kans. N. Am. Phyll. p. 45. 1900.
- ---- mimuli Ell. & Fautr. Rev. Myc. 20: 59. Apr. 1898. On Mimulus rigens, France.
- ---- minima (Berk. & Curt.) Ell. N. Am. Phyll. p. l. Dec. 1900. = P. minima (Berk. & Curt.) Underw. & Earle Bull. Ala. Expt. Sta. 80, p. 168. June 28, 1897.
 - Syn.: Sphaeropsis minima Berk. & Curt. Grev. 3: 2. 1874.
- ---- minoris (as "minor") Ell. & Ev. N. Am. Phyll. p. 47. Dec. 1900. On Vinca minor, N. J.
- ---- minutissima Ell. & Ev. Proc. Acad. Phil. 1891, p. 76. Mar. 10, 1891. On Acer glabrum, Nebr. N. Am. Phyll. p. 11. 1900. F. Col. 1244.
 - = Septoria aceris (Lib.) Berk. & Br. sec. Gilman & Archer Iowa St. Coll. Jour. Sci. 3: 374. 1919.
- ---- molluginis Ell. & Halst. Jour. Myc. 6: 33. May 1890. On Mollugo verticillata, N. J. N. Am. Phyll. p. 69. 1900.
- ---- monardae Ell. & Barth. Trans. Kans. Acad. Sci. 16: 165. 1899. On Monarda citriodora, Kans.
 - = Phyllosticta decidua Ell. & Kell. sec. Ell. & Ev. N. Am. Phyll. p. 66. 1900.
- ---- moricola Ell. & Ev. Proc. Acad. Phil. 1893, p. 455. Feb. 27, 1894. On Morus rubra, Kans. N. Am. Phyll. p. 10. 1900.
- ---- mucunae Ell. & Ev. N. Am. Phyll. p. 48. Dec. 1900. On Mucuna utilis, Ala.
- On tobacco (Nicotiana tabacum), N. Car. N. Am. Phyll. p. 49. 1900.
- ---- nymphaeacea Ell. & Ev. N. Am. Phyll. p. 73. Dec. 1900. On Nymphaea adunca, Ala.

- Phyllosticta oculata Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 32. 1887. Specimens in Myc. Coll. on Populus angulata, Langl. 516, 551. Probably Cylindrosporium oculatum Ell. & Ev.
- ---- officinalis Ell. & Rau (ined.). On Sassafras officinale, Pa. Specimen in Myc. Coll.
- ---- oleae Ell. & G. Martin Jour. Myc. 2: 17. Feb. 1886. On Olea americana, Fla. N. Am. Phyll. p. 26. 1900.
- ---- opacae (as "opaca") Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 106. Jan. 1896. On Ilex opaca, W. Va. N. Am. Phyll. p. 40. 1900. N. Am. F. 3443; F. Col. 956.
- orbicula Ell. & Ev. Proc. Acad. Phil. 1893, p. 455. Feb. 27, 1894. On Nasturtium armoracia, Ontario. N. Am. Phyll. p. 48. 1900.
 - = Phyllostictella orbicula (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 4: 5. 1901; 5: 21. 1902.
 - = Coniothyrium (Phyllostictella) orbicula (Ell. & Ev.) Keissl. Ann. Naturh. Mus. Wien 35: 21. 1922.
- ---- orbicularis Ell. & Ev. Jour. Myc. 4: 10. 1888. On Cucurbita pepo, Del. N. Am. Phyll. p. 68. 1900.
- ---- orontii Ell. & G. Martin Am. Nat. 16: 1002, Dec. 1882, On Orontium aquaticum, (N. J.). Jour. Myc. 1: 150. 1885. Cat. Pl. N. J. p. 577. 1889. N. Am. Pyren. p. 307. 1892. N. Am. Phyll. p. 58, 73. 1900.
- ---- orontii Ell. & G. Martin var. advena Ell. & Ev. Jour. Myc. 5: 146.
 Sept. 1889. On Nuphar advena, Ontario.
 - = Phyllosticta fatiscens Pk. sec. Ell. & Ev. N. Am. Phyll. p. 58. 1900.
- ---- oxydendri Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 104. Jan. 1896. On Oxydendron arboreum, W. Va. N. Am. Phyll. p. 23. 1900.
- pallens Ell. & Ev. N. Am. Phyll. p. 74. Dec. 1900. On Euonymus europaeus, Ala.
- ---- palmetto Ell. & Ev. Jour. Myc. 5: 146. Sept. 1889. On Sabal palmetto, Ia.
 - Probably spermagonial stage of Sphaerella sabaligena Ell. & Ev. sec. Ell. & Ev. N. Am. Phyll. p. 63. 1900.
- ---- palustris Ell. & Dearn. Trans. Canad. Inst. 6: 637. 1899. On Stachys palustris, Ontario. N. Am. Phyll. p. 56. 1900. F. Col. 1338.

- Phyllosticta parkinsoniae Ell. & Ev. Proc. Acad. Phil. 1891, p. 77. Mar. 10, 1891. On Parkinsonia aculeata, Tex. N. Am. Phyll. p. 12. 1900.
- ---- paviae Ell. & Ev. in Millspaugh W. Va. Geol. Surv. 5: 49. 1913.
 Apparently error for P. paviae Desm. Ann. Sci. Nat. Bot. Ser. 3, 8: 32. 1847.
- ---- perforans Ell. & Ev. Proc. Acad. Phil. 1893, p. 157. Apr. 11, 1893. On Solanum dulcamara, Ontario.
 - = Phyllosticta decidua Ell. & Kell. sec. Ell. & Ev. N. Am. Phyll. p. 66. 1900.
 - = Phyllostictella perforans (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 4: 5. 1901; 5: 21. 1902.
- ---- perseae Ell. & G. Martin Jour. Myc. 1: 100. Aug. 1885. On Persea carolinensis, Fla.
 - = Phyllosticta micropuncta Cke. sec. Ell. & Ev. N. Am. Phyll. p. 3.
- ---- petasitidis Ell. & Ev. Proc. Acad. Phil. 1891, p. 76. Mar. 10, 1891. On Petasites palmata, Ontario. N. Am. Phyll. p. 57. 1900.
- ---- populina Ell. & Ev. (ined.). On Populus trichocarpa, Wash. Specimen in Herb. Wash. St. Coll.
- ---- punctata Ell. & Dearn. Canad. Rec. Sci. 5: 268. Jan. 1893. On Viburnum opulus, Ontario. N. Am. Phyll. p. 31. 1900. N. Am. F. 2832, 3056; F. Col. 1245.
- ---- pyrolae Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Pyrola rotundifolia, Del. N. Am. Phyll. p. 69. 1900.
- ---- quercus-prini Ell. & Ev. Proc. Acad. Phil. 1894, p. 356. Dec. 11, 1894. On Quercus prinus, W. Va. N. Am. Phyll. p. 18. 1900.
- ---- rhei Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Rheum offici-nale, N. J. See Ascochyta rhei (Ell. & Ev.) Ell. & Ev.
- ---- rhoicola Ell. & Ev. Proc. Acad. Phil. 1894, p. 356. Dec. 11, 1894. On Rhus toxicodendron, W. Va. N. Am. Phyll. p. 30. 1900.
- ---- ribis Ell. & Ev. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 102. Jan. 1896. On Ribes, W. Va.
 - = Phyllosticta ellisii Sacc. & Syd. Syll. Fung. 14, 851. 1899.
 N. Am. Phyll. p. 24. 1900.

- Phyllosticta richardsoniae Ell. & Ev. Jour. Myc. 8: 62. June 1902. On Richardsonia scabra, Ala.
- ---- rudbeckiae Ell. & Ev. Proc. Acad. Phil. 1895, p. 430. Nov. 5, 1895. On Rudbeckia laciniata, Wisc. N. Am. Phyll. p. 50. 1900.
 - = Ascochyta rudbeckiae (Ell. & Ev.) H. C. Greene Am. Midl. Nat. 41: 753. 1949.
- ---- sabalicola Ell. & G. Martin (ined.). On Sabal palmetto, La. Specimen in Myc. Coll., Langl. 501.
- saccharina Ell. & G. Martin Jour. Myc. 2: 130. Nov. 1886. On Acer saccharinum, Mo. N. Am. Phyll. p. 5. 1900.
- ---- scaevolae (as "scaevola") Ell. & Ev. Bull. Torr. Club 22: 436. On Scaevola chamissoniana, Hawaiian Isls. N. Am. Phyll. p. 56. 1900.
- similispora Ell. & J. J. Davis, Bull. Torr. Club 27: 572. Nov. 1900. On Solidago rigida, Wisc. N. Am. Phyll. p. 64. 1900.
 - = Leptothyrium simulisporum (Ell. & J. J. Davis) J. J. Davis Trans. Wisc. Acad. Sci. 30: 12. 1937.
- ---- sinuosa Ell. & G. Martin Am. Nat. 18: 1264. Dec. 1884. On Olea americana, Fla. N. Am. Phyll. p. 42. 1900. N. Am. F. 1367; 1620.
- ---- smilacis Ell. & Ev. Bull. Torr. Club 27: 572. Nov. 1900. On Smilax, Maine. See P. smilacis Ell. & G. Martin.
- ---- smilacis Ell. & G. Martin N. Am. Phyll. p. 72. Dec. 1900. Jour. Myc. 8: 12. 1902.
 - Syn.: Phyllosticta smilacis Ell. & Ev. Bull. Torr. Club 27: 572. Nov. 1900.
 - = Stagonospora smilacis (Ell. & G. Martin) Sacc. Syll. Fung. 3: 450.
 - = Macrophoma smilacis (Ell. & G. Martin) Bub. Hedw. 58: 20. 1916.
 - = Phyllosticta smilacina (Pk.) Dearn. Mycol. 9: 351. 1917.
 - = Dothiorella smilacina (Pk.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 250. 1927.
- p. 72. Dec. 1900. N. Am. F. 3252; F. Col. 663 (as P. smilacis Ell. & G. Martin var. subeffusa Ell. & Kell.).
 - = Phyllostictina subeffusa (Ell. & Ev.) Petr. & Syd. Beih. Fedde Repert. Spec. Nov. 42: 205. 1927.
 - = Phyllosticta subeffusa (Ell. & Ev.) Tehon & Stout Mycol. 21: 186. 1929.

- Phyllosticta smilacis Ell. & G. Martin var. subeffusa Ell. & Kell. (nom. nud.) in Ell. & Ev. N. Am. F. 3252. Mar. 25, 1895. On Smilax rotundifolia, W. Va. See Phyllosticta smilacis Ell. & G. Martin var. subeffusa Ell. & Ev.
- ---- solani (as "iolani") Ell. & G. Martin Am. Nat. 16: 1002. Dec. 1882. On Solanum, Ky. Spelling of specific name corrected l. c. 17: 1166. 1883. N. Am. Phyll. p. 65. 1900.
- ---- solitaria (as "solitaris") Ell. & Ev. Proc. Acad. Phil. 1895, p. 430. Nov. 5, 1895. On Pirus coronaria, Iowa. N. Am. Phyll. p. 36. 1900.
- ---- sophorae Ell. & Ev. Proc. Acad. Phil. 1891, p. 77. Mar. 10, 1891. On Sophora speciosa, Tex. N. Am. Phyll. p. 58. 1900. N. Am. F. 2683.
- ---- sphaeropsispora Ell. & Ev. Bull. Torr. Club 24: 286. June 29, 1897. On Solidago confinis, Calif. Bull. Torr. Club 27: 572. 1900. N. Am. Phyll. p. 46, 64. 1900.
 - = Macrophoma sphaeropsispora (Ell. & Ev.) Tassi Bull. Lab. Bot. Siena 5: 18. 1902.
- ---- sphaeropsoidea Ell. & Ev. Bull. Torr. Club 10: 97. Sept. 1883. On Aesculus hippocastanum, N. J. Jour. Myc. 2: 130. 1886; 4: 123. 1888. Cat. Pl. N. J. p. 577. 1889. N. Am. F. 1159.
 - = Phyllosticta paviae Desm. sec. Ell. & Ev. N. Am. Phyll. p. 41. 1900. F. Col. 276.
 - = Macrophoma sphaeropsoidea (Ell. & Ev.) Tassi Bull. Lab. Siena 5: 18. 1902.
- ---- spinosae (as "spinosa") Ell. & Kell. Jour. Myc. 3: 102. Sept. 1887. On Sida spinosa Kans. N. Am. Phyll. p. 68. 1900.
- sebifera, La. N. Am. Phyll. p. 61. 1900.
- ---- tenerrima Ell. & Ev. Proc. Acad. Phil. 1893, p. 156. Apr. 11, 1893. On Saponaria officinalis, Ontario. N. Am. Phyll. p. 48. 1900.
- ---- terminalis Ell. & G. Martin Am. Nat. 18: 70. Jan. 1884. On Ilex dahoon, Fla. Am. Nat. 18: 1264. 1884. Jour. Myc. 1: 100. 1885; 4: 9, 101, 123. 1888. N. Am. Phyll. p. 19, 41. 1900. N. Am. F. 1167; F. Col. 1339.
- ---- toxica Ell. & G. Martin Am. Nat. 16: 1002. Dec. 1882. On Rhus toxicodendron, Iowa. Proc. Acad. Phil. 1894, p. 356. 1894. N. Am. Phyll. p. 30. 1900. N. Am. F. 1162.

- Phyllosticta trillii Ell. & Ev. Proc. Acad. Phil. 1895, p. 430. Nov. 5, 1895. On Trillium petiolatum, Wash. N. Am. Phyll. p. 49. 1900.
- ---- tuberosa Ell. & G. Martin Jour. Myc. 2: 26. Feb. 1886. On Asclepias tuberosa, N. J. N. Am. Phyll. p. 65. 1900. N. Am. F. 1161.
- ---- turmalis Ell. & Ev. Erythea 2: 23. Feb. 9, 1894. On Vitis riparia, Kans.
 - = Phyllosticta spermoides Pk. sec. Ell. & Ev. N. Am. Phyll. p. 13. 1900.
- ---- variegata Ell. & Ev. Jour. Myc. 5: 145. Sept. 1889. On Fraxinus, Ontario. N. Am. F. 2681.
 - = Phyllosticta fraxinicola Curr. sec. Ell. & Ev. N. Am. Phyll. p. 2. 1900.
- ---- verbascicola Ell. & Kell. Bull. Torr. Club 11: 115. Oct. 1884.
 On Verbascum thapsus, Kans. N. Am. Phyll. p. 60. 1900. N. Am. F. 3155; F. Col. 566.
- ---- viburni Ell. & Dearn. Canad. Rec. Sci. 5: 267. Jan. 1893. On Viburnum lentago, Ontario. Canad. Rec. Sci. 5: 269. 1893.
 - = Phyllosticta lentaginis Sacc. & Syd. Syll. Fung. 14: 865. 1899. N. Am. Phyll. p. 32. 1900.
- ---- vignae Ell. & Ev. (nom. nud.) N. Am. Phyll. p. 60. Dec. 1900. On cowpea (Vigna), Kans.
 - = Phyllosticta phaseolina Sacc. sec. Ell. & Ev. 1. c.
- ---- villosa Ell. & Ev. (ined.). On Rubus spp., W. Va. and Del. Three specimens in Myc. Coll.: on Rubus canadensis, W. Va., L. W. Nutt. 1747; on R. villosus, Del., ex herb. Commons; on Rubus (cult. black-berry) comm. F. L. Scribner.
- ---- virens Ell. & Ev. N. Am. Phyll. p. 20. 1900. On Quercus virens, La. See Phyllosticta virens Ell. & Langl.
- ---- virens Ell. & Langl. Jour. Myc. 6: 36. May 1890. On Quercus virens,
 La. N. Am. Phyll. p. 20. 1900 (as P. virens Ell. & Ev.).

- Phyllosticta virginiana (as "virginica") (Ell. & Halst.) Ell. & Ev. N. Am. F. 2830. Mar. 2, 1893. Proc. Acad. Phil. 1893, p. 455. 1894. N. Am. Phyll. p. 10. 1900. See Solheim Univ. Wyo. Publ. 15: 16. 1950.
 - Syn.: Phoma virginiana Ell. & Halst. Jour. Myc. 4: 8. Jan. 1888. : Phyllosticta virginiana (Ell. & Halst.) Tassi Bull. Lab. Bot. Siena 5: 13. 1902.
 - Phyllosticta virginiana (Ell. & Halst.) Seaver N. Am. Fl. 6: 70. 1922.
 - = Phyllosticta destruens Desm. sec. Ell. & Ev. N. Am. F. 2676. 1891.

 N. Am. Phyll. p. 15. 1900. Jour. Myc. 8: 15. 1902. Reference in N. Am. Phyll. p. 26. 1900 to synonymy of species with Phyllosticta vulgaris Desm. is an error: See Jour. Myc. 8: 15. 1902.
 - = Sphaeropsis virginiana (Ell. & Halst.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 529. 1898.
- ---- virginica (Ell. & Halst.) Ell. & Ev. N. Am. F. 2830. Mar. 2, 1893. Error for Phyllosticta virginiana (Ell. & Halst.) Ell. & Ev.
- ---- viridis Ell. & Kell. Jour. Myc. 5: 142. Sept. 1889. On Fraxinus viridis, Kans. Jour. Myc. 5: 145. 1889. N. Am. Phyll. p. 2. 1900. N. Am. F. 2834; F. Col. 1138.
 - = Cylindrosporium fraxini (Ell. & Kell.) Ell. & Ev. sec. Gilman & Archer Iowa St. Coll. Jour. Sci. 3: 376. 1929.
 - = Mycosphaerella fraxinicola (Schw.) House sec. Solheim Univ. Wy. Publ. 15: 8. 1950.
- ---- wislizeni Ell. & Ev. Bull. Torr. Club 24: 285. June 29, 1897. On Quercus wislizeni, Calif. N. Am. Phyll. p. 18. 1900.
- ---- xanthorrhizae Ell. & L. W. Nutt. in Millspaugh & L. W. Nutt. Publ. Field Col. Mus. Bot. 1: 105. Jan. 1896. On Xanthorrhiza apiifolia, W. Va. N. Am. Phyll. p. 22. 1900 (as P. xanthorrhizae L. W. Nutt.). N. Am. F. 3250.
- ---- yuccaegena Ell. & Ev. Jour. Myc. 3: 130. Nov. 1887. On Yucca, Fla. N. Am. Phyll. p. 71. 1900.
- ---- zonata Ell. & Ev. Bull. Torr. Club 27: 54. Feb. 1900. On Pirus iowensis, Iowa. N. Am. Phyll. p. 36. 1900.
- Physalospora agrifoliae (as "agrifolia") Ell. & Ev. Erythea 1: 198. Oct. 2, 1893. On Quercus agrifolia, Calif. N. Am. F. 2923, 3019.
 - = Pseudomassaria agrifoliae (Ell. & Ev.) Arx Ber. Schweiz. Bot. Ges. 62: 354, illus. 1952.

- Physalospora ambrosiae Ell. & Ev. Proc. Acad. Phil. 1893, p. 447. Feb. 27, 1894. On Ambrosia trifida, Wisc.
 - = Phyllachora ambrosiae (Berk. & Curt.) Sacc. sec. Petr. Ann. Myc. 32: 381-2. 1934.
- aurantia Ell. & Ev. N. Am. Pyren. p. 304, illus. May 1892. On Astragalus pectinatus, Mont. N. Am. F. 2355.
 - = Physalosporina aurantia (Ell. & Ev.) Sacc. Syll. Fung. 22: 444. 1913.
- ---- betulina Ell. & Ev. Am. Nat. 31: 341. Apr. 1897. On Betula, Newfoundland.
- on Arundinaria, La. N. Am. Pyren. p. 308. 1892.
- Cornus, Colo. Bull. Torr. Club 25, p. 514. 1898. N. Am. F. 3322; F. Col. 933.
 - = ? Physalospora everhartii Sacc. & Syd. Syll. Fung. 14: 521. 1899.
- lepachydis Ell. & Ev. Jour. Myc. 8: 16. May 1902. On Lepachys columnaris, Mont.
 - = Physosporella lepachidis (Ell. & Ev.) Hoehn. Ann. Myc. 16: 162.
 - = Phyllachora ambrosiae (Berk. & Br.) Sacc. sec. Petr. Ann. Myc. 32: 381. 1934.
- minima Ell. & Ev. Jour. Myc. 8: 17. Mar. 1902. On Rubus strigosus, Ala.
- orontii Ell. & Ev. Jour. Myc. 1: 150. Dec. 1885. On Orontium aquaticum, N. J. Jour. Myc. 1: 151. 1885. Cat. Pl. N. J. p. 523. 1889. N. Am. Pyren. p. 294, 307. 1892.
 - = Laestadia orontii (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. 9: 587. 1891.
- oxystoma Sacc. & Ell. Michelia 2: 568. Dec. 1, 1882. On Phleum pratense, N. J. Cat. Pl. N. J. p. 522. 1889. N. Am. Pyren. p. 306. 1892.
 - Syn.: Sphaeria (Physalospora) oxyspora Ell. & Sacc. (nom. nud.) N. Am. F. 784. 1882.
 - = Laestadia (Physalospora) oxyspora (Sacc. & Ell.) Cke. Grev. 18: 65. 1890.

- Physalospora pandani Ell. & Ev. Proc. Acad. Phil. 1890, p. 230. Sept. 30. 1890. On Pandanus, Tenn. N. Am. Pyren. p. 307. 1892.
 - = Phomatospora pandani (Ell. & Ev.) Th. Ann. Myc. 14: 418. 1916.
- ---- pinicola Ell. & Ev. (nom. nud.) Cat. Pl. N. J. p. 523. 1889. On pine (Pinus), N. J.
- ---- polygoni Ell. & Ev. (nom. nud.) in Barth. F. Col. 1562. Dec. 1901. On Polygonum pennsylvanicum, Ala.
- ---- quercifolia Ell. & Ev. Jour. Myc. 1: 92. July 1885. On Quercus coccinea, N. J. Cat. Pl. N. J. p. 523. 1889. N. Am. Pyren. p. 305. 1892. N. Am. F. 1666.
 - = Laestadia guercifolia (Ell. & Ey.) Cke. Grev. 18: 65. 1890.
 - = Pseudomassaria quercifolia (Ell. & Ev.) Arx Ber. Schweiz. Bot. Ges. 62: 353. 1952.
- ---- sesbaniae Ell. & Ev. Jour. Myc. 4: 77. Aug. 1888. On Sesbania macrocarpa, La.
 - = Phomatospora sesbaniae (Ell. & Ev.) Sacc. Syll. Fung. 9: 590. 1891 (as P. sesbaniae Ell. & Ev.).
- on Eucalyptus globulus, Calif.
 - = Melanops suberumpens (Ell. & Ev.) Petr. Engl. Bot. Jahrb. 62 Beibl. 142, p. 114. 1928.
- ---- vagans Ell. & Ev. Jour. Myc. 8: 67. June 1902. On Rubus strigosus, Ala.
- ---- vagans Ell. & Ev. var. rubi Ell. & Ev. (nom. nud.) Jour. Myc. 8: 17. 1902. On Rubus strigosus, locality not given.
- ---- zeicola Ell. & Ev. Proc. Acad. Phil. 1890, p. 229. Sept. 30, 1890. On Zea mays, N. J. N. Am. Pyren. p. 307. 1892.
- Physarum albescens Ell. in Macbr. N. Am. Slime-Moulds Ed. 2, p. 86, illus. Feb. 14, 1922. On dead leaves and stems, Calif. and La.
- Piggotia negundinis Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 93. Sept. 1897. On Negundo aceroides, Ontario. N. Am. F. 3558; F. Col. 1156.
- Pilacre gracilipes Ell. & Ev. Proc. Acad. Phil. 1894, p. 386. Jan. 8, 1895. On rotten wood, W. Va.
- ---- pallida Ell. & Ev. Bull. Torr. Club 27: 59. Feb. 1900. On rotten wood, Colo.

- Piricularia grisea (Cke.) Sacc. var. parasitica Ell. & Ev. (nom. nud.) in Sumstine Mycol. 41: 13. 1949. On Phyllachora graminis, Del. Specimen in Commons Coll. Apparently P. parasitica Ell. & Ev.
- parasitica Ell. & Ev. Proc. Acad. Phil. 1893, p. 462. Mar. 13, 1894. On Phyllachora graminis (Pers. ex Fr.) Fckl. on Elymus virginicus, Wyom.
- Pistillaria bartolomaci Ell. & Ev. Proc. Acad. Phil. 1893, p. 441. Feb. 27, 1894. On Callirrhoe involucrata, Kans. N. Am. F. 3204.
- clavulata Ell. Bull. Torr. Club 6: 133. Feb. 1877. On Desmodium strictum, N. J. Prel. Cat. Fl. N. J. p. 175. 1881. Cat. Pl. N. J. p. 496. 1889.
- ---- linearis Ell. (ined.). On Zea mays, N. J. Specimen with descriptive notes and sketch in Myc. Coll.
- Placosphaeria arctostaphyli Ell. & Ev. Proc. Acad. Phil. 1894, p. 359. Dec. 11, 1894. On Arctostaphylos nevadensis, Wash.
- Plasmopara vincetoxici Ell. & Ev. Jour. Myc. 8: 70. June 1902. On Vincetoxicum, Ala.
 - = Rhysotheca gonolobi (Lagh.) G. W. Wilson Bull. Torr. Club 34: 411.
- Pleomassaria maxima Ell. & Ev. Bull. Torr. Club 25: 505. Sept. 10, 1898. On Magnolia, Mass.
- Pleonectria virens Harkn. var. chrysogramma Ell. & Ev. (nom. nud.) in index to N. Am. F. Century 28. Apr. 30, 1892. See Thyronectria virens Harkn. var. chrysogramma (Ell. & Ev.) Ell. & Ev.
- Pleosphaeria corticola Ell. & Ev. Proc. Acad. Phil. 1894, p. 332. Dec. 11, 1892. On Pinus rigida, W. Va. N. Am. F. 3114.
- Pleospora alismatis Ell. & Ev. Jour. Myc. 8: 16. May 31, 1902. On Alisma plantago, S. Dak.
- on Trollius laxus, Colo. See Wehm. Mycol. 43: 581, illus. 1951.
- ---- ambleia (Cke. & Ell.) Ell. Cat. Pl. N. J. p. 523. 1889.
 - Syn.: Sphaeria ambleia Cke. & Ell. Grev. 7: 10. Sept. 1878. Prel. Cat. Fl. N. J. p. 202. 1881.
 - = Thyridium ambleium (Cke. & Ell.) Sacc. Syll. Fung. 2: 325. 1883. N. Am. Pyren. p. 416. 1892.

- Pleospora americana Ell. & Ev. N. Am. F. 2618. Feb. 21, 1891. N. Am. Pyren. p. 336. 1892.
 - Syn.: Pleospora hyalospora Ell. & Ev. Proc. Acad. Phil. 1890, p. 238. 1890, nec Speg.
 - = Catharinia americana (Ell. & Ev.) Sacc. Syll. Fung. 11: 350. 1895.
 - = Pleosphaerulina americana (Ell. & Ev.) Berl. Icon. Pyren. 2: 99. 1897.
 - = Hyalospora americana (Ell. & Ev.) Nieuwland Am. Midl. Nat. 4: 877.
 1916 (Catharina hyalospora Ell. & Ev. 1. c. as syn.).
 - = Pseudoplea sec. Hoehn. Ann. Myc. 16: 163. 1918.
- ---- amplispora Ell. & Ev. Bull. Washburn Coll. Lab. Nat. Hist. 1: 4. Sept. 1884. On Lupinus, Wash.
 - = Pleospora gigaspora Karst. sec. Ell. & Ev. N. Am. Pyren. p. 342. 1892. See Wehm. Mycol. 43: 585, illus. 1951.
- ---- aurea Ell. Bull. Torr. Club 10: 53. May 1883. On herbaceous stems, Utah. N. Am. Pyren. p. 340, 342, illus. 1892.
 - = Clathrospora aurea (Ell.) Berl. Icon. Pyren. 2: 31, illus. 1896. See Wehm. Lloydia 9: 230. 1946.
- ---- baccata Ell. Bull. Torr. Club 10: 53. May 1883. On Cirsium, Utah. N. Am. Pyren. p. 340. 1892.
 - = Clathrospora permunda (Cke.) Berl. Icon Pyren. 2: 29. 1896.
- On Carpinus americana, Ontario.
 - = Karstenula carpinicola (Ell. & Ev.) Berl. Icon. Pyren. 2: 4, illus. 1895.
 - = Pleospora shepherdiae Pk. sec. Wehm. Mycol. 41: 588. 1949.
- ---- cassiae Ell. & Ev. Jour. Myc. 2: 41. Apr. 1886. On Cassia, Tex. N. Am. Pyren. p. 339. 1892.
- ---- ciliata Ell. Bull. Torr. Club 8: 125. Nov. 1881. On Phlox, Utah.
 - = Pyrenophora ciliata (Ell.) Sacc. Syll. Fung. 2: 285. 1883 (P. ciliata (Ell.) Berl. Nuovo Gior. Bot. Ital. 20: 237. 1888).
 N. Am. Pyren. p. 348. 1892.
 - = Pleospora comata Niessl sec. Wehm. Mycol. 43: 48. 1951.

- Pleospora clarkeana (as "clarkeiana") Ell. & Ev. Bull. Torr. Club 11: 75.
 July 1884. On Plantago maritima?, Grand Manan Isl. N. Am. F.
 1583.
 - = Pleospora herbarum (Pers. ex Fr.) Rabh. sec. Ell. & Ev. N. Am. Pyren. p. 335. 1892.
 - = Pleospora herbarum var. herbarum Wehm. Lloydia 15: 82. 1952.
- ---- coloradensis Ell. & Ev. Proc. Acad. Phil. 1895, p. 422. Nov. 5, 1895. On Polemonium confertum, Colo. See Wehm. Mycol. 43: 577, illus. 1951.
- ---- crandallii Ell. & Ev. Bull. Torr. Club 24: 131. Mar. 30, 1897. On Androsace chamaejasne, Colo.
 - Pleospora ambigua (Berl. & Bres.) Wehm. var. crandallii (Ell. & Ev.)
 Wehm. Mycol. 43: 43. 1951.
- ---- decipiens Ell. & Ev. Proc. Acad. Phil. 1893, p. 135. Apr. 11, 1894. On Azalea, N. J.
 - Discomycete sec. Berl. Icon. Pyren. 2: 28. 1895.
- ---- diaportheoides Ell. & Ev. Proc. Acad. Phil. 1890, p. 238. Sept. 30, 1890. On Petroselinum, N. J. N. Am. Pyren. p. 342. 1892.
- ---- diplospora Ell. & Ev. Erythea 2: 20. Feb. 9, 1894. On Asclepias incarnata, Kans.
 - Contains two fungi sec. Berl. Icon. Pyren. 2: 19, 29-30. 1895-1896; (1) Pleospora herbarum (Pers. ex Fr.) Rabh.; (2) Clathrospora ellisiana Berl. (C. diplospora Ell. & Ev.)
- ringinicum, N. J. Am. Nat. 31: 342. Apr. 1897. On Andropogon
- ---- herbarum (Pers. ex Fr.) Rabh. f. asparagi (Rabh.) Ell. & Ev. F. Col. 519. 1894.
 - Syn.: Pleospora asparagi Rabh. Herb. Myc. ed. 2, no. 750. 1865.
- ---- hyalospora Ell. & Ev. Proc. Acad. Phil. 1890, p. 238. Sept. 30, 1890. On Lathyrus sativum, Miss. See Pleospora americana Ell. & Ev.
- ---- hystericides Ell. & Ev. Erythea 2: 19. Feb. 9, 1894. On Andropogon nutans and Sporobolus asper, Kans. N. Am. F. 3020.
 - = Pleospora andropogonis Niessl subsp. hysterioides (Ell. & Ev.) Berl. Icon. Pyren. 2: 7. 1895.

- Pleospora juglandis Ell. & Ev. Bull. Torr. Club 24: 279. June 29, 1897. On Juglans nigra, Kans.
 - = Pleospora shepherdiae Pk. sec. Wehm. Mycol. 41: 588. 1949.
- ---- juncicola Ell. & Ev. Proc. Acad. Phil. 1895, p. 422. Nov. 5, 1895. On Juncus balticus, Colo. Bull. Torr. Club 25: 514. 1898.
- On Melilotus alba, Kans. Spelling of specific name corrected Jour. Myc. 8: 104. 1902.
- ---- lactucicola Ell. & Ev. Jour. Myc. 4: 64. July 1888. On Lactuca canadensis, N. J. N. Am. Pyren. p. 342. 1892.
- and C. stipata, Mont. N. Am. Pyren. p. 337, 723. 1892. See Wehm. Mycol. 43: 580, illus. 1951.
- oligostachyae Ell. & Ev. Am. Nat. 31: 342. Apr. 1897. On Bouteloua oligostachya, Kans.
- ---- planispora Ell. Bull. Torr. Club 10: 53. May 1883. On Elymus?, Utah. N. Am. Pyren. p. 341, 342. 1892. N. Am. F. 1584.
 - = Clathrospora planispora (Ell.) Berl. Nuovo Gior. Bot. Ital. 20: 200. 1888.
 See Wehm. Lloydia 9: 231. 1946.
- ---- pustulans Ell. & Ev. Jour. Myc. 4: 76. Aug. 1888. On Fraxinus, N. Y. N. Am. Pyren. p. 339. 1892.
 - = Melanomma ellisii Berl. Icon. Pyren. 2: 29. 1896.
 - = Pleospora laricina Rehm var. laricina Wehm. Lloydia 15: 94, illus. 1952.
- ---- pygmaea Ell. & Ev. (nom. nud.) in Brenckle F. Dakot. 669. 1929; Mycol. 22: 160. 1930.
- ---- richtophensis Ell. & Ev. Proc. Acad. Phil. 1894, p. 335. Dec. 11, 1894. On Helianthus, Colo. N. Am. F. 3523. See Wehm. Lloydia 9: 212. 1946.

- Pleospora subsulcata Ell. & Ev. (nom. nud.) in Fairman Proc. Rochester Acad. 1: 44, illus. Aug. 1890. On Allium?, N. Y.
 - = Pleospora herbarum (Pers. ex Fr.) Rabh. sec. Fairman Proc. Rochester Acad. 4: 182. 1905.
 - = Pleospora herbarum var. subsulcata (Ell. & Ev.) Sacc. & Trav. Syll. Fung. 22: 759. 1913.
 - = Pleospora herbarum var. herbarum Wehm. Lloydia 15: 82. 1952.
- ---- utahensis Ell. & Ev. in M. E. Jones Proc. Calif. Acad. Sci. ser. 2, 5: 727. Oct. 3, 1895. On Eupatorium occidentale, Utah.
- Pleurotus niphetus (Ell.) Sacc. Syll. Fung. 5: 373. 1887 (as P. niphetus Ell.). See Agaricus niphetus Ell.
 - = Dendrosarcus niphetus (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 464.
 - = Geopetalum abietinum (Schrad. ex Fr.) Murr. N. Am. Fl. 9: 300. 1916.
- Plowrightia staphylina Ell. & Ev. Proc. Acad. Phil. 1890, p. 248. Sept. 30, 1890. On Staphylea trifolia, Ontario. See Otthia staphylina (Ell. & Ev.) Ell. & Ev.
- ---- symphoricarpi Ell. & Ev. Proc. Acad. Phil. 1890, p. 249. Sept. 30, 1890. On Symphoricarpos occidentalis, Mont. See Otthia symphoricarpi (Ell. & Ev.) Ell. & Ev.
- Podaxon mexicanum Ell. Jour. Myc. 7: 274. May 15, 1893. On ground, Mexico.
 - = Podaxis pistillaris (L. ex Pers.) Morse sec. Cunn. Gastrom. Austr. & N. Zeal. p. 197. 1944?
- PODOSORDARIA Ell. & Holw. Bot. Gaz. 34: 37. July 1897. Type: P. mexicana Ell. & Holw.
- ---- mexicana Ell. & Holw. l. c. On cow dung, Mexico.
- Podosphaeria leucotricha Ell. & Ev. in Seym. Host Index p. 370. 1929. = P. leucotricha (Ell. & Ev.) Salm. See Sphaerotheca leucotricha Ell. & Ev.

- Podospora amphicornis (Ell.) Ell. & Ev. N. Am. Pyren. p. 130. May 1892.
 - Syn.: Sphaeria (Sordaria) amphicornis Ell. Bull. Torr. Club 6: 109. Sept. 1876.
 - = Sordaria amphicornis (Ell.) Sacc. Syll. Fung. 1: 235. 1882 (as S. amphicornis Ell.).
 - = Pleurage amphicornis (Ell.) Kuntze Rev. Gen. Plant. 3, pt. 2, p. 505. 1898.
 - = Sordaria appendiculata Auers. sec. Cain Univ. Toronto Stud. Biol. Ser. 38, p. 34. 1934.
- ---- californica (Plowr.) Ell. & Ev. N. Am. Pyren. p. 132. May 1892.
 - Syn.: Sordaria californica Plowr. Grev. 7: 72. 1878.
- ---- lutea Ell. & Ev. N. Am. Pyren. pl. 18, f. 1-5. May 1892. See Philocopra lutea (Ell. & Ev.) Ell. & Ev.
- ---- minor Ell. & Ev. Am. Nat. 31: 341. Apr. 1897. On Zea mays, Kans.
 - = Sordaria minor (Ell. & Ev.) Sacc. & Syd. Syll. Fung. 14: 493. 1899.
 - = Pleurage minor (Ell. & Ev.) Griff. Bull. Torr. Club 11: 67. 1901.
- ---- penicillata (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 131. May 1892.
 - Syn.: Sordaria penicillata Ell. & Ev. Jour. Myc. 4: 78. 1888.
 - = Pleurage anserina (Ces.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 505. 1898.
 - = Sordaria anserina (Ces.) Wint. sec. Cain Univ. Toronto Stud. Biol. Ser. 38, p. 46. 1934.
- ---- striata (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 131. May 1892.
 - Syn.: Sordaria striata Ell. & Ev. Jour. Myc. 4: 79. Aug. 1888.
 - = Pleurage striata (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 505. 1898.
 - = Lasiosordaria striata (Ell. & Ev.) Chenantais Bull. Soc. Myc. Fr. 35: 78. 1919.
 - = Bombardia sec. Cain Univ. Toronto Stud. Biol. no. 38, p. 66-67.
- PODOSPORIELLA Ell. & Ev. Proc. Acad. Phil. 1894, p. 385. Jan. 8, 1895. Type: P. humilis Ell. & Ev.
- ---- humilis Ell. & Ev. l. c. On Garrya veitchii, Calif.
 - = Podosporium humile (Ell. & Ev.) Pound & Clements Bull. Geol. & Nat. Hist. Surv. Minn. 9: 730. 1896.

- Polyactis streptothrix Cke. & Ell. Grev. 7: 39. Dec. 1878. On Orontium, N. J. Prel. Cat. Fl. N. J. p. 188. 1881. Cat. Pl. N. J. p. 560. 1889. N. Am. F. 130.
 - = Botrytis streptothrix (Cke. & Ell.) Sacc. Syll. Fung. 4: 127. 1884. Proc. Acad. Phil. 1894, p. 375. 1894. Probably Streptotinia; see Whetz. Mycol. 37: 689. 1945.
- Polyplocium columnare Ell. & Gall. (nom. nud.) in Zeller Mycol. 35: 414. 1943. Calif.
 - = Longula (Longia) texensis (Berk. & Curt.) Zeller 1. c. and 37: 636. 1945.
- ---- striatum Ell. & Ev. (nom. nud.) in Zeller Mycol. 35: 414. 1943. N. Mex.
 - = Longula (Longia) texensis (Berk. & Curt.) Zeller 1. c. and 37: 636. 1945.
- Polyporus alboluteus (Ell. & Ev.) Ell. & Ev. Bull. Torr. Club 25: 513. Sept. 10, 1888.
 - Syn.: Fomes alboluteus Ell. & Ev. Proc. Acad. Phil. 1895, p. 413. Nov. 5, 1895.
 - = Scindalma alboluteus (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 518. 1898.
 - = Aurantiporellus alboluteus (Ell. & Ev.) Murr. Bull. Torr. Club 32: 486. 1905.
 - = Phaeolus alboluteus (Ell. & Ev.) Pilát Atlas Champ. Eur. B 3: 144.
 - = Hapalopilus alboluteus (Ell. & Ev.) Bondarzew & Singer Ann. Myc. 39: 53. 1941.
- ---- aureus Ell. (ined.). On Pinus, N. J. Specimen with descriptive notes in Myc. Coll.
- ---- colliculosus Ell. & Ev. (ined.). On rotten wood, Ontario, coll.

 Macoun 48. Specimen in Myc. Coll.
- ---- cryptopus Ell. & Barth. Erythea 4: 79. May 9, 1896. On ground, attached to grass, roots, etc., Kans. N. Am. F. 3406; F. Col. 904.
 - = Scutiger cryptopus (Ell. & Barth.) Murr. Bull. Torr. Club 30: 428. 1903.

- Polyporus (Resupinatus) fumosogrieseus Cke. & Ell. Grev. 9: 103. Mar. 1881. On Juglans, N. J.
 - = Polyporus adustus Fr. forma, sec. Sacc. Syll. Fung. 15: 302. 1901.
- ---- inflatus Ell. & Martindale Am. Nat. 18: 722. 1884. Oreg.
 - = Cryptoporus volvatus (Pk.) Shear sec. Murr. N. Am. Fl. 9: 94. 1908.
- ---- kansensis Ell. & Barth. Erythea 4: 1. Jan. 2, 1896. On rotten stump, Kans.
 - = Scutiger radicatus (Schw.) Murr. sec. Murr. N. Am. Fl. 9: 66. 1907.
 - = Polyporus radicatus Schw. Trans. Ann. Phil. Soc. Ser. 2, 4: 155. 1832.
- ---- obolus Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 4: 68. Dec. 1896. (Nicaragua).
 - = Filoboletus gracilis (Klotzsch ex Berk.) Singer sec. Singer Lloydia 8: 216. 1945 and Lilloa 22: 372. 1951.
 - = Polyporus tricholoma Mont. Ann. Sci. Nat. Bot. Ser. 2, 8: 365. 1837.
- ---- pachycheiles Ell. & Ev. Proc. Acad. Phil. 1894, p. 322. Dec. 11, 1894. On Acer rubrum, N. J.
 - = Tyromyces semisupinus (Berk. & Curt.) Murr. N. Am. Fl. 9: 34.
 - = Polyporus semisupinus Berk. & Curt. Grev. 1: 50. 1872.
- ---- pendulus (Schw. ex Fr.) Ell. Am. Nat. 18: 721. 1884.
 - Syn.: Peziza pendula Schw. ex Fr. Syst. Myc. 2: 203. 1822.
 - = Porodiscus pendulus (Schw. ex Fr.) Murr. Bull. Torr. Club 30: 433.
 - = Porodisculus pendulus (Schw. ex Fr.) Murr. N. Am. Fl. 9: 47. 1907.
- N. Am. F. 1933. Mar. 23, 1888. On dead limbs, Ohio. F. Col. 907 (as P. pubescens var. grayii "Cke. in litt."). See also P. pubescens var. grayii Ell. & Ev.
- ---- pubescens (Schum. ex Fr.) Fr. var. grayii Ell. & Ev. in Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 3: 22. 1895. See also P. pubescens var. grayii Cke. & Ell.
- ---- striatus Ell. & Ev. (ined.). Colo., coll. Bethel. Specimen in Myc. Coll.

- Polyporus sublutescens Ell. & Ev. (nom. nud.) in Langl. Cat. Pl. Basse-La. p. 33. 1887. Specimen in Myc. Coll. on Quercus, La., Langl. 401.
- ---- subluteus Ell. & Ev. Am. Nat. 31: 339. Apr. 1897. On beech (Fagus), Ontario.
 - = Coriolus subluteus (Ell. & Ev.) Murr. Bull. Torr. Club 32: 646.
- Polyscytalum cylindroides Sacc. & Ell. Jour. Myc. 4: 105. Oct. 1888. On Quercus virens and Q. aquatica, La. N. Am. F. 2455.
- Polystictus obesus Ell. & Ev. Bull. Torr. Club 24: 125. Mar. 30, 1897. On ground attached to decaying pine (Pinus) limbs, N. J. and Pa.
 - = Coltricia obesa (Ell. & Ev.) Murr. Bull. Torr. Club 31: 346. 1904.
 - = Polyporus obesus (Ell. & Ev.) Overh. Ann. Mo. Bot. Gard. 1: 121. 1914.
 - = Coltricia montagnei (Fr.) Murr. Mycologia 12: 13. 1920.
 - = Polyporus montagnei Fr. in Mont. Ann. Sci. Nat. Bot. Ser 2, 5: 341. 1836.
- ---- semi-plicatus Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 3: 192. Feb. 1896. Nicaragua.
 - = Coriolus membranaceus (Sw. ex Fr.) Pat. sec. Murr. N. Am. Fl. 9: 23. 1907.
 - = Polyporus membranaceus Sw. ex Fr. Syst. Myc. 1: 370. 1821.
- ---- sub-glaber Ell. & Macbr. Bull. Iowa Univ. Lab. Nat. Hist. 3: 192. Feb. 1896. Nicaragua.
 - = Halalopilus licnoides (Mont.) Murr. sec. Murr. N. Am. Fl. 9: 81. 1908.
 - = Phellinus gilvus (Schw.) Pat. sec. Pilát Atlas Champ. Eur. B 3: 499. 1942.
 - = Polyporus gilvus Schw. ex Fr. Elench. Fung. 104. 1828.
- Poria albogrisea Ell. & Ev. (nom. mud.) in Burt Ann. Mo. Bot. Gard. 10: 183. 1923. Specimen in Nat. Herb. on Acacia koa, Heller 2677.
 - = Fomes fasciculatus Burt 1. c.
- ---- andersonii (Ell. & Ev.) Lloyd Myc. Writ. 2, Let. 34, p. 2. May 1911 (as P. andersonii Ell. & Ev.). See Mucronoporus andersonii Ell. & Ev.
- ---- aurantiotingens (Ell. & Macbr.) Stevenson Jour. Dept. Agr. Porto Rico 2: 194. 1918 (as P. aurantiotingens Ell. & Macbr.) See Poria fuligo B. & Br. var. aurantio-tingens Ell. & Macbr.

- Poria bicolor Ell. & Langl. (nom. nud.) in Bres. Ann. Myc. 18: 68. 1920.
 - = Poria nigrescens Bres. 1. c.
- ---- fuligo Berk. & Br. var. aurantio-tingens Ell. & Macbr. Bull. Univ. Iowa Lab. Nat. Hist. 3: 191. Feb. 1896. Nicaragua.
 - = Porogramme aurantiotingens (Ell. & Macbr.) Pat. Essai Taxon. p. 64. 1900.
 - = Tinctoporia aurantiotingens (Ell. & Macbr.) Murr. N. Am. Fl. 9: 14.
 - = Poria aurantiotingens (Ell. & Macbr.) Stevenson Jour. Agr. Univ. Porto Rico 2: 194. 1918.
 - = Tinctoporia albocincta (Cke. & Mass.) Murr. Mycol. 13: 122. 1921.
- ---- fulvo-marginata Ell. & Ev. (ined.). Several specimens in Myc. Coll.: Ia., Iangl. 2041, 2433 (on Melia), 2774, 2775, 3136; Wisc., R. A. Harper.
- ---- illinita Ell. & Ev. (ined.). Specimen in Myc. Coll., La., Langl. 2538.
 - Possibly same as P. oblinata Ell. & Ev. sec. Ellis' note with specimen.
- ---- inermis Ell. & Ev. Proc. Acad. Phil. 1894, p. 322. Dec. 11, 1894. On dead shrubs and trees, U. S. and Canada.
 - = Fomitoporella inermis (Ell. & Ev.) Murr. N. Am. Fl. 9: 13. 1907.
 - = Inonotus inermis (Ell. & Ev.) Pilát Atlas Champ. Eur. B 3: 559.
 - = Fuscosporia inermis (Ell. & Ev.) Cunn. N. Zeal. Dept. Sci. Pl. Dis. Bull. 73, p. 12, illus. 1948.
 - = Fomes inermis (Ell. & Ev.) Cunn. N. Zeal. Dept. Sci. Pl. Dis. Bull. 79, p. 14. 1948.
- La., Langl.; Ohio, C. G. Lloyd 3127; Porto Rico, J. A. Stevenson 2915.
- ---- pelliculosa Ell. & Ev. (ined.). Specimen in Myc. Coll., La., coll. Langl. 2028, 2038, etc.
- ---- subfumosa Ell. & Ev. (ined.). La. Specimen in Myc. Coll., La., coll. Langl., ex herb. Ell. in herb. Bres.
- ---- sublilacina Ell. & Macbr. (nom. nud.) in C. L. Sm. Central Amer. F. 135. 1896. Nicaragua.
- ---- subrufa Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 2, p. 89. Sept. 1897. On beech (Fagus), Ontario.

- Poria subviolacea Ell. & Ev. Am. Nat. 31: 339. Apr. 1897. On oak (Quercus), N. J. N. Am. F. 3513.
- Poronia leporina Ell. & Ev. Proc. Acad. Phil. 1890, p. 229. Sept. 30, 1890. On rabbit dung, Mo. N. Am. Pyren. p. 660, illus. 1892. N. Am. F. 2354.
- ---- turbinata Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 410. Nov. 1892. On bark, Nicaragua.
 - = Kretschmaria turbinata (Ell. & Ev.) Lloyd Myc. Writ. 6, Myc. Notes 65, p. 1033. 1921.
- Porothelium fulvum Ell. & Ev. (nom. nud.) in Iangl. Cat. Pl. Basse-La. p. 33. 1887. Specimen in Myc. Coll., La., coll. Langl. 999.
 - = Hypocrea citrina Fr. (det. P. L. Lentz).
- Propolidium fuscocinereum Ell. & Ev. Proc. Acad. Phil. 1893, p. 151. Apr. 11, 1893. On willow (Salix), Ontario.
 - = Cryptodiscus angulosus Karst. sec. Dearn.; see Overh. Mycol. 25: 419. 1933.
- Propolis conorum Ell. (nom. nud.) Prel. Cat. Fl. N. J. p. 194. 1881. On pine (Pinus), N. J.
 - = Propolis rhodoleuca Fr. sec. Ell. in Cat. Pl. N. J. p. 557. 1889.
- ---- glauca Ell. Bull. Torr. Club 8: 65. June 1881. On Quercus coccinea, (N. J.). Cat. Pl. N. J. p. 556. 1889. N. Am. F. 454.
 - = Propolidium glaucum (Ell.) Sacc. Syll. Fung. 8: 668. 1889. F. Col. 815.
- ---- grisea Cke. & Ell. Grev. 5: 91. Mar. 1877. On white cedar (Chamaecyparis thyoides), N. J. Prel. Cat. Fl. N. J. p. 194. 1881. Cat. Pl. N. J. p. 556. 1889.
 - = Nemacyclus griseus (Cke. & Ell.) Sacc. Syll. Fung. 8: 702. 1889.
- ---- leucaspis Ell. in Thuem. Herb. Mycol. oeconom. 546. 1877; Flora 64: 268. 1881 On Pinus rigida, N. J. N. Am. F. 73; F. Nova-Caesar. 63 (ined.).
 - = Propolis leonis (Tul.) Rehm Ascom. 320. 1876 sec. Ell. N. Am. F. 73, (emended label).
- ---- lobata Cke. & Ell. Grev. 5: 91. Mar. 1877. On maple (Acer), N. J. Prel. Cat. Fl. N. J. p. 194. 1881. Cat. Pl. N. J. p. 556. 1889.

- Propolis sphaerelloides Ell. Bull. Torr. Club 8: 124. Nov. 1881. On Juncus, Utah. N. Am. F. 1282.
 - = Diplonaevia sphaerelloides (Ell.) Sacc. Syll. Fung. 8: 667. 1889.
- Prosthemiella hysterioides Ell. & Langl. Jour. Myc. 6: 37. May 1890. On Salix nigra, La.
- Pseudohelotium canadense Ell. & Dearn. Proc. Canad. Inst. n. ser. 1, pt. 3, p. 89. Sept. 1897. On Arctium lappa, Ontario.
 - = Lachnella canadensis (Ell. & Dearn.) Seaver N. Am. Cup-F. Inoper-cul. p. 265. 1951.
- ---- laricinum Ell. & Ev. Proc. Acad. Phil. 1894, p. 349. Dec. 11, 1894. On Larix, Mich.
 - = Helotium laricinum (Ell. & Ev.) Seaver N. Am. Cup-F. Inopercul. p. 139. 1951.
- Pseudovalsa canadensis Ell. & Ev. Jour. Myc. 9: 224. Dec. 31, 1903. On Crataegus, Ontario.
 - = Aglaospora canadensis (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 164. 1905.
 - = Massarina or Massaria sec. Wehm. Melanconis p. 87. 1941.
- ---- caudata (Ell. & Ev.) Sacc. Syll. Fung. 11: 330. 1895. (as P. caudata Ell. & Ev.). See Massariovalsa caudata Ell. & Ev.
- ---- comptoniae (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 542. May 1892. Jour. Myc. 9: 225. 1903.
 - Syn.: Diatrype comptoniae Ell. & Ev. Jour. Myc. 2: 89. 1886. : Diatrypella comptoniae (Ell. & Ev.) Ell. & Ev. Cat. Pl. N. J. p. 536. 1889.
 - = Thyridaria comptoniae (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Addit. 1-4, p. 417. 1886.
- ---- fairmanii Ell. & Ev. in Fairman Proc. Rochester Acad. Sci. 1: 49, illus. Aug. 1890. On Carya, N. Y. N. Am. Pyren. p. 540. 1892.
 - = Aglaospora fairmanii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3 pt. 2, p. 441. 1898.
 - = Phragmodiaporthe caryae (Pk.) Wehm. Mycol. 33: 55. 1941.

- Pseudovalsa minima Ell. & Ev. Jour. Myc. 9: 224. Dec. 31, 1903. On maple (Acer), Ontario.
 - = Aglaospora minima (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 166.
 - = Thyridaria minima (Ell. & Ev.) Wehm. Lloydia 4: 247, illus. 1941.
- ---- occulta Ell. & Ev. Proc. Acad. Phil. 1895, p. 27. Mar. 19, 1895.
 - Syn.: Sphaeria occulta in Herb. Schw.
 - = Aglaospora occulta (Ell.) Farl. Bibl. Index N. Am. F. p. 166. 1905.
 - = Massaria pruni Wehm. Rev. Melanconis p. 131. 1941.
- ---- smithii Ell. & Ev. in C. L. Sm. Bull. Iowa Univ. Lab. Nat. Hist. 2: 404. Nov. 1893. On bark, Nicaragua.
 - = Aglaospora smithii (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 167. 1905.
 - See Wehm. Rev. Melanconis p. 90-91. 1941.
- ---- stylospora Ell. & Ev. Proc. Acad. Phil. 1890, p. 223. Sept. 30, 1890. On Acer spicatum, Canada. N. Am. Pyren. p. 539, illus. 1892.
 - = Aglaospora stylospora (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 441. 1898.
 - = Prosthecium stylosporum (Ell. & Ev.) Wehm. Rev. Melanconis p. 101, illus. 1941.
- ---- subrufa Ell. & Ev. Erythea 1: 146. July 1, 1893. On Rhus, Calif.
 - = Aglaospora subrufa (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 167.
 - = Thyridaria subrufa (Ell. & Ev.) Wehm. Lloydia 4: 254, illus. 1941.
- ---- texensis (Ell. & Ev.) Ell. & Ev. N. Am. Pyren. p. 541. 1892.
 - Syn.: Diatrype texensis Ell. & Ev. Jour. Myc. 2: 40. Apr. 1886.
 - = Thyridaria texensis (Ell. & Ev.) Berl. & Vogl. Sacc. Syll. Fung. Addit. p. 164. 1886.
- ---- ulmicola Ell. & Ev. Proc. Acad. Phil. 1893, p. 450. Feb. 27, 1894. On elm (Ulmus), Ontario.
 - = Aglaospora ulmicola (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 168. 1905.
 - = Endoxyla sec. Wehm. Rev. Melanconis p. 92. 1941.

- Pseudovalsa viticola Ell. & Ev. Proc. Acad. Phil. 1894, p. 343. Dec. 11, 1894. On Vitis riparia, Kans. Bull. Torr. Club 27: 63. 1900.
 - = Aglaospora viticola (Ell. & Ev.) Farl. Bibl. Index N. Am. F. p. 168.
 - = Thyridaria viticola (Ell. & Ev.) Wehm. Lloydia 4: 256, illus. 1941, and Rev. Melanconis p. 92. 1941.
- Psilopezia trachyspora Ell. & Ev. Erythea 1: 200. Oct. 2, 1893. On rotten wood, Wash.
- Puccinia abortiva Ell. & Ev. (ined.). On Senecio aureus, Del., Commons 2129. Specimen in Myc. Coll.
- ---- agropyri Ell. & Ev. Jour. Myc. 7: 131. Mar. 10, 1892. On Agropyron glaucum, Mont. N. Am. F. 3575; F. Col. 1639.
 - = Dicaeoma clematidis (DC.) Arth. sec. Arth. & Fromme N. Am. F. 9: 333.
 - = Puccinia rubigo-vera agropyri (Erikss.) Arth. Manual Rusts U. S. p. 178. 1934.
- ---- aletridis Berk. & Curt. var. chamaelirii Ell. (ined.). On Chamaelirium carolinianum, Del. Specimen in Myc. Coll.
- ---- Puccinia anachoreta Ell. & Harkn. (nom. nud.) in Bot. Surv. Nebr. 2: 38. Apr. 15, 1893. = P. anachoreta Harkn. Bull. Calif. Acad. Sci. 1: 34. Feb. 1884.
- ---- angelicae Ell. & Ev. in Bull. Washburn Coll. Lab. Nat. Hist. 1: 3. Sept. 1884. (On Angelica), Wash. N. Am. F. 1449.
 - = Puccinia ellisii De T. in Sacc. Syll. Fung. 7: 651. 1888.
 - = Bullaria ellisii (De T.) Arth. & Mains N. Am. Fl. 7: 491. 1922.
- ---- annulata Ell. & Ev. Bull. Torr. Club 27: 60. Feb. 1900. On Epilobium, Wyo.
 - Micropuccinia gigantea (P. Karst.) Arth. & Jacks. (Puccinia g. Karst.) N. Am. Fl. 7: 549. 1922.
- ---- apocrypta Ell. & Tracy Jour. Myc. 6: 76. Sept. 10, 1890. On Asprella hystrix, Colo.
 - = Dicaeoma apocryptum (Ell. & Tracy) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 467. 1898.
 - = Pleomeris apocryptum (Ell. & Tracy) Syd. Ann. Myc. 19: 171. 1921.
 - = Puccinia rubigo-vera apocrypta (Ell. & Tracy) Arth. Manual Rusts U. S. p. 182. 1934.

- Puccinia arabicola Ell. & Ev. Jour. Myc. 6: 119. Jan. 6, 1891. On Arabis, Ontario.
 - = Dicaeoma arabicola (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 467. 1898.
 - = Allodus arabicola (Ell. & Ev.) Arth. & Orton N. Am. Fl. 7: 459.
- ---- araliae Ell. & Ev. Jour. Myc. 6: 120. Jan. 6, 1891. On Panax trifolium, Mass.
 - = Dicaeoma araliae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 467. 1898.
 - = Micropuccinia araliae (Ell. & Ev.) Arth. & Jacks. N. Am. Fl. 7: 550. 1922.
- ---- aspera Ell. & Ev. in Barth. N. Am. Ured. 1219. Feb. 15, 1915. On Leptotaenia dissecta, Calif. Error for P. asperior Ell. & Ev. sec. emended label.
- ---- asperior Ell. & Ev. Bull. Washburn Lab. Nat. Hist. 1: 3. Sept. 1884.
 On Ferula dissoluta, Wash.
 - = Dicaeoma asperius (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Allodus asperior (Ell. & Ev.) Orton Mem. N. Y. Bot. Gard. 6: 193. 1916.
- ---- asteris Ell. & Ev. (ined.). On Aster, Wash. Specimen in herb. Wash. St. Coll.
- bicolor Ell. & Ev. Bull. Torr. Club 27: 572. Nov. 1900. On Hieracium scouleri, Wash.
 - = Dasyspora bicolor (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne p. 346. 1906.
 - = Micropuccinia columbiensis (Ell. & Ev.) Arth. (Puccinia maculosa Schw.) Bull. Torr. Club 28: 40. 1921.
- On Gutierrezia euthamniae (issued as Bigelovia), Colo. Host corrected by F. W. Anderson Jour. Myc. 6: 122. 1890.
 - = Puccinia gutierreziae Ell. & Ev. Proc. Acad. Phil. 1893, p. 152. 1893.
 - = Dicaeoma bigelowiae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.)
 N. Am. Fl. 7: 576. 1922.

- Puccinia chasmatis Ell. & Ev. Jour. Myc. 8: 15. May 1902.
 - Syn.: Puccinia circinans Ell. & Ev. Bull. Torr. Club 27: 61. 1900, nec Fckl.
 - = Micropuccinia pentstemonis (Pk.) Arth. & Jacks. N. Am. Fl. 7: 565.
 - = Puccinia pentstemonis Pk. sec. Arth. Manual Rusts U. S. p. 123. 1934.
- ---- cheiranthi Ell. & Ev. Bot. Gaz. 10: 366. Sept.-Oct. 1885. On Cheiranthus pygmaeus, Grinnell Land.
 - = Dicaeoma cheiranthi (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Micropuccinia holboellii (Hornem.) Arth. & Jacks. (Puccinia h. (Hornem.) Rostr.) N. Am. Fl. 7: 532. 1922.
- ---- chrysopogi Ell. & Ev. (ined.). On Chrysopogon nutans, N. J. Specimen in Myc. Coll.
 - = Puccinia virgata Ell. & Ev. sec. G. B. Cummins.
- ---- circaeae Pers. var. alpinae Ell. (nom. nud.) N. Am. F. 1030. Apr. 26, 1893. On Circaea alpina, N. Y.
- ---- circinans Ell. & Ev. Bull. Torr. Club 27: 61. Feb. 1900. On Pentstemon spectabilis, Ariz. See Puccinia chasmatis Ell. & Ev.
- ---- cladii Ell. & Tracy Bull. Torr. Club 22: 61. Feb. 26, 1895. On Cladium effusum, Miss.
 - = Dicaeoma cladii (Ell. & Tracy) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.
- ---- clavispora Ell. & Barth. Erythea 4: 79. May 9, 1896. On Andropogon nutans, Kans. N. Am. F. 3476; F. Col. 985.
 - = Puccinia virgata Ell. & Ev. sec. Arth. Manual Rusts U. S. p. 118. 1934.
- ---- columbiense Ell. & Ev. Proc. Acad. Phil. 1893, p. 153. Apr. 11, 1893. On Oenothera biennis, Brit. Col.
 - = Dicaeoma columbiense (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Micropuccinia columbiensis (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 40. 1921.
 - = Leptopuccinia columbiensis (Ell. & Ev.) Syd. Ann. Myc. 20: 120. 1922.
 - = Puccinia maculosa Schw. sec. Arth. Manual Rusts U. S. p. 203. 1934.

- Puccinia compositarum Ell. (nom. nud.) in Sacc. Syll. Fung. Syll. 9: 302. 1891. On Iva xanthifolia, Kans. N. Am. F. 2252 (issued as P. compositarum Schlecht.).
 - = Puccinia xanthifoliae Ell. & Ev. sec. Sacc. 1. c.
- ---- compositarum Schlecht. f. cnici altissimi Ell. & Ev. (nom. nud.) N. Am. F. 2253. Mar. 6, 1889. On Cnicus altissimus, Del.
 - Syn: Puccinia gregale Ell. & Ev. (nom. nud.)
- ---- concrescens Ell. & Ev. in Arth. Mycol. 7: 240. Sept. 1915. On Asclepias curassavica, W. Indies.
 - = Micropuccinia concrescens (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 40. 1921.
- ---- congregata Ell. & Harkn. Bull. Calif. Acad. Sci. 1: 26. Feb. 29, 1884. On Heuchera micrantha, Calif. Jour. Myc. 1: 85. 1885. N. Am. F. 1463.
 - = Dicaeoma congregatum (Ell. & Harkn.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1989.
 - = Micropuccinia heucherae (Schw.) Arth. & Jacks. (Puccinia h. (Schw.) Diet.) N. Am. Fl. 7: 535. 1922.
- ---- congregata Ell. & Harkn. f. heucherae micranthae Ell. (nom. nud.) N. Am.F. 2414. Feb. 19, 1890. (On Heuchera micrantha), Calif.
- ---- consimilis Ell. & Ev. Jour. Myc. 6: 120. Jan. 6, 1891. On Sisymbrium linifolium, Mont. N. Am. F. 2889.
 - = Dicaeoma consimile (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Allodus consimilis (Ell. & Ev.) Orton Mem. N. Y. Bot. Gard. 6: 187. 1916.
- ---- convolvuli Cast. f. caulicola Ell. & Ev. (nom. nud.) N. Am. F. 2251. Mar. 6, 1889. On Convolvulus, Wisc. N. Am. F. 3346.
- ---- cornigera Ell. & Ev. Bull. Torr. Club 27: 62. Feb. 1900. On Tetraneuris torreyana, Wyo.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.). N. Am. F. 7: 576. 1922.

- Puccinia cryptandri Ell. & Barth. Erythea 5: 47. Apr. 30, 1897. On Sporobolus cryptandrus, Kans. F. Col. 1378.
 - = Dicaeoma cryptandri (Ell. & Barth.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.
 - = Dicaeoma simulans (Pk.) Arth. & Fromme N. Am. Fl. 7: 304. 1920.
 - = Puccinia simulans (Pk.) Barth. sec. Arth. Manual Rusts U. S. p. 136. 1934.
- On Rhamnus crocea, Calif. N. Am. F. 1466.
 - = Micropuccinia mesnieriana (Thuem.) Arth. & Jacks. N. Am. Fl. 7: 541.
 - = Puccinia mesnieriana Thuem. sec. Arth. Manual Rusts U. S. p. 154.
- distichlydis Ell. & Ev. Proc. Acad. Phil. 1893, p. 152. Apr. 11, 1893. On Distichlys maritima, Mont. N. Am. F. 2890.
 - = Dicaeoma distichlydis (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
- On Phlox douglasii, Utah. N. Am. F. 2991.
 - = Dicaeoma douglasii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 468. 1898.
 - = Allodus douglasii (Ell. & Ev.) Orton Mem. N. Y. Bot. Gard. 6: 198.
 - = Lindrothia douglasii (Ell. & Ev.) Syd. Ann. Myc. 20: 119. 1922.
- notes in Myc. Coll. On Draba, Wyo. Specimen with descriptive
- Andropogon intermedius and A. pertusus, India.
 - = Dicaeoma duthiae (Ell. & Tracy) Syd. Ann. Myc. 20: 117. 1922.
- effusa Ell. & Gall. (ined.). On Arenaria congesta, Mont. Specimen in Myc. Coll. as P. hysteriiformis Pk.

- Puccinia erigerontis Ell. & Ev. Bull. Torr. Club 24: 282. June 29, 1897. On Erigeron caespitosus, Wyo.
 - = Dasyspora erigerontis (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 346. 1906.
 - = Micropuccinia asteris (Duby) Arth. Bull. Torr. Club 48: 40. 1922.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.),
 N. Am. Fl. 7: 576. 1922.
- ---- furfuracea Ell. & Gall. (nom. nud.) in Diet. Hedw. 37: 202. 1898, and Arth. N. Am. Fl. 7: 604. 1922. On Loeselia ciliata, Mexico. Specimen in Myc. Coll.
 - = Puccinia fumosa Holw. sec. G. B. Cummins.
- ---- giliae Ell. & Harkn. in Sacc. Syll. Fung. 7: 654. 1888. = P. giliae Harkn. Bull. Calif. Acad. 1: 34. 1884.
- graminis Pers. f. vilfae asperae Ell. & Ev. (nom. nud.) N. Am. F. 2417. Feb. 19, 1890. On Vilfa aspera, Ala.
 - Syn.: P. vilfae Ell. & Tracy (nom. nud.)
- ---- granulispora Ell. & Gall. Bull. Torr. Club 22: 61. Feb. 26, 1895.
 On Allium cernuum?, Mont.
 - = Dicaeoma granulisporum (Ell. & Gall.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
- ---- gregale Ell. & Ev. (nom. nud.) N. Am. F. 2253. Mar. 6, 1889. (as synonym).
 - = Puccinia compositarum Schlecht. f. cnici altissimi Ell. & Ev. l. c.
- gutierreziae Ell. & Ev. Proc. Acad. Phil. 1893, p. 152. Apr. 11, 1893. On Gutierrezia euthamiae, Utah.
 - Syn.: Puccinia bigeloviae Ell. & Ev. (nom. nud.) N. Am. F. 2248. 1889.
 - = Dicaeoma gutierreziae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.)
 N. Am. Fl. 7: 576. 1922.

- Puccinia hemisphaerica Ell. & Ev. (nom. nud.) N. Am. F. 3144. Nov. 26, 1894.
 - Syn.: Aecidium hemisphaericum Pk. Bot. Gaz. 3: 34. 1878.
 - = Dicaeoma hemisphaericum (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.
 - = Puccinia minussensis Thuem. sec. Arth. Manual Rusts U. S. p. 355. 1934.
- ---- hemizoniae Ell. & Tracy Jour. Myc. 7: 43. Sept. 10, 1891. On Hemizonia truncata, Oreg. N. Am. F. 3142; F. Col. 549.
 - = Dicaeoma hemizoniae (Ell. & Tracy) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Puccinia nuda Ell. & Ev. sec. Arth. N. Am. Fl. 7: 598. 1922, and Manual Rusts U. S. p. 269. 1934.
- ---- heteranthae (as "heterantha") Ell. & Ev. Erythea 1: 204. Oct. 2, 1893. On Oenothera heterantha and O. ovata, Mont. and Calif. N. Am. F. 2986, 2995.
 - = Dicaeoma heteranthum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Dicaeoma epilobii-tetragoni (DC.) Arth. N. Am. Fl. 7: 394. 1920.
 - = Puccinia oenotherae heteranthae (Ell. & Ev.) Arth. Manual Rusts U. S. p. 248. 1934.
- ---- irregularis Ell. & Tracy Bull. Torr. Club 24: 283. June 29, 1897. On Solidago, Colo. and Nebr. N. Am. F. 3479.
 - = Puccinia tracyi Sacc. & Syd. Syll. Fung. 14: 304. 1899.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.)
 N. Am. Fl. 7: 576. 1922.
- jubatum, Kans. F. Col. 1384.
 - = Dicaeoma poculiforme (Jacq.) Kuntze (Puccinia graminis Pers.) sec. Arth. & Fromme N. Am. Fl. 7: 295. 1920.
- ---- kansensis Ell. & Barth. Erythea 4: 1-2. Jan. 2, 1896. On Buchloe dactyloides, Kans. N. Am. F. 3351; F. Col. 869.
 - = Dicaeoma kansense (Ell. & Barth.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.

- Puccinia ligustici Ell. & Ev. Bull. Torr. Club 22: 363. Aug. 31, 1895. On Ligusticum scopulorum, Colo.
 - = Dicaeoma ligustici (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 496. 1898.
 - = Micropuccinia ligustici (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 42. 1921.
- ---- lithospermi Ell. & Kell. Jour. Myc. 1: 2. Jan. 1885. On Lithospermum canescens, Kans.
 - = Dicaeoma lithospermi (Ell. & Kell.) (as "Trel.") Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
- ---- ludibunda Ell. & Ev. Proc. Acad. Phil. 1893, p. 153. Apr. 11, 1893. On Carex sparganioides, Kans. Erythea 4: 2. 1895. N. Am. F. 2885, 3243; F. Col. 654.
 - = Dicaeoma ludibundum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Dicaeoma peckii (De T.) Arth. (Puccinia extensicola oenotherae (Mont.) Arth.) sec. Arth. & Kern N. Am. Fl. 7: 365. 1920.
- ---- luteobasis Ell. & Kell. Bull. Torr. Club 24: 457. Oct. 30, 1897. On Umbelliferae, Colo.
 - = Micropuccinia ligustici (Ell. & Ev.) Arth. & Jacks. N. Am. Fl. 7: 552. 1922.
- ---- lygodesmiae Ell. & Ev. Proc. Acad. Phil. 1893, p. 154. Apr. 11, 1893. On Lygodesmia juncea, Colo. F. Col. 179.
 - Syn.: Puccinia variolans Harkn.? var. caulicola Ell. & Ev. (nom. nud.) N. Am. F. 2237. Mar. 6, 1889.
 - = Dicaeoma lygodesmiae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Micropuccinia lygodesmiae (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 42. 1921.
 - = Leptopuccinia lygodesmiae (Ell. & Ev.) Syd. Ann. Myc. 20: 120.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. N. Am. Fl. 7: 576.
 - = Puccinia grindeliae Pk. sec. Arth. Manual Rusts U. S. p. 141. 1934.

- Puccinia magnoecia Ell. & Ev. Bull. Torr. Club 22: 59. Feb. 26, 1895.
 On Aster pulchellus, Wash.
 - = Dicaeoma magnoecium (as "macroecium") (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Micropuccinia asteris (Duby) Arth. & Jacks. N. Am. Fl. 7: 575. 1922.
 - = Puccinia asteris Duby sec. Arth. Manual Rusts U. S. p. 202. 1934.
- ---- melanconioides Ell. & Harkn. Bull. Calif. Acad. Sci. 1: 27. Feb. 29, 1884. On Dodecatheon meadia, Calif. N. Am. F. 1059.
 - = Dicaeoma melanconioides (Ell. & Harkn.) Kuntze Rev. Gen. Pl. 3, pt. 2. p. 469. 1898.
 - = Allodus melanconioides (Ell. & Harkn.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 345. 1906.
- ---- microica Ell. Jour. Myc. 7: 274. May 15, 1893. On Sanicula?, Md.
 - = Dicaeoma microicum (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469.
 - = Allodus microica (Ell.) Orton Mem. N. Y. Bot. Gard. 6: 192. 1916.
- ---- montanensis Ell. Jour. Myc. 7: 274. May 15, 1893. On Elymus condensatus, Mont. N. Am. F. 2892.
 - = Dicaeoma montanense (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Pleomeris montanensis (Ell.) Syd. Ann. Myc. 19: 171. 1921.
- ---- musenii Ell. & Ev. Bull. Torr. Club 27: 61. Feb. 1900. On Musenium tenuifolium, Wyo.
 - = Allodus musenii (Ell. & Ev.) Orton Mem. N. Y. Bot. Gard. 6: 193.
 - = Micropuccinia musenii (Ell. & Ev.) Arth. & Jacks. N. Am. Fl. 7: 551.
- ---- mutabilis Ell. & Gall. Jour. Myc. 5: 67. June 1889. On Allium mutabile, Mont.
 - = Dicaeoma mutabile (Ell. & Gall.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
- On Nardosmius (Petasites) palmatus, Ontario. Spelling of specific name corrected Jour. Myc. 1: 119. 1885.
 - = Dicaeoma nardosmiae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Micropuccinia conglomerata (Strauss) Arth. & Jacks. N. Am. Fl. 7: 583. 1922.
 - = Puccinia conglomerata (Strauss) Schm. & G. Kunze sec. Arth. Manual Packs W. S. p. 346. 1934.

- Puccinia nesaeae Ell. & Ev. Bull. Torr. Club 22: 363. Aug. 31, 1895. On Nesaea verticillata, Mo.
- According to Ell. & Ev. Aecidium nesaeae Ger. is the aecidial stage; but this species referred by Arth. to P. minutissima Arth., Manual Rusts U. S. p. 203. 1934.
 - = Dicaeoma nesaeae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Allodus nesaeae (Ger.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 345. 1906.
 - = Allodus jussiaeae (Speg.) Arth. & Orton N. Am. Fl. 7: 461. 1921.
 - = Puccinia jussiaeae Speg. sec. Arth. Manual Rusts U. S. p. 249. 1934.
- ---- nigrovelata Ell. & Tracy Bull. Torr. Club 22: 60. Feb. 26, 1895. On Cyperus strigosus, Miss. N. Am. F. 3352.
 - = Dicaeoma nigrovelatum (Ell. & Tracy) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Dicaeoma canaliculatum (Schw.) Kuntze (Puccinia canaliculata (Schw.) Lagh.) sec. Arth. N. Am. Fl. 7: 344. 1920.
- ---- nodosa Ell. & Harkn. Bull. Calif. Acad. Sci. 1: 27. Feb. 29, 1884. On Brodiaea capitata, Calif. N. Am. F. 3572; F. Col. 1188.
 - = Dicaeoma nodosum (Ell. & Harkn.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
- ---- nuda Ell. & Ev. Jour. Myc. 3: 57. May 1887. On Arnica foliosa, Wash.
 - = Dicaeoma nudum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
- ---- nuttallii Ell. & Ev. Bull. Torr. Club 24: 283. June 29, 1897. On Cyrtorhyncha nuttallii, Colo.
 - = Micropuccinia ranunculi (Blytt) Arth. & Jacks. N. Am. Fl. 7: 530.
 - = Puccinia ranunculi Blytt sec. Arth. Manual Rusts U. S. p. 288. 1934.
- ---- cahuensis Ell. & Ev. Bull. Torr. Club 22: 435. Oct. 31, 1895. On "Panicum or Holcus", Hawaiian Isls.
 - = Dicaeoma oahuense (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - See Cummins Bull. Torr. Club 70: 517-530. 1943; Wakefield & Hansford Proc. Linn. Soc. London 161: 162-198. 1949; Mayor & Viennot-Bourgin Bull. Soc. Myc. Fr. 67: 123-125. 1951.

- Puccinia omnivora Ell. & Ev. Bull. Torr. Club 22: 59. Feb. 26, 1895. On Chrysopogon nutans, N. J. Erythea 4: 2, 79. 1896. N. Am. F. 3049; F. Col. 342.
 - = Dicaeoma omnivorum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Dicaeoma windsoriae (Schw.) Kuntze (Puccinia w. Schw.) sec. Arth. & Fromme N. Am. Fl. 7: 323. 1920.
- ---- oryzopsidis Ell. & Tracy (ined.). On Oryzopsis cuspidata, Nev. Specimen in Myc. Coll.
 - = Puccinia scaber (Ell. & Ev.) Barth. sec. G. B. Cummins.
- ---- oxalidis Diet. & Ell. Hedw. 34: 291. Dec. 20, 1895. On Oxalis, Mexico.
 - = Dicaeoma oxalidis (Diet. & Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 469. 1898.
 - = Argomyces ? oxalidis (Lév.) Arth. N. Am. Fl. 7: 217. 1912.
- ---- pallido-maculata Ell. & Ev. in Holw. N. Am. Ured. 1: 49. 1906. On Saxifraga lyallii and S. punctata, U. S. and Canada. N. Am. F. 2234.
 - = Micropuccinia pallido-maculata (Ell. & Ev.) Arth. & Jacks. N. Am. Fl. 7: 535. 1922.
 - = Puccinia heucherae (Schw.) Diet. sec. Arth. Manual Rusts U. S. p. 293. 1934.
- ---- philibertiae Ell. & Ev. Bull. Torr. Club 22: 60. Feb. 26, 1895. On Philbertia viridiflora, N. Mex.
 - = Dicaeoma philibertiae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2,. p. 470. 1898.
 - = Micropuccinia obliqua (Berk. & Curt.) Arth. & Jacks. N. Am. Fl. 7: 555. 1922.
 - = Puccinia obliqua Berk. & Curt. sec. Arth. Manual Rusts U. S. p. 172. 1934.
- ---- plumbaria phlogina Ell. (nom. nud.) N. Am. F. 1044. Apr. 26, 1883. On Phlox douglasii, Calif.
 - = Allodus giliae Orton (Puccinia plumbaria Pk.) sec. Arth. N. Am. Fl. 7: 468. 1921.
- on Polygonum hartwrightii, Mass.
 - Syn.: Puccinia amphibii Fckl. Symb. Nachtr. 2, p. 15. 1873.
 - = Dicaeoma polygoni-amphibii (Pers.) Arth. (Puccinia p.-a. Pers.)
 N. Am. Fl. 7: 381. 1920.

- Puccinia prunorum Ik. f. pruni domesticae Ell. (nom. nud.) N. Am. F. 1047. Apr. 26, 1883. On Prunus domestica, Fla.
 - = Tranzschelia punctata (Pers.) Arth. sec. Arth. N. Am. Fl. 7: 151. 1907.
- ---- serjaniae Ell. & Ev. Erythea 5: 6. Jan. 31, 1897. On Serjania, Calif. Erythea 5: 51. 1897.
 - = Micropuccinia arechavaletae (Speg.) Arth. & Jacks. (Puccinia a. Speg.), N. Am. Fl. 7: 541. 1922.
- ---- shumwayi Ell. & Gall. (ined.). On Campanula scouleri, Wash. Specimen in Myc. Coll.
 - = Puccinia campanulae Carm. sec. G. B. Cummins.
- ---- silphii Schw. var. foliicola Ell. (nom. nud.) N. Am. F. 1462. Mar. 25, 1885. On Silphium integrifolium, Kans.
 - = Micropuccinia silphii (Schw.) Arth. & Jacks. (Puccinia s. Schw.), N. Am. Fl. 7: 581. 1922.
- ---- similis Ell. & Ev. Bull. Torr. Club 25: 508. Sept. 10, 1898. On Artemisia tridentata, Wyo. Bull. Torr. Club 27: 63. 1900.
 - = Bullaria absinthii (Hedw. f.) Arth. & Mains N. Am. Fl. 7: 508. 1922.
 - = Puccinia absinthii (Hedw. f.) DC. sec. Arth. Manual Rusts U. S. p. 343. 1934.
 - See Fahrendorff, Ann. Myc. 39: 180. 1941.
- ---- sparganioidis Ell. & Barth. Erythea 4: 2. Jan. 2, 1896. On Carex sparganioides, Kans. N. Am. F. 3475; F. Col. 1072.
 - = Dicaeoma fraxini (Schw.) Arth. sec. Arth. & Fromme N. Am. Fl. 7: 316. 1920.
 - Puccinia peridermiospora (Ell. & Tracy) Arth. Manual Rusts U. S. p. 165. 1934.
- ---- sphaeralceae Ell. & Ev. Am. Nat. 31: 428. May 1897. On Sphaeralcea angustifolia, N. Mex. N. Am. F. 3478; F. Col. 1182.
 - = Micropuccinia sherardiana (Koern.) Arth. & Jacks. N. Am. Fl. 7: 543.
 - = Puccinia sherardiana Koern. sec. Arth. Manual Rusts U. S. p. 133. 1934.

- Puccinia subcircinata Ell. & Ev. Jour. Myc. 3: 56. May 1887. On Senecio triangularis, Wash. N. Am. F. 1840.
 - = Dicaeoma subcircinatum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 470. 1898.
 - = Allodus subcricinata (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 345. 1906.
- ---- subcollapsa Ell. Jour. Myc. 7: 275. May 15, 1893. On Asclepiadaceae, S. Amer.
 - = Dicaeoma subcollapsum (Ell.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 470. 1898.
- ---- substerilis Ell. & Ev. Bull. Torr. Club 22: 58. Feb. 26, 1895. On Chrysopogon, Colo. N. Am. F. 3141; F. Col. 548.
 - = Dicaeoma substerile (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 470. 1898.
 - = Dicaeoma scaber (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.
 - = Puccinia scaber (Ell. & Ev.) Barth. sec. Arth. Manual Rusts U. S. p. 139-140. 1934.
- ---- substriata Ell. & Barth. Erythea 5: 47. Apr. 30, 1897. On Paspalum setaceum, Kans. N. Am. F. 3577; F. Col. 1186.
 - = Dicaeoma substriatum (Ell. & Barth.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 344. 1906.
- ---- suksdorfii Ell. & Ev. Jour. Myc. 7: 130. Mar. 10, 1892. On Troximon glaucum, Wash. and Mont.
 - = Dicaeoma suksdorfii (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 470. 1898.
 - = Dasyspora suksdorfii (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 347. 1906.
 - = Micropuccinia suksdorfii (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 41. 1921.
- ---- synthyridis Ell. & Ev. Bull. Torr. Club 27: 61. Feb. 1900. On Synthyris rubra, Wash. F. Col. 1465.
 - = Micropuccinia wulfeniae (Diet. & Holw.) Arth. & Jacks. N. Am. Fl. 7: 567. 1922.
 - = Puccinia wulfeniae Diet. & Holw. sec. Arth. Manual Rusts U. S. p. 334. 1934.

- Puccinia tanaceti DC. f. helianthi Ell. & Ev. (nom. nud.) N. Am. F. 2250.

 Mar. 6, 1889. On Artemisia dracunculoides, Iowa.
 - = Bullaria absinthii (Hedw. f.) Arth. & Mains (Puccinia a. (Hedw. f.) DC.) N. Am. Fl. 7: 509. 1922.
- ---- tanaceti DC. var. tumefaciens Ell. & Ev. (ined.). On Hymenoclea monogyra, Ariz. Specimen in Myc. Coll.
 - = Puccinia splendens Vize sec. G. B. Cummins.
- ---- tecta Ell. & Barth. Erythea 4: 79. May 9, 1896. On Carex spargan-ioides, Kans.
 - = Dicaeoma asterum (Schw.) Arth. & Kern (Puccinia extensicola Plowr.) N. Am. Fl. 7: 362. 1920.
- ---- tracyi Ell. & Ev. (ined.). On Eupatorium coelestinum, Miss. Specimen in Myc. Coll.
 - =Puccinia conoclinii Seym. sec. G. B. Cummins.
- ---- transformans Ell. & Ev. Erythea 5: 6. Jan. 31, 1897. On Tecoma stans, Calif. Erythea 5: 51. 1897.
 - = Puccinia elegans Schroet. sec. Sacc. & Syd. Syll. Fung. 14: 327.
 - = Nephlyctis transformans (Ell. & Ev.) Arth. Jour. Myc. 13: 32. 1907.
- ---- trifoliatae Ell. & Ev. (as "trifoliata") Bull. Torr. Club 22: 58. Feb. 26, 1895. On Tiarella trifoliata, Wash.
 - = Dicaeoma pimpinellae (Strauss) Kuntze (Puccinia p. (Strauss) Mart.) sec. Arth. N. Am. Fl. 7: 396. 1920.
- ---- triodiae Ell. & Barth. Erythea 4: 3. Jan. 2, 1896. On Triodia purpurea, Kans. N. Am. F. 3474; F. Col. 987.
 - = Dicaeoma hibisciatum (Schw.) Arth. (Puccinia schedonnardi Kell. & Swing.) sec. Arth. & Fromme N. Am. Fl. 7: 308. 1920.

- Puccinia tuberculans Ell. & Ev. Proc. Acad. Phil. 1893, p. 153. Apr. 11, 1893. On Aplopappus, Nev. Bull. Torr. Club 27: 63. 1900.
 - = Dicaeoma tuberculans (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 471. 1898.
 - = Dasyspora tuberculans (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 347. 1906.
 - = Micropuccinia tuberculans (Ell. & Ev.) Arth. & Jacks. Bull. Torr. Club 48: 42. 1921.
 - = Leptopuccinia tuberculans (Ell. & Ev.) Syd. Ann. Myc. 20: 121.
 - = Micropuccinia grindeliae (Pk.) Arth. & Jacks. (Puccinia g. Pk.) N. Am. Fl. 7: 576. 1922.
- ---- variolans Harkn.? var. caulicola Ell. & Ev. (nom. nud.) N. Am. F. 2237. Mar. 6, 1889. On Lygodesmia juncea, Colo.
 - = Puccinia lygodesmiae Ell. & Ev. sec. Ell. & Ev. N. Am. F. 2237 label.
- ---- vernoniae Schw. var. caulicola Ell. & Ev. (nom. nud.) N. Am. F. 2988. Oct. 21, 1893. On Vernonia fasciculata, Ind.
- ---- vernoniae Schw. var. foliicola Ell. & Ev. (nom. nud.) F. Col. 363. 1894. On Vernonia baldwinii, Kans.
- ---- vilfae Ell. & Tracy (nom. nud.) N. Am. F. 2417. Feb. 19, 1890. (as synonym of P. graminis Pers. f. vilfae asperae Ell. & Ev.).
- ---- virgata Ell. & Ev. Proc. Acad. Phil. 1893, p. 154. Apr. 11, 1893. On Panicum virgatum, Kans. N. Am. F. 2888.
 - = Dicaeoma virgatum (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 471. 1898.
- Jan. 6, 1891. On Iva xanthiifolia, Kans. N. Am. F. 2252 (issued as P. compositarum Schlecht. Emended label issued 1893).
 - = Dicaeoma xanthiifoliae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 471. 1898.
- ---- ziziae Ell. & Ev. Bull. Torr. Club 22: 60. Feb. 26, 1895. On Zizia cordata, Wash.
 - = Dicaeoma ziziae (Ell. & Ev.) Kuntze Rev. Gen. Pl. 3, pt. 2, p. 471. 1898.
 - = Bullaria ziziae (Ell. & Ev.) Arth. Rés. Sci. Congr. Bot. Vienne 1905, p. 346. 1906.

- Pyrenochaete graminis Ell. & Ev. Bull. Torr. Club 24: 463. Oct. 30, 1897. On Chloris verticillata, Kans. N. Am. F. 3544; F. Col. 1248.
- ---- minor Ell. & Ev. Jour. Myc. 3: 18. Feb. 1887. On Vitex agnus castus, La.
- ---- papyricola Ell. & Ev. Proc. Acad. Phil. 1894, p. 359. Dec. 11, 1894. On old pasteboard, N. J.
- Pyrenopeziza coloradensis Ell. & Ev. Bull. Torr. Club 27: 60. Feb. 1900. On Potentilla, Colo.
- Pyrenophora canadensis Ell. & Ev. Proc. Acad. Phil. 1894, p. 336. Dec. 11, 1894. On Phleum pratense, Ontario.
- ---- hyphasmatis Ell. & Ev. Jour. Myc. 4: 77. Aug. 1888. On cotton cloth, La. N. Am. Pyren. p. 347. 1892.
 - = Pleosphaeria hyphasmatis (Ell. & Ev.) Berl. Icon. Pyren. 2: 44, 63, illus. 1896.
- Pyrenophora zabriskieana Ell. & Ev. Proc. Acad. Phil. 1890, p. 238.

 Sept. 30, 1890. On Ulmus americana, N. Y. N. Am. Pyren. p. 349.

 1892.
 - = Pleosphaeria zabriskieana (Ell. & Ev.) Berl. Icon. Pyren. 2: 44, 67, illus. 1896.

